


## QT 2,5 BU

**This product has been replaced by a newer version.**

Order No.: 3204214

The illustration shows version QT 2,5 in gray



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3204214>

Feed-through modular terminal block, Type of connection: Quick connection, Cross section: 1 mm<sup>2</sup> - 2.5 mm<sup>2</sup>, AWG 16 - 14, Width: 6.2 mm, Color: blue



### Commercial data

|                          |                    |
|--------------------------|--------------------|
| EAN                      | 4017918186999      |
| Pack                     | 50 pcs.            |
| Customs tariff           | 85369010           |
| Weight/Piece             | 0.01398 KG         |
| Catalog page information | Page 248 (CL-2002) |

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Certificates / Approvals



Certification

CUL, DNV, GOST, UL

Certification Ex:

KEMA-EX

**CUL**

|                       |       |
|-----------------------|-------|
| Nominal voltage $U_N$ | 600 V |
| Nominal current $I_N$ | 15 A  |
| AWG/kcmil             | 14-18 |

**UL**

|                       |       |
|-----------------------|-------|
| Nominal voltage $U_N$ | 600 V |
| Nominal current $I_N$ | 15 A  |
| AWG/kcmil             | 14-18 |

**Accessories**

| Item | Designation | Description |
|------|-------------|-------------|
|------|-------------|-------------|

**Assembly**

|         |                             |                                                                                                                                                                                |
|---------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3022218 | CLIPFIX 35                  | Snap-on end bracket, for 35 mm NS 35/7.5 or NS 35/15 DIN rail, can be fitted with Zack strip ZB 8 and ZB 8/27, terminal strip marker KLM 2 and KLM, width: 9.5 mm, color: gray |
| 3206034 | D-QT 2,5                    | End cover for modular terminal blocks, Length: 72.5 mm, Width: 2.2 mm, Height: 43.5 mm, Color: gray                                                                            |
| 1201442 | E/UK                        | Endhalter, zur Montage auf Tragschiene NS 32 oder NS 35/7,5                                                                                                                    |
| 0801762 | NS 35/ 7,5 CU UNPERF 2000MM | DIN rail, material: Copper, unperforated, height 7.5 mm, width 35 mm, length: 2 m                                                                                              |
| 0801733 | NS 35/ 7,5 PERF 2000MM      | DIN rail, material: Steel, galvanized and passivated with a thick layer, perforated, height 7.5 mm, width 35 mm, length: 2 m                                                   |
| 0801681 | NS 35/ 7,5 UNPERF 2000MM    | DIN rail, material: Steel, unperforated, height 7.5 mm, width 35 mm, length: 2 m                                                                                               |
| 1201756 | NS 35/15 AL UNPERF 2000MM   | DIN rail, deep-drawn, high profile, unperforated, 1.5 mm thick, material: Aluminum, height 15 mm, width 35 mm, length 2 m                                                      |
| 1201895 | NS 35/15 CU UNPERF 2000MM   | DIN rail, material: Copper, unperforated, 1.5 mm thick, height 15 mm, width 35 mm, length: 2 m                                                                                 |
| 1201730 | NS 35/15 PERF 2000MM        | DIN rail, material: Steel, perforated, height 15 mm, width 35 mm, length: 2 m                                                                                                  |
| 1201714 | NS 35/15 UNPERF 2000MM      | DIN rail, material: Steel, unperforated, height 15 mm, width 35 mm, length: 2 m                                                                                                |
| 1201798 | NS 35/15-2,3 UNPERF 2000MM  | DIN rail, material: Steel, unperforated, 2.3 mm thick, height 15 mm, width 35 mm, length: 2 m                                                                                  |

**Bridges**

|         |         |                                                                                       |
|---------|---------|---------------------------------------------------------------------------------------|
| 3030242 | FBS 3-6 | Cross connector/jumper for modular terminal block, Number of positions: 3, Color: red |
|---------|---------|---------------------------------------------------------------------------------------|

|         |          |                                                                                        |
|---------|----------|----------------------------------------------------------------------------------------|
| 3030255 | FBS 4-6  | Cross connector/jumper for modular terminal block, Number of positions: 4, Color: red  |
| 3030271 | FBS 10-6 | Cross connector/jumper for modular terminal block, Number of positions: 10, Color: red |
| 3030365 | FBS 20-6 | Cross connector/jumper for modular terminal block, Number of positions: 20, Color: red |

#### Marking

|         |               |                                                                                                               |
|---------|---------------|---------------------------------------------------------------------------------------------------------------|
| 1050499 | ZB 6:SO/CMS   | Zack strip, 10-section, divisible, special printing, marking according to customer requirements               |
| 0803650 | ZBFM 6:SO/CMS | Special printing, Zack marker sheet, flat, 100-section, divisible, marking according to customer requirements |

#### Plug/Adapter

|         |       |                           |
|---------|-------|---------------------------|
| 3030925 | PAI-4 | Test adapter, Color: gray |
| 3030996 | PS-6  | Test adapter, Color: red  |

#### Tools

|         |               |                                                       |
|---------|---------------|-------------------------------------------------------|
| 1204517 | SZF 1-0,6X3,5 | Screwdriver, blade: 0.6 x 3.5 x 100 mm, length 180 mm |
|---------|---------------|-------------------------------------------------------|

#### Drawings

Approbationslogos (EX-Bereich)



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2009 Phoenix Contact  
Technical modifications reserved;