

Fork-type cable lug - C-FCI 6/M4 - 3240042

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Fork-type cable lug, yellow, 4 - 6 mm², M4

Your advantages

The fork-type cable lugs without plastic sleeve feature a hard-soldered neck. In conjunction with the CRIMPFOX-RC ... and CRIMPFOX-RCI ... pliers they can be used to achieve maximum conductor pull-out forces



Key Commercial Data

Packing unit	1 pc	
Minimum order quantity	50 pc	
GTIN	4 046356 452595	
GTIN	4046356452595	
Weight per Piece (excluding packing)	1.600 g	
Custom tariff number	85369010	
Country of origin	China	

Technical data

Dimensions

Length (b)	26.7 mm
Width (a)	8.2 mm
Maximum stripping length	9 mm
Length of insulation sleeve (c)	14 mm
Inner dimension of the insulating collar (d)	6.6 mm
Distance between the center and the insulation sleeve (e)	7.5 mm



Fork-type cable lug - C-FCI 6/M4 - 3240042

Technical data

Dimensions

Inner diameter (f)	4.3 mm
Material thickness (g)	1 mm

General

Color	yellow	
Stripping length	9 mm	
Components	halogen-free	
Flammability rating according to UL 94	V2	
Material	Copper	
Insulating material	PA	
Coating	tin-plated	

Standards and Regulations

Flammability rating according to UL 94	V2
Trial material according to 02 04	V2

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e	
	No hazardous substances above threshold values	

Classifications

eCl@ss

eCl@ss 5.1	27400200
eCl@ss 6.0	27400200
eCl@ss 7.0	27400204
eCl@ss 8.0	27400204
eCl@ss 9.0	27400204

ETIM

ETIM 2.0	EC000005
ETIM 3.0	EC000005
ETIM 4.0	EC001052
ETIM 5.0	EC001052
ETIM 6.0	EC001052
ETIM 7.0	EC001052

UNSPSC

UNSPSC 6.01	27113201
UNSPSC 7.0901	27121703



Fork-type cable lug - C-FCI 6/M4 - 3240042

Classifications

UNSPSC

UNSPSC 11	27121703
UNSPSC 12.01	27121703
UNSPSC 13.2	27121707

UNSPSC 13.2		27121707	
Approvals			
Approvals			
Approvals			
EAC / EAC			
Ex Approvals			
Approval details			
EAC	EAC		7500651.22.01.00246

EAC EAC-Zulassung

Phoenix Contact 2019 © - all rights reserved http://www.phoenixcontact.com