



Extract from the online catalog

ME 12,5 UTG GN

Order No.: 2906762

Illustration shows a fully mounted version of the electronic housing



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2906762>

Lower part of housing closed, fully assembled, with metal foot catch.

Commercial data	
EAN	4017918131371
Pack	10 pcs.
Customs tariff	85472000
Weight/Piece	0.03855 KG
Catalog page information	Page 574 (CC-2009)

Product notes

WEEE/RoHS-compliant since:
06/09/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General	
Housing type	Component housing
Housing material	Polyamide
Color	green
Dimensions / positions	
Length	99 mm

ME 12,5 UTG GN Order No.: 2906762

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2906762>

Width	12.5 mm
Number of positions	8


Technical data

Ambient temperature (operation)	-40 °C ... 105 °C
Inflammability class acc. to UL 94	V0
Power dissipation at 20°C in the horizontal mounting position	4.3 W 7.1 W


onlinecomponents.com

Diagrams/Drawings

Dimensioned drawing




Dimensions of the electronic housing ME... with double-level upper part




Inner housing dimensions, electronic housing ME 17.5 ...

ME 12,5 UTG GN Order No.: 2906762
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2906762>



Dimensions of the electronic housing ME... with double-level upper part



Dimensional drawing of the ME... printed circuit board if the double level upper part is used

ME 12,5 UTG GN Order No.: 2906762
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2906762>

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;

onlinecomponents.com