




**QUEST**<sup>TM</sup>  
TECHNOLOGY  
INTERNATIONAL, Inc.

**INTERCONNECT PRODUCTS**



Fig.1

## Cat6A 19" Shielded Patch Panel

### Features

**NEW**

- TIA/EIA-568-B.2, IEEE802.3an for 10GBASE-T requirement.
- ISO/IEC 11801, EN50173-1 Class EA specification.
- Complies with CISPR/FCC Class A.
- 50u" gold plated RJ45 connectors
- Flame retardant rating: UL94-VO.
- Patch Cables & Horizontal Cables meet CENELEC EN standards
- 3P certified to Category 6A Channel Testing Performance Requirements
- RoHS compliant per 2002/95/EC

| Item #   | Fig. | Description                        |
|----------|------|------------------------------------|
| NPP-3024 | 1    | Cat6A 19" Patch Panel, 24 port, 1U |

**CAT6A**

## Cat6A Shielded Keystone Jack

### Features

**NEW**

Fig.2

- RJ45 Contacts: 50u" Gold-Plating over Nickel
- 110 IDC Terminals: Nickel-Plating over Phosphor Bronze
- Material: Flame-Retardant ABS UL94VO
- Signal Transmitted: 10/100/1000/10GBaseT
- Wiring Supported: Category 6A ANSI/TIA-568-C.2
- IDC Termination: For 22-26AWG wire

| Item #   | Fig. | Description                  |
|----------|------|------------------------------|
| NKJ-6161 | 2    | Cat6A Shielded Keystone Jack |

**CAT6A**

Fig.3

Fig.4

## Cat6A Shielded Surface Mount Box

### Features

**NEW**

- Keystone Terminations (NKJ-6161)
- Shielded Keystone Housing
- RJ45 Sliding Dust Cover Protection
- Mounting Hardware Included

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| NSB-6310 | 3    | Cat6A Shielded Surface Box - Single, White |
| NSB-6320 | 4    | Cat6A Shielded Surface Box - Dual, White   |

**CAT6A**

Quest Technology now offers a shielded Cat6A data solution for our customers requiring installation of 10Gbps high speed data networks. This shielded product offering consists of a 24 port patch panel with a EZ-latching shielded cover, keystone jacks, modular surface mount boxes, molded snagless patch cables and shielded SSTP CM horizontal installation wire. Contacts for both the patch panels and keystone jacks consist of 50u inch gold plating over nickel assuring high quality data transfers. The horizontal SSTP wire is a fully shielded 23awg wire with an Aluminum-Mylar foil screen over each twisted pair, and a tinned copper braid shield covering all four pairs protecting data from any external EMI/RFI noise interference and crosstalk.

## Cat6A Shielded Patch Cable

### Features

**NEW**

- RJ45 Contacts: 50u" Gold-Plating over Nickel
- 10Gbps
- Snagless Molded Boot
- EIA 568B
- Gray

| Item #   | Fig. | Description                        |
|----------|------|------------------------------------|
| NPC-8903 | 1    | Cat6A Shielded Patch Cable - 3ft.  |
| NPC-8907 | 1    | Cat6A Shielded Patch Cable - 7ft.  |
| NPC-8910 | 1    | Cat6A Shielded Patch Cable - 10ft. |



Fig.1

## Cat6A Shielded Cable

### Features

**NEW**

- Rated for 10Gbps Data Transfer
- Aluminum Shield Around Each Twisted Pair (SSTP)
- 4 Pair, 23 AWG Solid Conductor Cable
- Conforms to ANSI/TIA-568B.2-10 Cat6A

| Item #   | Fig. | Description                                  |
|----------|------|----------------------------------------------|
| NBW-1669 | 2    | Cat6A Solid 4 pair SSTP, PVC, Gray - 1000ft. |



Fig.2



Category 6A Connectivity Solution

Lan Connectivity



Fig.1



Fig.2



Fig.3



Fig.4



## Cat6 Patch Panel

### Features

- Exceeds Cat6 Standards Per TIA/EIA 568-B-2.1
- 50u" Gold Plated Contacts
- EIA 568 A/B Universal Wiring
- Code Labels
- Protective PCB Cover

| Item #   | Fig. | Description                   |
|----------|------|-------------------------------|
| NPP-2012 | 1    | 12 Port Cat6 Mini Patch Panel |
| NPP-2016 | 2    | 16 Port Cat6 1U Patch Panel   |
| NPP-2024 | 3    | 24 Port Cat6 1U Patch Panel   |
| NPP-2048 | 4    | 48 Port Cat6 2U Patch Panel   |

**CAT6**


## Cat6 90 Degree Keystone Jack

### Features

- 50u" Gold Plated Contacts
- 90 Degree 110 IDC Termination
- Exceeds Cat6 Standards Per TIA/EIA 568B-2.1
- 568 A/B Universal Wiring
- Available In 8 Colors
- Compatible With Industry Standard Keystone Wallplates

Fig.5



| Item #   | Fig. | Description                          |
|----------|------|--------------------------------------|
| NKJ-6101 | 5    | Cat6 90 Degree Keystone Jack, Black  |
| NKJ-6102 | 5    | Cat6 90 Degree Keystone Jack, Blue   |
| NKJ-6103 | 5    | Cat6 90 Degree Keystone Jack, Red    |
| NKJ-6104 | 5    | Cat6 90 Degree Keystone Jack, Orange |
| NKJ-6105 | 5    | Cat6 90 Degree Keystone Jack, Yellow |
| NKJ-6106 | 5    | Cat6 90 Degree Keystone Jack, Green  |
| NKJ-6107 | 5    | Cat6 90 Degree Keystone Jack, Ivory  |
| NKJ-6108 | 5    | Cat6 90 Degree Keystone Jack, White  |

**CAT6**


Available in the following colors:



## Cat6 Coupler

### Features

**NEW**

- 50u" Gold Plated Contacts
- Wired Straight Through
- Available in Keystone Version

| Item #   | Fig. | Description                  |
|----------|------|------------------------------|
| NKJ-6002 | 6    | Cat6 Keystone Coupler, Black |
| NKJ-6008 | 7    | Cat6 In Line Coupler, White  |

**CAT6**


Fig.6



Fig.7



## Cat6 Loaded Surface Box

### Features

- 50u" Gold Plated Contacts
- 90 Degree 110 IDC Termination
- Exceeds Cat6 Standards Per TIA/EIA 568B-2.1
- EIA 568 A/B Universal Wiring
- Mounting Hardware Included

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| NSB-6120 | 1    | Cat6 Single Port Loaded Surface Box, White |
| NSB-6130 | 2    | Cat6 Dual Port Loaded Surface Box, White   |



Fig.1



Fig.2

## Cat6 Solid UTP Cable

### Features

**NEW**

- Exceeds CAT6 Standards per EIA/TIA CAT6 specifications
- 550MHz rated CMR Cable
- ETL Verified
- PVC & Plenum Jacket Now Available
- 4 pair 23AWG Solid copper
- 1,000 Foot pull-boxes

| Item #   | Fig. | Description                                           |
|----------|------|-------------------------------------------------------|
| NBW-1062 | 3    | Cat6 Solid 4 Pair UTP, PVC, 550MHz, Blue - 1000ft.    |
| NBW-1069 | 3    | Cat6 Solid 4 Pair UTP, PVC, 550MHz, Gray - 1000ft.    |
| NBW-2062 | 3    | Cat6 Solid 4 Pair UTP, Plenum, 550MHz, Blue - 1000ft. |
| NBW-2069 | 3    | Cat6 Solid 4 Pair UTP, Plenum, 550MHz, Gray - 1000ft. |



Fig.3

## Cat6 Snagless/Molded Patch Cord

### Features

- Exceeds Cat6 Standards Per TIA/EIA 568-B-2.1
- Gold Plated Connector Contacts
- Slim Molded Strain Relief
- New Flexible Molded Tab Protection



| Color  | 1 ft.    | 3 ft.    | 5 ft.    | 7 ft.    | 10 ft.   | 15 ft.   | 25 ft.   | 50 ft.   | 100 ft.  |
|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| BLACK  | NPC-6101 | NPC-6103 | NPC-6105 | NPC-6107 | NPC-6110 | NPC-6115 | NPC-6125 | NPC-6150 | NPC-6100 |
| BLUE   | NPC-6201 | NPC-6203 | NPC-6205 | NPC-6207 | NPC-6210 | NPC-6215 | NPC-6225 | NPC-6250 | NPC-6200 |
| RED    | NPC-6301 | NPC-6303 | NPC-6305 | NPC-6307 | NPC-6310 | NPC-6315 | NPC-6325 | NPC-6350 | NPC-6300 |
| YELLOW | NPC-6501 | NPC-6503 | NPC-6505 | NPC-6507 | NPC-6510 | NPC-6515 | NPC-6525 | NPC-6550 | NPC-6500 |
| GREEN  | NPC-6601 | NPC-6603 | NPC-6605 | NPC-6607 | NPC-6610 | NPC-6615 | NPC-6625 | NPC-6650 | NPC-6600 |
| WHITE  | NPC-6801 | NPC-6803 | NPC-6805 | NPC-6807 | NPC-6810 | NPC-6815 | NPC-6825 | NPC-6850 | NPC-6800 |
| GRAY   | NPC-6901 | NPC-6903 | NPC-6905 | NPC-6907 | NPC-6910 | NPC-6915 | NPC-6925 | NPC-6950 | NPC-6900 |



Available in the following colors:



Category 6 Connectivity Solution

Lan Connectivity



Fig.1



Fig.2




Fig.3



Fig.4



## Cat5E Patch Panel

### Features

- Exceed Cat5E EIA/TIA 568B.1 standards
- 50u" Gold Plated Contacts
- EIA 568 A/B Universal Wiring
- Protective PCB Cover

| Item #   | Fig. | Description                       |
|----------|------|-----------------------------------|
| NPP-1012 | 1    | 12 Port Cat5E Mini Patch Panel    |
| NPP-1016 | 2    | 16 Port Cat5E 19" Patch Panel, 1U |
| NPP-1024 | 3    | 24 Port Cat5E 19" Patch Panel, 1U |
| NPP-1048 | 4    | 48 Port Cat5E 19" Patch Panel, 2U |



## Cat5E 90 Degree Keystone Jack

### Features

- RJ45 Contacts: 50u" Gold-Plating over Nickel
- 110 IDC Terminals: Nickel-Plating over Phosphor Bronze
- Material: Flame-Retardant ABS UL94V0

| Item #   | Fig. | Description                           |
|----------|------|---------------------------------------|
| NKJ-5101 | 5    | Cat5E 90 Degree Keystone Jack, Black  |
| NKJ-5102 | 5    | Cat5E 90 Degree Keystone Jack, Blue   |
| NKJ-5103 | 5    | Cat5E 90 Degree Keystone Jack, Red    |
| NKJ-5104 | 5    | Cat5E 90 Degree Keystone Jack, Orange |
| NKJ-5105 | 5    | Cat5E 90 Degree Keystone Jack, Yellow |
| NKJ-5106 | 5    | Cat5E 90 Degree Keystone Jack, Green  |
| NKJ-5107 | 5    | Cat5E 90 Degree Keystone Jack, Ivory  |
| NKJ-5108 | 5    | Cat5E 90 Degree Keystone Jack, White  |



Available in the following colors:



Fig.5



Fig.6



Fig.7



## Cat5E Coupler

### Features

- 50u" Gold Plated Contacts
- Wired Straight Through

| Item #   | Fig. | Description                   |
|----------|------|-------------------------------|
| NKJ-5001 | 6    | Cat5E In Line Coupler, Black  |
| NKJ-5002 | 7    | Cat5E Keystone Coupler, Black |



## Cat5E Loaded Surface Box

### Features

- RJ45 Contacts: 50u" Gold-Plating over Nickel
- 110 IDC Terminals: Nickel-Plating over Phosphor Bronze
- Material: Flame-Retardant ABS UL94V0

| Item #   | Fig. | Description                       |
|----------|------|-----------------------------------|
| NSB-5120 | 8    | Cat5E Single Box with Jack, White |
| NSB-5130 | 9    | Cat5E Dual Box with Jack, White   |



Fig.8



Fig.9



## Cat5E Solid UTP Cable

### Features

**NEW**

- Exceed Cat5E EIA/TIA 568B.1 standards
- 350MHz rated CMR Cable
- Cable Length Markings
- PVC & Plenum Jacket Now Available

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| NBW-1051 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, Black - 1000ft.   |
| NBW-1052 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, Blue - 1000ft.    |
| NBW-1053 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, Red - 1000ft.     |
| NBW-1054 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, Orange - 1000ft.  |
| NBW-1055 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, Yellow - 1000ft.  |
| NBW-1056 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, Green - 1000ft.   |
| NBW-1058 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, White - 1000ft.   |
| NBW-1059 | 1    | Cat5E Solid 4 Pair UTP, PVC, 350MHz, Grey - 1000ft.    |
| NBW-2052 | 1    | Cat5E Solid 4 Pair UTP, Plenum, 350MHz, Blue - 1000ft. |
| NBW-2059 | 1    | Cat5E Solid 4 Pair UTP, Plenum, 350MHz, Gray - 1000ft. |



Fig.1

**CAT5E**



Available in the following colors:



## Cat5E Snagless/Molded Patch Cord

### Features

- Exceed Cat5E EIA/TIA 568B.1 standards
- Gold Plated Contacts
- Slim Molded Strain Relief
- New Flexible Molded Tab Protection



### Crossover Cables

Crossover cables are Ethernet cables that are wired to "cross-over" for connecting two computing devices together directly.

| Color  | 3 ft.    | 5 ft.    | 7 ft.    | 10 ft.   | 15 ft.   | 25 ft.   |
|--------|----------|----------|----------|----------|----------|----------|
| RED    | NPC-2303 | NPC-2305 | NPC-2307 | NPC-2310 | NPC-2315 | NPC-2325 |
| YELLOW | NPC-2503 | NPC-2505 | NPC-2507 | NPC-2510 | NPC-2515 | NPC-2525 |

### Snagless Patch Cords

| Color  | 1 ft.    | 2 ft.    | 3 ft.    | 5 ft.    | 7 ft.    | 10 ft.   | 15 ft.   | 25 ft.   | 50 ft.   | 75 ft.   | 100 ft.  |
|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| BLACK  | NPC-1101 | NPC-1102 | NPC-1103 | NPC-1105 | NPC-1107 | NPC-1110 | NPC-1115 | NPC-1125 | NPC-1150 | NPC-1175 | NPC-1100 |
| BLUE   | NPC-1201 | NPC-1202 | NPC-1203 | NPC-1205 | NPC-1207 | NPC-1210 | NPC-1215 | NPC-1225 | NPC-1250 | NPC-1275 | NPC-1200 |
| RED    | NPC-1301 | NPC-1302 | NPC-1303 | NPC-1305 | NPC-1307 | NPC-1310 | NPC-1315 | NPC-1325 | NPC-1350 | NPC-1375 | NPC-1300 |
| ORANGE | NPC-1401 | NPC-1402 | NPC-1403 | NPC-1405 | NPC-1407 | NPC-1410 | NPC-1415 | NPC-1425 | NPC-1450 | NPC-1475 | NPC-1400 |
| YELLOW | NPC-1501 | NPC-1502 | NPC-1503 | NPC-1505 | NPC-1507 | NPC-1510 | NPC-1515 | NPC-1525 | NPC-1550 | NPC-1575 | NPC-1500 |
| GREEN  | NPC-1601 | NPC-1602 | NPC-1603 | NPC-1605 | NPC-1607 | NPC-1610 | NPC-1615 | NPC-1625 | NPC-1650 | NPC-1675 | NPC-1600 |
| WHITE  | NPC-1801 | NPC-1802 | NPC-1803 | NPC-1805 | NPC-1807 | NPC-1810 | NPC-1815 | NPC-1825 | NPC-1850 | NPC-1875 | NPC-1800 |
| GRAY   | NPC-1901 | NPC-1902 | NPC-1903 | NPC-1905 | NPC-1907 | NPC-1910 | NPC-1915 | NPC-1925 | NPC-1950 | NPC-1975 | NPC-1900 |

**CAT5E**



Available in the following colors:



Category 5E Connectivity Solution

Lan Connectivity



## Cat3 Keystone Jack

### Features

- Tool-less IDC Termination
- USOC Wiring

### Item # Description

|          |             |
|----------|-------------|
| NKJ-4601 | 6p6c, Black |
| NKJ-4607 | 6p6c, Ivory |
| NKJ-4608 | 6p6c, White |
| NKJ-4801 | 8p8c, Black |

**CAT3**



## Cat4 Keystone Insert (6p6c)

### Features

- 110 IDC Termination
- USOC Wiring

### Item # Description

|          |             |
|----------|-------------|
| NKJ-4107 | 6p6c, Ivory |
| NKJ-4108 | 6p6c, White |

**CAT4**



## HDMI Keystone Insert

### Features

- HDMI Female to Female
- Keystone Insert Slim-Style

### Item # Description

|          |             |
|----------|-------------|
| HDI-9510 | HDMI, White |
|----------|-------------|

**HDMI**  
HIGH DEFINITION MULTIMEDIA INTERFACE



## SVHS Keystone Insert

### Features

- Mini-Din 4 Female to Female
- Keystone Insert Coupler

### Item # Description

|          |            |
|----------|------------|
| NKJ-7004 | VHS, Black |
|----------|------------|



## BNC Keystone Insert

### Features

- BNC Female to Female
- Available in 50 & 75 Ohm

### Item # Description

|          |               |
|----------|---------------|
| NIN-1308 | 50 Ohm, White |
| NIN-5308 | 75 Ohm, White |

**NEW**



## RCA Keystone Insert (White)

### Features

- RCA Female to Female
- 75 Ohm for Audio & Video

### Item # Description

|          |                  |
|----------|------------------|
| NIN-1401 | Red Insulator    |
| NIN-1402 | Yellow Insulator |
| NIN-1403 | White Insulator  |
| NIN-1404 | Blue Insulator   |
| NIN-1405 | Green Insulator  |

Available in the following colors:



## F Keystone Insert

### Features

- F Female to Female
- 1 GHz Rated

### Item # Description

|          |             |
|----------|-------------|
| NIN-1207 | F-81, White |
| NIN-1208 | F-81, Ivory |

Available in the following colors:



## Blank Keystone Inserts

### Features

- Keystone Blank Fillers

### Item # Description

|          |              |
|----------|--------------|
| NIN-1107 | Blank, White |
| NIN-1108 | Blank, Ivory |

Available in the following colors:



Cat3/4 & Multimedia Keystone Inserts

Lan Connectivity



Fig.1

## High Density Keystone Patch Panel

### Features

**NEW**

- 24 ports fits in 1U space
- No Keystone Bezels required
- Keystone Jacks fit flush in Panel
- Requires Slim-Style Keystone Jacks (page 11)

| Item #   | Fig. | Description                   |
|----------|------|-------------------------------|
| NBP-2224 | 1    | 24 Port Blank Patch Panel, 1U |



Fig.2



Fig.3

## Unloaded Keystone Patch Panel

### Features

- Keystone Jacks fit flush in Panel
- Requires Color-coded Keystone Bezels
- Metal Construction

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| NBP-2024 | 2    | 24 Port Unloaded Keystone Patch Panel, 2U |
| NBP-2048 | 3    | 48 Port Unloaded Keystone Patch Panel, 3U |

## Unloaded Keystone Bezels

### Features

- PVC Construction
- Iconable Keystone Bezels
- For Use with NBP-2024 & NBP-2048



Fig.4

| Item #   | Fig. | Description                   |
|----------|------|-------------------------------|
| NIN-1000 | 4    | Iconable Modular Bezel, Black |
| NIN-1002 | 4    | Iconable Modular Bezel, Blue  |
| NIN-1003 | 4    | Iconable Modular Bezel, Red   |
| NIN-1008 | 4    | Iconable Modular Bezel, White |

## Unloaded Specialty Bezels

### Features

- PVC Construction
- For Use with NBP-2024 & NBP-2048




Fig.5

Fig.6

Fig.7

Fig.8

Fig.9

| Item #   | Fig. | Description                   |
|----------|------|-------------------------------|
| NIN-1500 | 5    | BNC Modular Bezel, White      |
| NIN-1501 | 6    | Blank Modular Bezel, White    |
| NIN-1502 | 7    | F-81 Modular Bezel, White     |
| NIN-1503 | 8    | SC Fiber Modular Bezel, White |
| NIN-1504 | 9    | ST Fiber Modular Bezel, White |

## Unloaded Keystone Surface Boxes

### Features

- Compatible with Industry Standard Keystone Jacks
- Cost Effective and Easy to Install
- Come Complete with Mounting Hardware

| Item #   | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| NSB-5210 | 1    | 1 Port Unloaded Keystone Surface Box, White |
| NSB-5211 | 1    | 1 Port Unloaded Keystone Surface Box, Ivory |
| NSB-5220 | 2    | 2 Port Unloaded Keystone Surface Box, White |
| NSB-5221 | 2    | 2 Port Unloaded Keystone Surface Box, Ivory |
| NSB-5240 | 3    | 4 Port Unloaded Keystone Surface Box, White |
| NSB-5241 | 3    | 4 Port Unloaded Keystone Surface Box, Ivory |
| NSB-5260 | 4    | 6 Port Unloaded Keystone Surface Box, White |

Available in the following colors:



Fig.1



Fig.2



Fig.3



Fig.4

## Unloaded Shutter Style Surface Boxes

### Features

- Compatible with Industry Standard Keystone Jacks
- Shutter Protects against Contaminants
- Come Complete with Mounting Hardware

| Item #   | Fig. | Description                                      |
|----------|------|--------------------------------------------------|
| NSB-6140 | 5    | 1 Port Unloaded Shutter Style Surface Box, White |
| NSB-6240 | 6    | 2 Port Unloaded Shutter Style Surface Box, White |



Fig.5



Fig.6

See our complete line of modular keystone jacks

Unloaded Keystone Surface Boxes

Lan Connectivity




## Décor Style Wall Plates

### Features

- Multimedia Versatility
- ABS Construction
- Contemporary Décor Styling
- Mounting Screws Included

| Item #   | Description   |
|----------|---------------|
| NFP-4017 | 1 Gang, Ivory |
| NFP-4018 | 1 Gang, White |
| NFP-4027 | 2 Gang, Ivory |
| NFP-4028 | 2 Gang, White |
| NFP-4037 | 3 Gang, Ivory |
| NFP-4038 | 3 Gang, White |

Available in the following colors:



## Décor Style Keystone Inserts

### Features

- Multimedia Versatility
- ABS Construction
- Contemporary Décor Styling
- Mounting Screws Included

| Item #   | Description                   |
|----------|-------------------------------|
| NFP-4107 | Single Keystone Insert, Ivory |
| NFP-4108 | Single Keystone Insert, White |
| NFP-4207 | Double Keystone Insert, Ivory |
| NFP-4208 | Double Keystone Insert, White |
| NFP-4307 | Triple Keystone Insert, Ivory |
| NFP-4308 | Triple Keystone Insert, White |
| NFP-4407 | Quad Keystone Insert, Ivory   |
| NFP-4408 | Quad Keystone Insert, White   |

Available in the following colors:



\* Quad Keystone Inserts require slim-style keystone jacks.

## Low-Volt Drywall Mounting Brackets

### Features

- Used as a Low Voltage Box Eliminator
- PVC Construction with Built-In Drywall Grips
- Available in Single & Dual Gang

| Item #   | Description |
|----------|-------------|
| VHT-8499 | Single-Gang |
| VHT-8498 | Dual-Gang   |



## Cat5E Keystone Slim-Style Jacks

### Features

**NEW**

- 90 Degree Slim-Style Design
- RJ45 Contacts: 50u" Gold-Plating over Nickel
- 110 IDC Terminals: Nickel-Plating over Phosphor Bronze
- Material: Flame-Retardant ABS UL94VO

| Item #   | Description           |
|----------|-----------------------|
| NKJ-5501 | RJ-45, 90 Deg., Black |
| NKJ-5502 | RJ-45, 90 Deg., Blue  |
| NKJ-5508 | RJ-45, 90 Deg., White |



## Standard Keystone Faceplates

### Features

- Multimedia Versatility
- ABS Construction
- Mounting Screws Included

| Item #   | Fig. | Description                                         |
|----------|------|-----------------------------------------------------|
| NFP-1007 | 1    | Blank Wall Plate, Ivory                             |
| NFP-1008 | 1    | Blank Wall Plate, White                             |
| NFP-1017 | 2    | 1 Port Keystone Face Plate, Ivory                   |
| NFP-1018 | 2    | 1 Port Keystone Face Plate, White                   |
| NFP-1027 | 3    | 2 Port Keystone Face Plate, Ivory                   |
| NFP-1028 | 3    | 2 Port Keystone Face Plate, White                   |
| NFP-1037 | 4    | 3 Port Keystone Face Plate, Ivory                   |
| NFP-1038 | 4    | 3 Port Keystone Face Plate, White                   |
| NFP-1047 | 5    | 4 Port Keystone Face Plate, Ivory                   |
| NFP-1048 | 5    | 4 Port Keystone Face Plate, White                   |
| NFP-1067 | 6    | 6 Port Keystone Face Plate, Ivory                   |
| NFP-1068 | 6    | 6 Port Keystone Face Plate, White                   |
| NFP-2017 | 7    | 1 Port Keystone Face Plate w/Labeling Window, Ivory |
| NFP-2018 | 7    | 1 Port Keystone Face Plate w/Labeling Window, White |
| NFP-2027 | 8    | 2 Port Keystone Face Plate w/Labeling Window, Ivory |
| NFP-2028 | 8    | 2 Port Keystone Face Plate w/Labeling Window, White |
| NFP-2047 | 9    | 4 Port Keystone Face Plate w/Labeling Window, Ivory |
| NFP-2048 | 9    | 4 Port Keystone Face Plate w/Labeling Window, White |
| NFP-3000 | 10   | 1-1/2" Deep Surface Mount Wall Box, White           |
| NRS-3062 | 10   | 2" Deep Surface Mount Wall Box, White               |

Available in the following colors:



Fig.1



Fig.2



Fig.3



Fig.4




Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10

Keystone Wall Plates

Lan Connectivity

**Loaded Telephone Surface Boxes****Features**

- Available with RJ-11, RJ-12 or RJ-45
- RJ-11 also in Low-Profile Style
- Pre-Wired to USOC Wiring Standard

| Item #   | Description                        |
|----------|------------------------------------|
| NTB-1401 | 4C RJ-11 Single Surface Box, Ivory |
| NTB-1402 | 4C RJ-11 Single Surface Box, White |
| NTB-1601 | 6C RJ-11 Single Surface Box, Ivory |
| NTB-1802 | 8C RJ-45 Single Surface Box, White |
| NTB-2401 | 4C RJ-11 Dual Surface Box, Ivory   |
| NTB-2402 | 4C RJ-11 Dual Surface Box, White   |

Available in the following colors:



Ivory

White

**Low-Profile Telephone Box****Features**

- Available in RJ11 & RJ12
- Pre-Wired to USOC Wiring Standard

| Item #   | Description                             |
|----------|-----------------------------------------|
| NTB-3401 | 4C RJ-11 Low-Profile Surface Box, Ivory |
| NTB-3402 | 4C RJ-11 Low-Profile Surface Box, White |
| NTB-3601 | 6C RJ-11 Low-Profile Surface Box, Ivory |
| NTB-3602 | 6C RJ-11 Low-Profile Surface Box, White |

Available in the following colors:



Ivory

White

**Telephone Duplex Adapters****Features**

- Available in RJ-11, RJ-12 & RJ-45
- Pre-Wired to USOC Wiring Standard

| Item #   | Description                    |
|----------|--------------------------------|
| NTC-2421 | 4C RJ-11 Duplex Adapter, Ivory |
| NTC-2422 | 4C RJ-11 Duplex Adapter, White |
| NTC-2621 | 6C RJ-11 Duplex Adapter, Ivory |
| NTC-2622 | 6C RJ-11 Duplex Adapter, White |
| NTC-2821 | 8C RJ-45 Duplex Adapter, Ivory |
| NTC-2822 | 8C RJ-45 Duplex Adapter, White |

Available in the following colors:



Ivory

White

**In-Line Voice & Data Couplers****Features**

- Available in RJ-11, RJ-12 & RJ-45
- Cross-Wired or Wired Straight Through

| Item #   | Description                               |
|----------|-------------------------------------------|
| NTC-0621 | 6C In-Line Coupler For Data, Ivory        |
| NTC-0821 | 8C In-Line Coupler For Data, Ivory        |
| NTC-0822 | 8C In-Line Coupler For Data, White        |
| NTC-1421 | 4C RJ-11 In-Line Coupler For Voice, Ivory |
| NTC-1422 | 4C RJ-11 In-Line Coupler For Voice, White |

Available in the following colors:



Ivory

White



## Kitchen Telephone Wall Plates

### Features

- For Mounting a Telephone on the Wall
- Available in RJ-11

| Item #   | Description                         |
|----------|-------------------------------------|
| NTP-4401 | Kitchen Telephone Wall Plate, Ivory |
| NTP-4402 | Kitchen Telephone Wall Plate, White |

Available in the following colors:



## Telephone / TV Wall Plates

### Features

- Available with RJ-11 & F-81
- Appealing Smooth Finish

| Item #    | Description                               |
|-----------|-------------------------------------------|
| NTP-1901: | 4C Single RJ-11 / F-81 Wall Plate, Ivory  |
| NTP-1902: | 4C Single RJ-11 / F-81 Wall Plate, White  |
| NTP-1903: | 4C Single RJ-11 / F-81 Wall Plate, Almond |

Available in the following colors:



## Telephone Wall Plates

### Features

- Available in RJ-11 & RJ-45
- 1 & 2 Port Versions
- Appealing Smooth Finish

| Item #   | Description                             |
|----------|-----------------------------------------|
| NTP-2401 | 4C Single RJ-11, Tel. Wall Plate, Ivory |
| NTP-2402 | 4C Single RJ-11, Tel. Wall Plate, White |
| NTP-1441 | 4C Dual RJ-11, Tel. Wall Plate, Ivory   |
| NTP-1442 | 4C Dual RJ-11, Tel. Wall Plate, White   |
| NTP-1602 | 6C Dual RJ-12, Tel. Wall Plate, White   |
| NTP-1603 | 6C Dual RJ-12, Tel. Wall Plate, Almond  |
| NTP-1882 | 8C Dual RJ-45, Tel. Wall Plate, White   |
| NTP-1883 | 8C Dual RJ-45, Tel. Wall Plate, Almond  |

Available in the following colors:



## Data/Telephone/TV Wall Plates

### Features

- Gold Plated F-81 Connectors
- Smooth Flush Finish Wall Plate
- Category 5 Rated Data Port

| Item #   | Description                              |
|----------|------------------------------------------|
| VHT-9511 | 6p Single RJ12, RJ-45. F-81, White       |
| VHT-9512 | 6p Single RJ12, RJ-45. F-81, Ivory       |
| VHT-9513 | 6p Single RJ12, RJ-45. F-81, Almond      |
| VHT-9611 | 6p Single RJ12, RJ-45. Dual F-81, White  |
| VHT-9612 | 6p Single RJ12, RJ-45. Dual F-81, Ivory  |
| VHT-9613 | 6p Single RJ12, RJ-45. Dual F-81, Almond |
| VHT-9621 | 8p Dual RJ-45. Dual F-81, White          |
| VHT-9622 | 8p Dual RJ-45. Dual F-81, Ivory          |
| VHT-9623 | 8p Dual RJ-45. Dual F-81, Almond         |

Available in the following colors:



Telephone Wall Plates

Lan Connectivity

Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



## 110 Cross-Connect Wiring Block

### Features

- Used for High-Speed Wiring Applications
- Wiring Blocks Include Mounting Legs
- Accepts 22AWG to 26AWG wire
- Includes Labeling Index Strips

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| NCB-1004 | 1    | 4 Pair 110 Connecting Block                |
| NCB-1005 | 1    | 5 Pair 110 Connecting Block                |
| NCB-1050 | 2    | 50 Pair 110 Wiring Block With Legs         |
| NCB-1100 | 2    | 100 Pair 110 Wiring Block With Legs        |
| NCP-100  | 3    | 100 Pair, 110 Block 19in. Rack Mount Panel |



## 66 Cross-Connect Wiring Block

### Features



- Used for High-Speed Wiring Applications
- Accepts 22AWG to 26AWG wire

| Item #   | Fig. | Description                                    |
|----------|------|------------------------------------------------|
| NCB-6000 | 4    | 89D Bracket For 66 Block Or 12 Port Mini Panel |
| NCB-6010 | 5    | 66 Block Bridging Clips                        |
| NCB-6650 | 6    | 50 Pair 66 Block W/O Mounting Legs             |



## Coiled Telephone Handset Cords

### Features

- Long-Lasting Coil Memory
- Stranded Cable for more Flexibility

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| NCO-2015 | 7    | 4C RJ-11 Coiled Handset Cord, 15ft., Black |
| NCO-2025 | 7    | 4C RJ-11 Coiled Handset Cord, 25ft., Black |
| NCO-2415 | 7    | 4C RJ-11 Coiled Handset Cord, 15ft., White |
| NCO-2425 | 7    | 4C RJ-11 Coiled Handset Cord, 25ft., White |

## Silver Satin Modular Cables

### Features

- Silver Satin Finish
- RJ-11 6p4c Connector
- Crosswired for Telephone Use
- Straight wired for Data Use Available

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| NCO-4107 | 8    | 4C RJ-11 Silver Satin Modular Cord, 7ft., Gray  |
| NCO-4115 | 8    | 4C RJ-11 Silver Satin Modular Cord, 15ft., Gray |
| NCO-4125 | 8    | 4C RJ-11 Silver Satin Modular Cord, 25ft., Gray |

See punch down tools

## Modular Plugs

### Features



| Item No. | Figure | RJ-9 (4p4c) | RJ-11 (6p4c) | RJ-12 (6p6c) | RJ-45 (8p8C) | CAT5E | CAT6 | Straight Wire Guides | Staggered Wire Guides | Wire Guide Load Bar | Solid Conductor | Stranded Conductor | Shielded | Flat Jacket | Round Jacket | Gold Plating (u") | Recommended Crimp Tool |
|----------|--------|-------------|--------------|--------------|--------------|-------|------|----------------------|-----------------------|---------------------|-----------------|--------------------|----------|-------------|--------------|-------------------|------------------------|
| NMP-9000 | 1      | X           |              |              |              |       |      | X                    |                       |                     |                 | X                  |          | X           |              | 15                | TEL-6020               |
| NMP-4111 | 2      |             | X            |              |              |       |      | X                    |                       |                     |                 | X                  |          | X           |              | 15                | TEL-6001               |
| NMP-4221 | 2      |             | X            |              |              |       |      | X                    |                       |                     | X               |                    |          | X           |              | 15                | TEL-6001               |
| NMP-4225 | 2      |             | X            |              |              |       |      | X                    |                       |                     | X               | X                  |          | X           |              | 50                | TEL-6001               |
| NMP-6111 | 3      |             |              | X            |              |       |      | X                    |                       |                     |                 | X                  |          | X           |              | 15                | TEL-6001               |
| NMP-6221 | 3      |             |              | X            |              |       |      | X                    |                       |                     | X               |                    |          | X           |              | 15                | TEL-6001               |
| NMP-6225 | 3      |             |              | X            |              |       |      | X                    |                       |                     | X               | X                  |          | X           |              | 50                | TEL-6001               |
| NMP-8111 | 4      |             |              |              | X            | X     |      | X                    |                       |                     |                 | X                  |          | X           |              | 15                | TEL-6001               |
| NMP-8215 | 4      |             |              |              | X            | X     |      | X                    |                       |                     |                 | X                  |          | X           |              | 50                | TEL-6001               |
| NMP-8225 | 4      |             |              |              | X            | X     |      | X                    |                       |                     | X               | X                  |          | X           |              | 50                | TEL-6001               |
| NMP-8425 | 5      |             |              |              | X            | X     |      | X                    |                       |                     | X               | X                  | X        | X           |              | 50                | TEL-6001               |
| NMP-8510 | 6      |             |              | 10p10c       | X            | X     |      | X                    |                       |                     |                 | X                  |          | X           |              | 15                | TEL-6020               |
| NMP-8625 | 7      |             |              |              | X            | X     |      |                      | X                     | X                   |                 | X                  |          | X           |              | 50                | TEL-6001               |
| NMP-8725 | 7      |             |              |              | X            |       | X    |                      | X                     | X                   | X               | X                  |          | X           |              | 50                | TEL-6001               |
| NMP-8825 | 8      |             |              |              | X            |       | X    |                      | X                     | X                   |                 | X                  | X        | X           |              | 50                | TEL-6001               |



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8

## Strain Relief Boots

### Features

- Molded Rubber for Better Conductor Protection
- Color-Coded Selection

| Item #   | Fig. | Description                         |
|----------|------|-------------------------------------|
| NMB-1001 | 9    | Boot For RJ-45 Modular Plug, Black  |
| NMB-1002 | 9    | Boot For RJ-45 Modular Plug, Blue   |
| NMB-1003 | 9    | Boot For RJ-45 Modular Plug, Red    |
| NMB-1005 | 9    | Boot For RJ-45 Modular Plug, Yellow |
| NMB-1006 | 9    | Boot For RJ-45 Modular Plug, Green  |
| NMB-1008 | 9    | Boot For RJ-45 Modular Plug, White  |
| NMB-1009 | 9    | Boot For RJ-45 Modular Plug, Gray   |



Fig.9

Available in the following colors:



## Splicing Connectors

### Features

- Ideal for Joining 22 to 26AWG Wires
- Color-Coded for Easy Selection

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| TBN-1001 | 10   | B(eanie) Connectors, 100 Pack, White      |
| TBN-1011 | 11   | B(eanie) Connectors w/Gel, 100 Pack, Blue |
| TBN-1002 | 12   | UR Connectors, 100 Pack, Red              |
| TBN-1003 | 13   | UY Connectors, 100 Pack, Yellow           |
| TBN-1004 | 14   | UG Connectors, 100 Pack, Green            |



Fig.10



Fig.11



Fig.12



Fig.13




Fig.14

## Silver Satin Telephone Cable

### Features



- Designed for Telephone Hook-up

| Item #     | Fig. | Description                                           |
|------------|------|-------------------------------------------------------|
| NBW-2428UL | 15   | 4 Cond. 28AWG Flat Silver Satin Cable, Gray - 1000ft. |



Fig.15

Modular Plugs & Telephone Cables

Lan Connectivity






Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10

Fig.11

Fig.12

## Wall Mount Fiber Enclosures

### Features

- Easy Wall Mount Installation
- Holds up to 2 or 3 Adapter Panels

| Item     | Fig. | Description                                |
|----------|------|--------------------------------------------|
| NFO-4002 | 1    | 2 Slot, 2 Door Wall Mount Fiber Box, Black |
| NFO-4003 | 1    | 3 Slot, 2 Door Wall Mount Fiber Box, Black |

## Rack Mount Fiber Enclosures

### Features

- Easy Rack Mount Installation
- Mounts in Standard 19in. Rack or Enclosure
- Holds up to 18 Fiber Connections

| Item     | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| NFO-5000 | 2    | Rack Mount Drawer (Only), Black, 1U                    |
| NFO-5002 | 3    | 2 Slot Tray with Splice Racks for NFO-5000, Black      |
| NFO-5003 | 3    | 3 Slot Tray with Splice Racks for NFO-5000, Black      |
| NFO-5024 | 4    | 24 Port ST/FC Unloaded Splice Tray & Drawer, 1U, Black |
| NFO-5124 | 4    | 48 Port SC/ST Unloaded Splice Tray & Drawer, 1U, Black |

## Rack Mount Unloaded Fiber Panels

### Features

- For Use with NFO-5000 Rack Trays
- Holds up to 6 Fiber Connections

| Item     | Fig. | Description                                       |
|----------|------|---------------------------------------------------|
| NFO-5011 | 5    | Blank Filler Panel, Black                         |
| NFO-5012 | 6    | 6 Port ST Unloaded Adapter Panel, Black           |
| NFO-5013 | 7    | 6 Port SC Unloaded Adapter Panel, Black           |
| NFO-5014 | 8    | 4 Port ST/SC Unloaded Duplex Adapter Panel, Black |
| NFO-5015 | 9    | 6 Port FC Unloaded Adapter Panel, Black           |

## Fiber Optic Connectors

### Features

- For Multi-Mode and Single-Mode Terminations
- Available in ST & SC Versions

| Item     | Fig. | Description                    |
|----------|------|--------------------------------|
| NFO-3000 | 10   | 3.0MM Boot ST, MM Connector    |
| NFO-3001 | 11   | 3.0MM & 9.0MM SC, MM Connector |
| NFO-3004 | 12   | 125MM Boot ST, SM Connector    |
| NFO-3005 | 11   | 125MM Boot SC, SM Connector    |

## Fiber Assembly

### Features

Quest fiber optic cable assemblies feature unparalleled insertion loss and return loss performance to provide the end user with a premium quality fiber optic connection. Each assembly is 100% tested and is provided with corresponding test data to ensure optimal performance. Available in Simplex & Duplex; Riser & Plenum jacket versions; and in Single-Mode (9/125), Multi-Mode (50/125, 62.5/125), as well as laser optimized OM3/OM4 for 10Gbit applications. Our assemblies can be ordered in custom lengths (typically in meter lengths) and can accommodate from 1 to 144 fibers. Our standard connector types include: LC, SC, and ST. Other connector types and cable styles are available as well!

| Multi-Mode Simplex  | Multi-Mode Duplex  | Connector   |             | Fiber Type     | Mode        | Jacket Color |                                                                                                     |
|---------------------|--------------------|-------------|-------------|----------------|-------------|--------------|-----------------------------------------------------------------------------------------------------|
|                     |                    | Connector 1 | Connector 2 |                |             |              |                                                                                                     |
| NFO-LCLC-M6SX-xM    | NFO-LCLC-M6DX-xM   | LC          | LC          | 62.5/125 (OM1) | Multi-Mode  | Orange       | <br>LC Simplex   |
| NFO-LCSC-M6SX-xM    | NFO-LCSC-M6DX-xM   | LC          | SC          | 62.5/125 (OM1) | Multi-Mode  | Orange       |                                                                                                     |
| NFO-LCST-M6SX-xM    | NFO-LCST-M6DX-xM   | LC          | ST          | 62.5/125 (OM1) | Multi-Mode  | Orange       |                                                                                                     |
| NFO-SCSC-M6SX-xM    | NFO-SCSC-M6DX-xM   | SC          | SC          | 62.5/125 (OM1) | Multi-Mode  | Orange       |                                                                                                     |
| NFO-SCST-M6SX-xM    | NFO-SCST-M6DX-xM   | SC          | ST          | 62.5/125 (OM1) | Multi-Mode  | Orange       |                                                                                                     |
| NFO-STST-M6SX-xM    | NFO-STST-M6DX-xM   | ST          | ST          | 62.5/125 (OM1) | Multi-Mode  | Orange       |                                                                                                     |
| NFO-LCLC-M5SX-xM    | NFO-LCLC-M5DX-xM   | LC          | LC          | 50/125 (OM2)   | Multi-Mode  | Orange       | <br>LC Duplex    |
| NFO-LCSC-M5SX-xM    | NFO-LCSC-M5DX-xM   | LC          | SC          | 50/125 (OM2)   | Multi-Mode  | Orange       |                                                                                                     |
| NFO-LCST-M5SX-xM    | NFO-LCST-M5DX-xM   | LC          | ST          | 50/125 (OM2)   | Multi-Mode  | Orange       |                                                                                                     |
| NFO-SCSC-M5SX-xM    | NFO-SCSC-M5DX-xM   | SC          | SC          | 50/125 (OM2)   | Multi-Mode  | Orange       |                                                                                                     |
| NFO-SCST-M5SX-xM    | NFO-SCST-M5DX-xM   | SC          | ST          | 50/125 (OM2)   | Multi-Mode  | Orange       |                                                                                                     |
| NFO-STST-M5SX-xM    | NFO-STST-M5DX-xM   | ST          | ST          | 50/125 (OM2)   | Multi-Mode  | Orange       |                                                                                                     |
| NFO-LCLC-M3SX-xM    | NFO-LCLC-M3DX-xM   | LC          | LC          | 50/125 (OM3)   | Multi-Mode  | Aqua         | <br>ST Simplex   |
| NFO-LCSC-M3SX-xM    | NFO-LCSC-M3DX-xM   | LC          | SC          | 50/125 (OM3)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-LCST-M3SX-xM    | NFO-LCST-M3DX-xM   | LC          | ST          | 50/125 (OM3)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-SCSC-M3SX-xM    | NFO-SCSC-M3DX-xM   | SC          | SC          | 50/125 (OM3)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-SCST-M3SX-xM    | NFO-SCST-M3DX-xM   | SC          | ST          | 50/125 (OM3)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-STST-M3SX-xM    | NFO-STST-M3DX-xM   | ST          | ST          | 50/125 (OM3)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-LCLC-M4SX-xM    | NFO-LCLC-M4DX-xM   | LC          | LC          | 50/125 (OM4)   | Multi-Mode  | Aqua         | <br>ST Duplex   |
| NFO-LCSC-M4SX-xM    | NFO-LCSC-M4DX-xM   | LC          | SC          | 50/125 (OM4)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-LCST-M4SX-xM    | NFO-LCST-M4DX-xM   | LC          | ST          | 50/125 (OM4)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-SCSC-M4SX-xM    | NFO-SCSC-M4DX-xM   | SC          | SC          | 50/125 (OM4)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-SCST-M4SX-xM    | NFO-SCST-M4DX-xM   | SC          | ST          | 50/125 (OM4)   | Multi-Mode  | Aqua         |                                                                                                     |
| NFO-STST-M4SX-xM    | NFO-STST-M4DX-xM   | ST          | ST          | 50/125 (OM4)   | Multi-Mode  | Aqua         |                                                                                                     |
| Single-Mode Simplex | Single-Mode Duplex | Connector   |             | Fiber Type     | Mode        | Jacket Color |                                                                                                     |
|                     |                    | Connector 1 | Connector 2 |                |             |              |                                                                                                     |
| NFO-LCLC-S9SX-xM    | NFO-LCLC-S9DX-xM   | LC          | LC          | 9/125          | Single-Mode | Yellow       | <br>SC Simplex |
| NFO-LCSC-S9SX-xM    | NFO-LCSC-S9DX-xM   | LC          | SC          | 9/125          | Single-Mode | Yellow       |                                                                                                     |
| NFO-LCST-S9SX-xM    | NFO-LCST-S9DX-xM   | LC          | ST          | 9/125          | Single-Mode | Yellow       |                                                                                                     |
| NFO-SCSC-S9SX-xM    | NFO-SCSC-S9DX-xM   | SC          | SC          | 9/125          | Single-Mode | Yellow       |                                                                                                     |
| NFO-SCST-S9SX-xM    | NFO-SCST-S9DX-xM   | SC          | ST          | 9/125          | Single-Mode | Yellow       |                                                                                                     |
| NFO-STST-S9SX-xM    | NFO-STST-S9DX-xM   | ST          | ST          | 9/125          | Single-Mode | Yellow       |                                                                                                     |
|                     |                    |             |             |                |             |              | <br>SC Duplex  |

\* xM - Length (Meters)

\*\* Custom lengths, connectors and configurations are available upon request.

Single & Multi-Mode Fiber Cables

# Lan Connectivity

## Fiber Optic Multi-Mode Adapters

### Features

- For Multi-Mode Terminations
- Available in ST & SC Versions
- Constructed of Phosphorous Bronze Sleeve

| Item     | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| NFO-3021 | 1    | ST Simplex, Multi-Mode In-Line Adapter      |
| NFO-3022 | 2    | ST Duplex, Multi-Mode In-Line Adapter       |
| NFO-3023 | 3    | SC Simplex, Multi-Mode In-Line Adapter      |
| NFO-3024 | 4    | SC Duplex, Multi-Mode In-Line Adapter       |
| NFO-3025 | 5    | ST to SC Duplex, Multi-Mode In-Line Adapter |




Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



## Computer AC Power Cords

### Features

**NEW**

- 10A/125V Power Cord Rating
- 18AWG SVT Jacket
- Use 1ft Cable for Neatly Fitting Power Adapters in Power Strips

| Item #   | Fig. | Description                                      |
|----------|------|--------------------------------------------------|
| GMP-4006 | 1    | Computer AC Power Cords, Unshielded, 6ft., Black |
| GMP-4401 | 2    | AC Power Cord, Unshielded, 1ft., Black           |



## SVGA Video Cables

### Features

- Aluminum Mylar Shield
- Tinned Conductors & Drain Wire
- Molded Hood, Strain Relief & Thumbscrews
- PVC Jacket / Gold Plated Pins
- Connector Ground Indents

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| NCC-9006 | 3    | SVGA Cable, HDB-15 Male to Male, 6ft.   |
| NCC-9010 | 3    | SVGA Cable, HDB-15 Male to Male, 10ft.  |
| NCC-9906 | 4    | SVGA Cable, HDB-15 Male to Female, 6ft. |

## Premium SVGA Video Cables

### Features

- Premium Double Shielded Construction
- UXGA, SVGA, SXGA Compliant
- 3 Coax (Red, Green, Blue) + 7 Conductor
- High Density Molded Ferrites for EMI/RFI Protection
- Up to 100ft. in Series without a Booster

| Item #   | Fig. | Description                                         |
|----------|------|-----------------------------------------------------|
| NCC-9206 | 5    | SVGA Cable, HDB-15 Male to Male w/Ferrite, 6ft      |
| NCC-9210 | 5    | SVGA Cable, HDB-15 Male to Male w/Ferrite, 10ft.    |
| NCC-9215 | 5    | SVGA Cable, HDB-15 Male to Male w/Ferrite, 15ft.    |
| NCC-9225 | 5    | SVGA Cable, HDB-15 Male to Male w/Ferrite, 25ft.    |
| NCC-9250 | 5    | SVGA Cable, HDB-15 Male to Male w/Ferrite, 50ft.    |
| NCC-9275 | 5    | SVGA Cable, HDB-15 Male to Male w/Ferrite, 75ft.    |
| NCC-9200 | 5    | SVGA Cable, HDB-15 Male to Male w/Ferrite, 100ft.   |
| NCC-9315 | 6    | SVGA Cable, HDB-15 Male to Female w/Ferrite, 15ft.  |
| NCC-9325 | 6    | SVGA Cable, HDB-15 Male to Female w/Ferrite, 25ft.  |
| NCC-9350 | 6    | SVGA Cable, HDB-15 Male to Female w/Ferrite, 50ft.  |
| NCC-9375 | 6    | SVGA Cable, HDB-15 Male to Female w/Ferrite, 75ft.  |
| NCC-9300 | 6    | SVGA Cable, HDB-15 Male to Female w/Ferrite, 100ft. |

## USB 3.0 Super-Speed Cables

### Features

**NEW**

- Maximum Transfer Speeds up to 4.8Gbps
- Bi-Directional Data Transfers
- 900 Milliamp Smart Charging Power
- Backward Compatible with USB 2.0 / 1.1 (Except B Plug)

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| NUB-4006 | 1    | USB 3.0 A-Male to A-Male Cable, 6ft.    |
| NUB-4010 | 1    | USB 3.0 A-Male to A-Male Cable, 10ft.   |
| NUB-4106 | 2    | USB 3.0 A-Male to B-Male Cable, 6ft.    |
| NUB-4110 | 2    | USB 3.0 A-Male to B-Male Cable, 10ft.   |
| NUB-4210 | 3    | USB 3.0 A-Male to A-Female Cable, 10ft. |



Fig.1



Fig.2



Fig.3

## USB 2.0 Cables

### Features

- Maximum Transfer Speeds up to 480Mbps
- Backward Compatible with USB 1.1
- 100 Milliamp Charging Power

| Item #   | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| NUB-3003 | 4    | USB 2.0 A-Male to A-Male Cable, 3ft.        |
| NUB-3006 | 4    | USB 2.0 A-Male to A-Male Cable, 6ft.        |
| NUB-3010 | 4    | USB 2.0 A-Male to A-Male Cable, 10ft.       |
| NUB-3015 | 4    | USB 2.0 A-Male to A-Male Cable, 15ft.       |
| NUB-3103 | 5    | USB 2.0 A-Male to B-Male Cable, 3ft.        |
| NUB-3106 | 5    | USB 2.0 A-Male to B-Male Cable, 6ft.        |
| NUB-3110 | 5    | USB 2.0 A-Male to B-Male Cable, 10ft.       |
| NUB-3115 | 5    | USB 2.0 A-Male to B-Male Cable, 15ft.       |
| NUB-3203 | 6    | USB 2.0 A-Male to A-Female Cable, 3ft.      |
| NUB-3206 | 6    | USB 2.0 A-Male to A-Female Cable, 6ft.      |
| NUB-3210 | 6    | USB 2.0 A-Male to A-Female Cable, 10ft.     |
| NUB-3215 | 6    | USB 2.0 A-Male to A-Female Cable, 15ft.     |
| NUB-2306 | 7    | USB 2.0 A-Male to Mini-USB 5 pin Male, 6ft. |



Fig.4



Fig.5



Fig.6



Fig.7

| Feature                      | HI-SPEED<br>USB 2.0 | SUPER SPEED<br>USB 3.0 | Benefit                                                                                                                                       |
|------------------------------|---------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Backward Compatible          | USB 1.1             | USB 1.1&2.0            | Newer USB devices may be plugged into previous platforms, but data transfer will be limited by the slower USB version.                        |
| Maximum Transfer Rate        | 480Mbps             | 4.80Mbps               | USB 3.0 provides greater data transfers with data speeds of up to 10X faster than USB 2.0.                                                    |
| Bi-Directional Data Transfer | No                  | Yes                    | Unlike USB 2.0 which can only transfer data one way at a time, USB 3.0 can upload and download data simultaneously.                           |
| Charging Power               | 100mA               | 900mA                  | This is the amount of power provided to charge devices. More power equals faster charging time.                                               |
| Smart Charging Capability    | No                  | Yes                    | Unlike USB 2.0 which always supplies power, Smart Charging detects when a device is plugged in and will stop providing power when not in use. |

USB 2.0 & 3.0 Cables

Computer Connectivity

QUEST

Fig.1 D-Sub Computer Cables



DB-9M



DB-9F



DB-25M



DB-25F

## Computer Data Cables

### Features

- Aluminum Mylar Shield
- Tinned Copper Drain Wire
- Tinned Stranded Copper Conductors
- Molded with Thumbscrews
- PVC Jacket

| Item #   | Fig. | Description                       |
|----------|------|-----------------------------------|
| NCC-1106 | 1    | DB-9 Male to DB-9 Male, 6ft.      |
| NCC-1110 | 1    | DB-9 Male to DB-9 Male, 10ft.     |
| NCC-1206 | 1    | DB-9 Male to DB-9 Female, 6ft.    |
| NCC-1210 | 1    | DB-9 Male to DB-9 Female, 10ft.   |
| NCC-1225 | 1    | DB-9 Male to DB-9 Female, 25ft.   |
| NCC-2206 | 1    | DB-9 Female to DB-9 Female, 6ft.  |
| NCC-2210 | 1    | DB-9 Female to DB-9 Female, 10ft. |
| NCC-5210 | 1    | DB-25 Male to DB-9 Female, 10ft.  |
| NCC-5506 | 1    | DB-25 Male to DB-25 Male, 6ft.    |
| NCC-5510 | 1    | DB-25 Male to DB-25 Male, 10ft.   |
| NCC-5525 | 1    | DB-25 Male to DB-25 Male, 25ft.   |
| NCC-5625 | 1    | DB-25 Male to DB-25 Female, 25ft. |



Fig.2



Fig.3

## PS2 Keyboard & Mouse Cables

### Features

- Ideal for Non-USB Keyboards and Mice
- Molded Boot with Strain Relief

| Item #   | Fig. | Description                                    |
|----------|------|------------------------------------------------|
| NCC-3100 | 2    | Mini Din 6 Female to Din 5 Male Pig Tail, 6in. |
| NCC-3106 | 3    | Mini Din 6 Female to Mini Din 6 Male, 6ft.     |
| NCC-3110 | 3    | Mini Din 6 Female to Mini Din 6 Male, 10ft.    |



Fig.4



Fig.5



Fig.6

## Null Modem Cables & Adapters

### Features

- Cross-Wired DTE and DCE signals
- Constructed of Molded PVC

| Item #   | Fig. | Description                                       |
|----------|------|---------------------------------------------------|
| NCC-5406 | 4    | DB-9 Female to DB-25 Male Null Modem Cable, 6ft.  |
| NCC-5410 | 4    | DB-9 Female to DB-25 Male Null Modem Cable, 10ft. |
| NGC-5102 | 5    | DB-25 Male to DB-25 Female Null Modem Adapter     |
| NGC-5105 | 6    | DB-9M to DB-9F Null Modem Adapter Slim Line       |

## Gender Adapters/Switch Boxes

### Features

- D-Sub Inter-Series Adapters
- Slim Line Style Design


| Item #   | Fig. | Description                            |
|----------|------|----------------------------------------|
| NGC-1011 | 1    | DB-9 Male to DB-9 Male Slim Line       |
| NGC-1022 | 1    | DB-9 Female to DB-9 Female Slim Line   |
| NGC-1033 | 1    | DB-15 Male to DB-15 Male Slim Line     |
| NGC-1044 | 1    | DB-15 Female to DB-15 Female Slim Line |
| NGC-1055 | 1    | DB-25 Male to DB-25 Male Slim Line     |
| NGC-1066 | 1    | DB-25 Female to DB-25 Female Slim Line |
| NGC-1077 | 1    | HD-15 Male to HD-15 Male Slim Line     |
| NGC-1088 | 1    | HD-15 Female to HD-15 Female Slim Line |
| NGC-1099 | 2    | DB-9 Female to DB-25 Male Slim Line    |
| NGC-1000 | 3    | DB-9 Male to DB-25 Female Slim Line    |
| NGC-3020 | 4    | DB-25 2-Way A-B Switch (F-F-F)         |



Fig.2

Fig.3

Fig.1 D-Sub Slim Line Adapters



HD-15M

HD-15F



Fig.4

## Modular Adapters

### Features

- Converts D-Sub to Modular Cables
- PVC Housing

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| NMA-6109 | 5    | 6C RJ-12 to DB-9 Male Mod Adapter, Gray    |
| NMA-6209 | 5    | 6C RJ-12 to DB-9 Female Mod Adapter, Gray  |
| NMA-6609 | 5    | 6C RJ-12 to DB-25 Female Mod Adapter, Gray |
| NMA-8109 | 5    | 8C RJ-45 to DB-9 Male Mod Adapter, Gray    |
| NMA-8209 | 5    | 8C RJ-45 to DB-9 Female Mod Adapter, Gray  |
| NMA-8309 | 5    | 8C RJ-45 to DB-15 Male Mod Adapter, Gray   |
| NMA-8509 | 5    | 8C RJ-45 to DB-25 Male Mod Adapter, Gray   |
| NMA-8609 | 5    | 8C RJ-45 to DB-25 Female Mod Adapter, Gray |



Fig.5

D-Sub Gender Changers & Adapters

Computer Connectivity

QUEST



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8

## D-Sub Solder Connectors

### Features

- Gold Plating over Nickel Contacts
- UL94V-0 Flame Retardant Insulator

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| DSC-1109 | 1    | 9 Pin Male D-Sub Solder Connector               |
| DSC-1115 | 1    | 15 Pin Male D-Sub Solder Connector              |
| DSC-1125 | 1    | 25 Pin Male D-Sub Solder Connector              |
| DSC-1137 | 1    | 37 Pin Male D-Sub Solder Connector              |
| DSC-1150 | 1    | 50 Pin Male D-Sub Solder Connector              |
| DSC-1209 | 2    | 9 Pin Female D-Sub Solder Connector             |
| DSC-1215 | 2    | 15 Pin Female D-Sub Solder Connector            |
| DSC-1225 | 2    | 25 Pin Female D-Sub Solder Connector            |
| DSC-1237 | 2    | 37 Pin Female D-Sub Solder Connector            |
| DSC-3109 | 3    | 15 Pin Hi-Density Male D-Sub Solder Connector   |
| DSC-3209 | 4    | 15 Pin Hi-Density Female D-Sub Solder Connector |

## D-Sub Crimp Connectors

### Features

- Gold Plating over Nickel Contacts
- UL94V-0 Flame Retardant Insulator

| Item #   | Fig. | Description                         |
|----------|------|-------------------------------------|
| DHA-2101 | 5    | Male Crimp Contact                  |
| DHA-2102 | 6    | Female Crimp Contact                |
| DSC-2109 | 7    | 9 Pin Male D-Sub Crimp Connector    |
| DSC-2115 | 7    | 15 Pin Male D-Sub Crimp Connector   |
| DSC-2125 | 7    | 25 Pin Male D-Sub Crimp Connector   |
| DSC-2209 | 8    | 9 Pin Female D-Sub Crimp Connector  |
| DSC-2215 | 8    | 15 Pin Female D-Sub Crimp Connector |
| DSC-2225 | 8    | 25 Pin Female D-Sub Crimp Connector |

## 25 Pair Telco Connectors

### Features

- Connector with 90 degree Hood
- Terminates 24-26 AWG Wire



Fig.9



Fig.10

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| DST-1001 | 9    | 50 Pin Telco Connector Male (22912-1)   |
| DST-1002 | 10   | 50 Pin Telco Connector Female (22913-1) |

## D-Sub Hoods

### Features

- Available in Plastic, Metalized Plastic or Metal
- Includes Screw-Lock Hardware

| Item #   | Fig. | Description                   |
|----------|------|-------------------------------|
| DSH-5109 | 1    | 9 Pin Plastic Hood, Gray      |
| DSH-5115 | 1    | 15 Pin Plastic Hood, Gray     |
| DSH-5125 | 1    | 25 Pin Plastic Hood, Gray     |
| DSH-5137 | 1    | 37 Pin Plastic Hood, Gray     |
| DSH-5309 | 2    | 9 Pin Metalized Plastic Hood  |
| DSH-5315 | 2    | 15 Pin Metalized Plastic Hood |
| DSH-5325 | 2    | 25 Pin Metalized Plastic Hood |
| DSH-5409 | 3    | 9 Pin Metal Hood              |
| DSH-5415 | 3    | 15 Pin Metal Hood             |
| DSH-5425 | 3    | 25 Pin Metal Hood             |




Fig.1



Fig.2



Fig.3

## D-Sub Mounting Hardware

### Features

- Ideal for use with most D-Sub Hoods
- Thumbscrews & Standoffs Available

| Item #   | Fig. | Description                  |
|----------|------|------------------------------|
| DHA-5010 | 4    | Thumbscrew Set (Set of 2)    |
| DHA-5020 | 5    | Hex Standoff (Set of 2)      |
| DHA-5030 | 6    | Female Screw-Lock (Set of 2) |



Fig.4



Fig.5



Fig.6

## D-Sub Installation Tools

### Features

- Tools for Fastening Crimp Pins
- Wire stripper to make Installation Easier

| Item #   | Fig. | Description                                      |
|----------|------|--------------------------------------------------|
| DHA-3000 | 7    | Insertion/ Extraction Tool                       |
| TEL-6105 | 8    | UTP Cutter / Stripper                            |
| TFC-5000 | 9    | Non Ratchet Tool For Open Barrel Contacts        |
| TRF-4000 | 10   | Ratchet Crimper For D-Sub / Open Barrel Contacts |



Fig.7



Fig.8



Fig.9



Fig.10

# CHOOSE THE RIGHT RACK FOR EVERY HOME THEATER INSTALLATION!



5FT HOME THEATER RACK



3FT HOME THEATER RACK

PREMIUM PRODUCTS FOR LESS... ENCLOSURES • RACKS • SHELVING • ACCESSORIES

## Home Technology Enclosures

### Features

- Cable Entry and Exit Knockouts on the Top and Bottom of Each Enclosure
- Metal Body with Powdercoat Finish
- Each Box Includes Hardware Mounting Kit

| Item #      | Fig. | Description                                                                     |
|-------------|------|---------------------------------------------------------------------------------|
| NHA-3000ENC | 1    | In-Wall Enclosure without Door Cover<br>(Dimensions: 21.25"h x 14.5" w x 4.5"d) |
| NHA-3000HC  | 2    | NHA-3000 Hinged Locking Door Cover                                              |



Custom configured boxes  
available upon request



Fig.1



Fig.2

## Home Technology Modules

### Features

- For Use in NHA-3000 Enclosures
- Available for Telephone, CATV & Satellite
- Compatible with Most Brands

| Item #   | Fig. | Description                                       |
|----------|------|---------------------------------------------------|
| NHA-1001 | 3    | 4 Line 6X6 Telephone CATV Splitter                |
| NHA-1004 | 4    | 2 Input 6 Output CATV Splitter                    |
| NHA-1006 | 5    | 4 Line 8 Outlet with Pass Thru Telephone Hub      |
| NHA-1007 | 6    | 2 Pole 3 Wire Grounded Power Outlet               |
| NHA-1009 | 7    | 1 In / 8 Out 10/100 Fast Ethernet Switch          |
| NHA-1012 | 8    | 4 Line, 8 Outlet with RJ-31X Port Telephone Hub   |
| NHA-1013 | 9    | 8 Port Data Unit 8 RJ-45 with 8 110 4 Pair Blocks |
| NHA-3401 | 10   | 3 X 4 Satellite Multi Switch Module               |
| NHA-6001 | 11   | 6 Way 1 GHz Splitter Module                       |
| NHA-8001 | 12   | 8 Way 1 GHz Splitter Module                       |



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10



Fig.11




Fig.12

Home Technology System

AV - Home Theater





**NEW HDMI**  
HIGH DEFINITION MULTIMEDIA INTERFACE

### HDMI Auto Switch Cable

#### Features

- Auto Switches Between Inputs
- Built-in 1 ft cable
- No Power Required

| Item #   | Description     |
|----------|-----------------|
| HDI-4021 | HDMI 2 in/1 out |



### HDMI Manual Switch

#### Features

- Supports up to 1080P Resolution
- Switch up to 4 Video Inputs to 1 TV
- No Power Required

| Item #   | Description     |
|----------|-----------------|
| HDI-3031 | HDMI 3 in/1 out |
| HDI-3041 | HDMI 4 in/1 out |



### HDMI Auto Splitter

#### Features

- Supports up to 1080P Resolution
- Switch 1 Video Input to up to 4 TV's
- Built-In Amplification in 1x4 Splitter
- 5VDC Adapter Included with 1x4 Splitter

| Item #   | Description     |
|----------|-----------------|
| HDI-4012 | HDMI 1 in/2 out |
| HDI-4114 | HDMI 1 in/4 out |



### HDMI Matrix Switch w/IR Remote

#### Features

- Supports up to 1080P Resolution
- Switch up to 4 Video Inputs to 2 TV's
- 5VDC Power Adapter & IR Remote Included

| Item #   | Description     |
|----------|-----------------|
| HDI-4042 | HDMI 4 in/2 out |



### HDMI Auto Distribution Switch

#### Features

- Supports up to 1080P Resolution
- Switch 2 Video Inputs to up to 8 TV's
- 5VDC Power Adapter Included

| Item #   | Description     |
|----------|-----------------|
| HDI-4122 | HDMI 2 in/2 out |
| HDI-4124 | HDMI 2 in/4 out |
| HDI-4128 | HDMI 2 in/8 out |



### HDMI Auto Switch w/IR Remote

#### Features

- Supports up to 1080P Resolution
- Switch up to 5 Video Inputs to 1 TV
- 5VDC Power Adapter & IR Remote Included

| Item #   | Description     |
|----------|-----------------|
| HDI-4131 | HDMI 3 in/1 out |
| HDI-4151 | HDMI 5 in/1 out |



## NEW HDMI™

HIGH DEFINITION MULTIMEDIA INTERFACE

### HDMI over Cat5e/6 Wall Plate Kit

#### Features

- Supports up to 1080P Resolution
- 1080P Distances up to 100ft.
- Requires Dual Cat5e/Cat6 Wiring
- Retail Packaged

#### Item #

HDI-9450

#### Description

HDMI / Dual RJ-45 Wall Plate



### HDMI over Cat5e/6 Wall Extenders

#### Features

- Supports up to 1080P Resolution
- 1080P Distances up to 120ft.
- Requires Dual Cat5e/Cat6 Wiring

#### Item #

HDI-5201

#### Description

HDMI / Dual RJ-45 Converters



### HDMI Repeater Wall Plate

#### Features

- Supports up to 1080P Resolution
- 1080P Distances up to 100ft.
- No Power Required

#### Item #

HDI-9411

#### Description

HDMI (F-F) Repeater Wall Plate



### HDMI In-Line Repeater

#### Features

- Supports up to 1080P Resolution
- 1080P Distances up to 130ft.
- No Power Required

#### Item #

HDI-9305

#### Description

HDMI (F-F) Repeater



### DVI/Toslink to HDMI Converter

#### Features

- Digital Audio to HDMI Output
- Supports up to 1080P Resolution
- 5VDC Power Adapter Included

#### Item #

HDI-6160

#### Description

DVI/Toslink to HDMI



### PC A/V to HDMI Converter

#### Features

- PC Audio & Video to HDMI Output
- Supports up to 1080P Resolution
- 5VDC Power Adapter Included

#### Item #

HDI-6150

#### Description

SVGA to HDMI



### NEW HDMI™

#### HDMI In-line Keystone Coupler

##### Features

- Ideal for Keystone Wall Plate Installations

| Item #   | Description            |
|----------|------------------------|
| HDI-9510 | HDMI (F) to (F), White |



#### HDMI In-line Coupler

##### Features

- Ideal for Extending HDMI Cable Lengths

| Item #   | Description            |
|----------|------------------------|
| HDI-9350 | HDMI (F) to (F), Black |



#### HDMI 360 Degree Swivel Coupler

##### Features

- Ideal for Tight Fitting HDMI Locations

| Item #   | Description                    |
|----------|--------------------------------|
| HDI-9360 | HDMI (F) to (F) Coupler, Fig.1 |
| HDI-9400 | HDMI (M) to (F) Coupler, Fig.2 |



Fig.1



Fig.2

#### Single-Gang HDMI Wall Plate

##### Features

- 90 Degree HDMI Connections
- Smooth Professional Finish

| Item #   | Description        |
|----------|--------------------|
| VHT-9401 | Single-Port, White |
| VHT-9402 | Dual-Port, White   |



Fig.1



Fig.2

#### HDMI to DVI-D Adapter

##### Features

- Converts HDMI to DVI Video Signals

| Item #   | Description           |
|----------|-----------------------|
| HDI-9100 | HDMI (M) to DVI-D (F) |



#### Single-Gang Bulk Cable Wall Plate

##### Features

- Reversible Installation Feature
- Polished Professional Finish

| Item #   | Description         |
|----------|---------------------|
| VHT-8101 | Single-Gang, White  |
| VHT-8102 | Single-Gang, Almond |
| VHT-8103 | Single-Gang, Black  |
| VHT-8104 | Single-Gang, Ivory  |



#### HDMI to DVI-D Adapter

##### Features

- Converts HDMI to DVI Video Signals

| Item #   | Description           |
|----------|-----------------------|
| HDI-9200 | HDMI (F) to DVI-D (M) |



#### Dual-Gang Bulk Cable Wall Plate

##### Features

- Reversible Installation Feature
- Polished Professional Finish

| Item #   | Description       |
|----------|-------------------|
| VHT-8201 | Dual-Gang, White  |
| VHT-8202 | Dual-Gang, Almond |
| VHT-8203 | Dual-Gang, Black  |
| VHT-8204 | Dual-Gang, Ivory  |



## High Speed HDMI Cables w/Ethernet

### Features

- High Speed HDMI Cables w/Ethernet
- High-Resolution 1080P Compliant
- CL3 Fire Rated Jacket for Wall Installations
- Dual Slim-Profile Mold w/Finger Grips
- Certified for HDMI 1.4 Compatibility
- Designed with Audio Return Channel



Fig.1

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| HDI-1403 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 28 AWG, 1080P, 3ft.  |
| HDI-1406 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 28 AWG, 1080P, 6ft.. |
| HDI-1410 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 28 AWG, 1080P, 10ft. |
| HDI-1412 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 28 AWG, 1080P, 12ft. |
| HDI-1415 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 28 AWG, 1080P, 15ft. |
| HDI-1420 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 28 AWG, 1080P, 20ft. |
| HDI-1425 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 28 AWG, 1080P, 25ft. |
| HDI-1430 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 26 AWG, 1080P, 30ft. |
| HDI-1450 | 1    | HDMI (M-M) Cable w/Ethernet, CL3, 26 AWG, 1080P, 50ft. |

## High Speed HDMI Swivel Cables

### Features

- High Speed HDMI Cables w/Ethernet
- Designed with 180° Swivel Connector
- High-Resolution 1080P Compliant
- Certified for HDMI 1.4 Compatibility
- Designed with Audio Return Channel



Fig.2

| Item #   | Fig. | Description                                                   |
|----------|------|---------------------------------------------------------------|
| HDI-2406 | 2    | HDMI (M-M) Swivel Cable w/Ethernet, PVC, 30 AWG, 1080P, 6ft.  |
| HDI-2410 | 2    | HDMI (M-M) Swivel Cable w/Ethernet, PVC, 30 AWG, 1080P, 10ft. |

## High Speed Micro-HDMI Cables

### Features

- High Speed HDMI Cables w/Ethernet
- Designed with a Micro-HDMI Connector on One End
- For Use with Video/Photo Cameras and other Small HDMI Enabled Devices
- High-Resolution 1080P Compliant
- Certified for HDMI 1.4 Compatibility
- Designed with Audio Return Channel



Fig.3

| Item #   | Fig. | Description                                                      |
|----------|------|------------------------------------------------------------------|
| HDI-3401 | 3    | HDMI (M) To Micro-HDMI (M) Cable w/Ethernet, 34 AWG, 1080P, 1ft. |
| HDI-3403 | 3    | HDMI (M) To Micro-HDMI (M) Cable w/Ethernet, 34 AWG, 1080P, 3ft. |



Fig.1



Fig.2

## DVI Video Cables & Adapters

### Features

- Provides a Digital Video Signal
- DVI-D Dual Link Design with Ferrite Beads
- Molded PVC Construction

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| DVI-1303 | 1    | DVI-D Male to DVI-D Male Dual Link, 3ft.  |
| DVI-1306 | 1    | DVI-D Male to DVI-D Male Dual Link, 6ft.  |
| DVI-1310 | 1    | DVI-D Male to DVI-D Male Dual Link, 10ft. |
| DVI-1325 | 1    | DVI-D Male to DVI-D Male Dual Link, 25ft. |
| DVI-2102 | 2    | DVI Male to HDB-15 Female Adapter         |

## Toslink & 3.5 Audio Cables

### Features

- Provides a Digital Audio Signal
- Fiber Optic Design
- Durable Housing



Fig.3



Fig.4



Fig.5

| Item #   | Fig. | Description                                    |
|----------|------|------------------------------------------------|
| NFT-1003 | 3    | Toslink to Toslink Fiber Cable Assembly, 3ft.  |
| NFT-1006 | 3    | Toslink to Toslink Fiber Cable Assembly, 6ft.  |
| NFT-1012 | 3    | Toslink to Toslink Fiber Cable Assembly, 12ft. |
| NFT-2003 | 4    | Toslink to 3.5mm Fiber Cable Assembly, 3ft.    |
| NFT-2006 | 4    | Toslink to 3.5mm Fiber Cable Assembly, 6ft..   |
| NFT-3003 | 5    | 3.5mm to 3.5mm Fiber Cable Assembly, 3ft.      |
| NFT-3006 | 5    | 3.5mm to 3.5mm Fiber Cable Assembly, 6ft.      |

## SVHS Video Cables

### Features

- Gold-Plated Connectors
- Available in up to 50ft. lengths
- Pro-Series Digital Style w/Metal Hoods



Fig.6



Fig.7

| Item #   | Fig. | Description                                    |
|----------|------|------------------------------------------------|
| VCA-5206 | 6    | SVHS Mini-Din 4 Male to Male, 6ft.             |
| VCA-5212 | 6    | SVHS Mini-Din 4 Male to Male, 12ft.            |
| VCA-5225 | 6    | SVHS Mini-Din 4 Male to Male, 25ft.            |
| VCA-5250 | 6    | SVHS Mini-Din 4 Male to Male, 50ft.            |
| VCA-5303 | 7    | Pro-Series SVHS Mini-Din 4 Male to Male, 3ft.  |
| VCA-5306 | 7    | Pro-Series SVHS Mini-Din 4 Male to Male, 6ft.  |
| VCA-5310 | 7    | Pro-Series SVHS Mini-Din 4 Male to Male, 10ft. |
| VCA-5315 | 7    | Pro-Series SVHS Mini-Din 4 Male to Male, 15ft. |
| VCA-5325 | 7    | Pro-Series SVHS Mini-Din 4 Male to Male, 25ft. |

## 3.5mm Stereo Cables

### Features

- Ideal for Home Theater Audio & Video Installations
- Pro-Series w/Dual Molded Hoods

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| VCA-8103 | 1    | 3.5mm Stereo Male to Male Cable, 3ft.           |
| VCA-8106 | 1    | 3.5mm Stereo Male to Male Cable, 6ft..          |
| VCA-8112 | 1    | 3.5mm Stereo Male to Male Cable, 12ft.          |
| VCA-8303 | 2    | 3.5mm Stereo Male to Dual RCA Male Cable, 3ft.  |
| VCA-8306 | 2    | 3.5mm Stereo Male to Dual RCA Male Cable, 6ft.  |
| VCA-8312 | 2    | 3.5mm Stereo Male to Dual RCA Male Cable, 12ft. |
| VCA-8403 | 3    | 3.5mm Male to Dual RCA Female Cable, 3ft.       |
| VCA-8412 | 3    | 3.5mm Male to Dual RCA Female Cable, 12ft.      |



Fig.1



Fig.2



Fig.3

## RCA Adapter Cables

### Features

- Ideal for Home Theater Audio & Video Installations
- Pro-Series w/Dual Molded Hoods

| Item #   | Fig. | Description                              |
|----------|------|------------------------------------------|
| VCA-8503 | 4    | RCA Male to Dual RCA Female Cable, 3ft.  |
| VCA-8506 | 4    | RCA Male to Dual RCA Female Cable, 6ft.  |
| VCA-8512 | 4    | RCA Male to Dual RCA Female Cable, 12ft. |
| VCA-8603 | 5    | RCA Female to Dual RCA Male Cable, 3ft.  |
| VCA-8606 | 5    | RCA Female to Dual RCA Male Cable, 6ft.  |
| VCA-8612 | 5    | RCA Female to Dual RCA Male Cable, 12ft. |



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8

## RCA Audio & Extension Cables

### Features

- Ideal for Home Theater Audio & Video Installations
- Pro-Series w/Dual Molded Hoods

| Item #   | Fig. | Description                            |
|----------|------|----------------------------------------|
| VCA-8703 | 6    | Single RCA Male to Male Cable, 3ft.    |
| VCA-8706 | 6    | Single RCA Male to Male Cable, 6ft..   |
| VCA-8712 | 6    | Single RCA Male to Male Cable, 12ft.   |
| VCA-8725 | 6    | Single RCA Male to Male Cable, 25ft.   |
| VCA-8803 | 7    | Single RCA Male to Female Cable, 3ft.  |
| VCA-8806 | 7    | Single RCA Male to Female Cable, 6ft.  |
| VCA-8812 | 7    | Single RCA Male to Female Cable, 12ft. |
| VCA-8825 | 7    | Single RCA Male to Female Cable, 25ft. |
| VCA-9003 | 8    | Stereo RCA Male to Male Cable, 3ft.    |
| VCA-9006 | 8    | Stereo RCA Male to Male Cable, 6ft.    |

## RCA Video Cables

### Features

- Ideal for Home Theater Audio & Video Installations
- Pro-Series w/Dual Molded Hoods

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| VCA-8903 | 9    | Single Video RCA Male to Male Cable, 3ft.  |
| VCA-8906 | 9    | Single Video RCA Male to Male Cable, 6ft.  |
| VCA-8912 | 9    | Single Video RCA Male to Male Cable, 12ft. |



Fig.9

Audio/Video Cables & Adapters

A/V - Home Theater

QUEST



Fig.1



Fig.2

### Mono RCA A/V Cables

#### Features

- Ideal for Audio Mono Connections
- Shielded Flexible Cable

| Item #   | Fig. | Description                                    |
|----------|------|------------------------------------------------|
| VCA-4112 | 1    | Single RCA Male to RCA Male Audio Cable, 12ft. |
| VCA-4206 | 2    | Dual RCA Male to RCA Male Mono A/V Cable, 6ft. |



Fig.3

### Stereo RCA Audio Cables

#### Features

- Ideal for Audio Stereo Connections
- Color-Coded Shielded Flexible Cable

| Item #   | Fig. | Description                                        |
|----------|------|----------------------------------------------------|
| VCA-3103 | 3    | Dual RCA Male to Dual RCA Male Stereo Cable, 3ft.  |
| VCA-3106 | 3    | Dual RCA Male to Dual RCA Male Stereo Cable, 6ft.  |
| VCA-3112 | 3    | Dual RCA Male to Dual RCA Male Stereo Cable, 12ft. |
| VCA-3125 | 3    | Dual RCA Male to Dual RCA Male Stereo Cable, 25ft. |



Fig.4



Fig.5



Fig.6

### RCA Y Adapter Cables

#### Features

- Ideal for Audio Mono Connections
- Color-Coded Shielded Flexible Cable

| Item #   | Fig. | Description                              |
|----------|------|------------------------------------------|
| VCA-7010 | 4    | 3.5mm Stereo Plug to 2 RCA Jacks Y-Cable |
| VCA-7020 | 5    | 2 RCA Plugs to 1 RCA Jack Y-Cable        |
| VCA-7030 | 6    | 1 RCA Plug to 2 RCA Jacks Y-Cable        |

## Five RCA Component Cables

### Features

- Ideal for Video & Audio Component Connections
- Gold Plated Connectors
- Color-Coded Shielded Flexible Cable

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| VCA-6403 | 1    | 5 RCA Male to 5 RCA Male Component Cable, 3ft.  |
| VCA-6406 | 1    | 5 RCA Male to 5 RCA Male Component Cable, 6ft.  |
| VCA-6412 | 1    | 5 RCA Male to 5 RCA Male Component Cable, 12ft. |
| VCA-6425 | 1    | 5 RCA Male to 5 RCA Male Component Cable, 25ft. |
| VCA-6450 | 1    | 5 RCA Male to 5 RCA Male Component Cable, 50ft. |



Fig.1

## Triple RCA Component Cables

### Features

- Ideal for Video Connections
- Gold Plated Connectors
- Color-Coded Shielded Flexible Cable

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| VCA-6303 | 2    | 3 RCA Male to 3 RCA Male Component Cable, 3ft.  |
| VCA-6306 | 2    | 3 RCA Male to 3 RCA Male Component Cable, 6ft.  |
| VCA-6312 | 2    | 3 RCA Male to 3 RCA Male Component Cable, 12ft. |
| VCA-6325 | 2    | 3 RCA Male to 3 RCA Male Component Cable, 25ft. |
| VCA-6350 | 2    | 3 RCA Male to 3 RCA Male Component Cable, 50ft. |



Fig.2

## Triple RCA Composite Cables

### Features

- Molded (2) Audio / (1) Video Composite Cables
- Gold Plated Connectors
- Color-Coded Shielded Flexible Cable

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| VCA-3203 | 3    | 3 RCA Male to 3 RCA Male Composite Cable, 3ft.  |
| VCA-3206 | 3    | 3 RCA Male to 3 RCA Male Composite Cable, 6ft.  |
| VCA-3212 | 3    | 3 RCA Male to 3 RCA Male Composite Cable, 12ft. |
| VCA-3225 | 3    | 3 RCA Male to 3 RCA Male Composite Cable, 25ft. |
| VCA-3250 | 3    | 3 RCA Male to 3 RCA Male Composite Cable, 50ft. |



Fig.3

Video Cables & Adapters

AV - Home Theater





Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10



Fig.14

## Audio / Video Connectors

### Features

- Wide Selection of Audio Connectors
- Available in Metal and Plastic Housings

#### Item #

CAD-7200  
CAU-1121  
CAU-2001  
CAU-2003  
CAU-1011  
CAU-1024  
CAU-1408  
CAU-1402  
CAU-1414  
CAU-1415  
CAU-1601  
CAU-1602  
CAU-2101  
NBW-3125

#### Fig.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

#### Description

RCA Male Crimp & Solder Connector for RG-59  
RCA Gold Plug For .315 Coaxial Cable  
RCA Male Plug w/Metal Cap, Black  
RCA Male Plug w/Metal Cap, Red  
3.5mm Stereo Male Plug w/Plastic Cap  
3.5mm Stereo Male Plug w/Metal Cap  
3.5mm Stereo Female Jack, Plastic w/Strain Relief  
1/4" Mono Male Plug, Plastic, Black  
Single Banana Plug Metal, Gold w/Red Band  
Single Banana Plug Metal, Gold w/Black Band  
A3M 3pc XLR Male Microphone Connector  
A3F 3pc XLR Female Microphone Connector  
Mini Din 4 Male Connector  
12AWG Speaker Wire TC + BC, 500ft., Clear Jacket



Fig.11



Fig.12



Fig.13

## Audio / Video Adapters

### Features

- In-line Inter-Series Adapters
- Wide Selection of A/V Adapters

#### Item #

CAD-1010  
CAD-1030  
CAD-1057  
CAD-1105  
CAD-1110  
CAD-1115  
CAD-1116  
CAD-1117  
CAU-4001  
CAU-4003

#### Fig.

15  
16  
17  
18  
19  
20  
21  
22  
23  
24

#### Description

BNC Female to RCA Male Adapter  
RCA Female to BNC Male Adapter  
BNC Male to RCA Male Adapter  
3.5mm Male to F Female Adapter  
RCA Female to F Male Adapter  
RCA Male to F Female Adapter  
RCA Female to F Female Adapter  
RCA Female to Female Bulkhead Adapter  
RCA Inline Female to Female Coupler  
Triple RCA Red, White, Yellow Jack Coupler



Fig.15



Fig.16



Fig.17



Fig.18



Fig.19



Fig.20



Fig.21




Fig.22



Fig.23



Fig.24



## In-Wall Power Extension

### Features



- In-Wall Power Extension Solution
- Supplied with AC Power Inlet, Outlet, 6ft Power Cord and Electrical J-Box with Drywall Locks
- ETL Tested to UL/CSA Standards

| Item #   | Fig. | Description                          |
|----------|------|--------------------------------------|
| VHT-7111 | 1    | Single Solution, 6ft. AC Cord, White |
| VHT-7113 | 1    | Single Solution, 6ft. AC Cord, Black |



Fig.1

## In-Wall Power & A/V Extension

### Features



- In-Wall Power & A/V Extension Solution
- Supplied with AC Power Inlet, Outlet, 6ft Power Cord and Electrical J-Box with Drywall Locks
- ETL Tested to UL/CSA Standards

| Item #   | Fig. | Description                         |
|----------|------|-------------------------------------|
| VHT-7211 | 2    | Total Solution, 6ft. AC Cord, White |
| VHT-7213 | 2    | Total Solution, 6ft. AC Cord, Black |



Fig.2

## Accessories

### Features

- Removable & Reversible Scoop for Pass-Thru Style Wall Plate
- Built-In Mud Ring w/Drywall Locks on Décor Style Wall Plates
- Cable-Sock Style Available for Clean Cable Appearance

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| VHT-8301 | 3    | Décor Style Wall Plate with Scoop, White  |
| VHT-8302 | 3    | Décor Style Wall Plate with Scoop, Almond |
| VHT-8303 | 3    | Décor Style Wall Plate with Scoop, Black  |
| VHT-8304 | 3    | Décor Style Wall Plate with Scoop, Ivory  |
| VHT-8451 | 4    | Décor Style Wall Plate, White             |
| VHT-8452 | 4    | Décor Style Wall Plate, Almond            |
| VHT-8453 | 4    | Décor Style Wall Plate, Black             |
| VHT-8454 | 4    | Décor Style Wall Plate, Ivory             |
| VHT-6011 | 5    | Cable Sock Wall Plate, 2ft., White        |
| VHT-6033 | 5    | Cable Sock Wall Plate, 2ft., Black        |
| VHT-1412 | 6    | Romex Wire NM-B 14/2, 12ft.               |



Fig.3



Fig.4



Fig.5



Fig.6

In-Wall Power & A/V Extension

A/V - Home Theater





Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6

## 900 MHz TV Splitters

### Features

- DC Power Blocked
- Epoxy Sealed Rear Plate

| Item #   | Fig. | Description                     |
|----------|------|---------------------------------|
| VSP-1210 | 1    | 2 Way 900 MHz Mini Splitter     |
| VSP-1220 | 2    | 2 Way 900 MHz Standard Splitter |
| VSP-1320 | 3    | 3 Way 900 MHz Standard Splitter |
| VSP-1420 | 4    | 4 Way 900 MHz Standard Splitter |
| VSP-1620 | 5    | 6 Way 900 MHz Standard Splitter |
| VSP-1820 | 6    | 8 Way 900 MHz Standard Splitter |



Fig.7



Fig.8

## Signal Separators/Combiners

### Features

- VTP-3010: Low Band Rejection Ch 2-6/FM  
High Band Rejection: Ch 7-13
- VTP-3020: UHF/VHF Separator/Joiner

| Item #   | Fig. | Description                        |
|----------|------|------------------------------------|
| VTP-3010 | 7    | Hi-Lo Separator/ Joiner, 54-216MHz |
| VTP-3020 | 8    | U/V Separator/ Joiner, 54-890MHz   |



Fig.9



Fig.10

## 3 GHz Satellite Splitters

### Features

- Quality 3 GHz Digital Splitter
- One Port Power Passing
- Solder Sealed Rear Plate

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| VSP-2402 | 9    | 2 Way 3 GHz 1 Port Power-Passing Splitter |
| VSP-2403 | 10   | 3 Way 3 GHz 1 Port Power-Passing Splitter |
| VSP-2404 | 11   | 4 Way 3 GHz 1 Port Power-Passing Splitter |



Fig.11

## 1 GHz Cable TV Horizontal Splitters

### Features

- 1 GHz Digital TV Horizontal Splitters
- DC Power Blocked
- Solder Sealed Rear Plate

| Item #   | Fig. | Description          |
|----------|------|----------------------|
| VSP-2220 | 1    | 2 Way Splitter 1 GHz |
| VSP-2320 | 2    | 3 Way Splitter 1 GHz |
| VSP-2420 | 3    | 4 Way Splitter 1 GHz |



Fig.1



Fig.2



Fig.3

## 1 GHz Cable TV Vertical Splitters

### Features

- 1 GHz Digital TV Vertical Splitters
- DC Power Blocked
- Solder Sealed Rear Plate

| Item #   | Fig. | Description                  |
|----------|------|------------------------------|
| VSP-4120 | 4    | 2 Way Digital 1 GHz Splitter |
| VSP-4130 | 5    | 3 Way Digital 1 GHz Splitter |
| VSP-4140 | 6    | 4 Way Digital 1 GHz Splitter |
| VSP-4160 | 7    | 6 Way Digital 1 GHz Splitter |
| VSP-4180 | 8    | 8 Way Digital 1 GHz Splitter |



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8

## 1 GHz Cable TV Directional Couplers

### Features

- 1 GHz Directional Couplers
- Available in 6dB to 16dB
- Epoxy Sealed Rear Plate

| Item #   | Fig. | Description                  |
|----------|------|------------------------------|
| VTP-1106 | 9    | 6dB, 1 GHz, 1 Tap, T-Shaped  |
| VTP-1109 | 9    | 9dB, 1 GHz, 1 Tap, T-Shaped  |
| VTP-1112 | 9    | 12dB, 1 GHz, 1 Tap, T-Shaped |
| VTP-1116 | 9    | 16dB, 1 GHz, 1 Tap, T-Shaped |



Fig.9



Fig.1

## 4x4 HD Video Switch for RV's

### Features

- 4 Component & Composite RCA Inputs/Outputs
- Full Electronic Switching
- Switches between Cable TV/Satellite/Off Air
- 12VDC Operation with DC Cable included (DC Adapter not included)
- Resolutions up to 1080P

| Item # | Fig. | Description                        |
|--------|------|------------------------------------|
| QS44HD | 1    | HD 4 in/4 out Video Control Center |



Fig.2

## 5x3 DVD Video Switch for RV's

### Features

- 5 Inputs (w/DVD Input) to 3 Outputs
- Built-In Composite Video Modulator
- Switches between Cable TV/Satellite/Off Air
- Views all 5 Sources to Every TV Attached
- 12VDC Operation with DC Cable included (DC Adapter not included)

| Item # | Fig. | Description                             |
|--------|------|-----------------------------------------|
| QS53D  | 2    | 5 in/3 out with DVD Loop Switchbox Unit |



Fig.3

## 5x3 Video Switch for RV's

### Features

- 5 Inputs to 3 Outputs
- Switches between Cable TV/Satellite/Off Air
- Views all 5 Sources to Every TV Attached
- 12VDC Operation with DC Cable included (DC Adapter not included)

| Item # | Fig. | Description                     |
|--------|------|---------------------------------|
| QS53   | 3    | 5 in/3 out Video Control Center |

## Coaxial TV Wall Plates

### Features

- For Installation of Cable & Satellite TV
- Assortment of F-81 Wall Plates

| Item #   | Fig. | Description                                  |
|----------|------|----------------------------------------------|
| NTP-1901 | 1    | Combo 4C RJ-11 / F-81 Wallplate, Ivory       |
| NTP-1902 | 1    | Combo 4C RJ-11 / F-81 Wallplate, White       |
| WVP-0101 | 2    | 3/8" Single Hole Wall Plate, Ivory           |
| WVP-0102 | 2    | 3/8" Single Hole Wall Plate, White           |
| WVP-1101 | 3    | F-81 Wall Plate Standard Finish, 1GHz, Ivory |
| WVP-1102 | 3    | F-81 Wall Plate Standard Finish, 1GHz, White |
| WVP-1112 | 3    | F-81 Wall Plate Standard Finish, 3GHz, White |



Fig.1

Fig.2

Fig.3

## Coaxial F Type Adapters

### Features

- 75/300 Ohm Baluns
- 1GHz and 3GHz Grounding Blocks

| Item #   | Fig. | Description                            |
|----------|------|----------------------------------------|
| VGB-1002 | 4    | Dual F-81 Grounding Block, 1GHz        |
| VGB-3001 | 5    | Single F-81 Grounding Block, 3GHz      |
| VMT-1000 | 6    | 75-300 Ohm Indoor Matching Transformer |
| VMT-2000 | 7    | 75-300 Ohm Outdoor Balun W/ #10 Wires  |
| VMT-3000 | 8    | 75-300 Ohm Outdoor Balun W/ Twin Lead  |
| VMT-4000 | 9    | 75-300 Ohm Gold Plated Adapter         |
| VAB-1000 | 10   | Economy A-B Switch                     |




Fig.4

Fig.5



Fig.6




Fig.7



Fig.8



Fig.9



Fig.10

## Coaxial Cable Mounts

### Features

- Cable Clips for Indoor Installations
- Cable Bushings for Outside Installations

| Item #   | Fig. | Description                      |
|----------|------|----------------------------------|
| VCC-1101 | 11   | RG-59 Cable Clip, 100pk, White   |
| VCC-1102 | 11   | RG-59 Cable Clip, 100pk, Black   |
| VCC-2101 | 11   | RG-6 Cable Clip, 100pk, White    |
| VCC-2102 | 11   | RG-6 Cable Clip, 100pk, Black    |
| VCC-4101 | 12   | RG-6 Cable Bushing, 10pk, White  |
| VCC-4102 | 12   | RG-6 Cable Bushing, 10pk, Black  |
| VCC-4103 | 12   | RG-59 Cable Bushing, 10pk, White |



Fig.11




Fig.12

Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10



Fig.11



Fig.12



Fig.13



Fig.14



Fig.15



Fig.16



Fig.17



## F Specialty Connectors & Adapters

### Features

- For 75 Ohm Termination & Attenuation

| Item #   | Fig. | Description                            |
|----------|------|----------------------------------------|
| CFC-5175 | 1    | 75 Ohm F Male Terminator               |
| CFC-9100 | 2    | Push-On Tool-less F-Male for RG-59 PVC |
| CFS-0187 | 3    | F-61 with Top Mount Nut                |
| CFS-0203 | 4    | 3dB F Attenuator Female to Male        |
| CFS-0210 | 4    | 10dB F Attenuator Female to Male       |
| CFS-0220 | 4    | 20dB F Attenuator Female to Male       |

## F Compression Connectors & Adapters

### Features

**NEW**

- Weatherproof Design
- Coarse Knurl for Better Finger Grip
- Color-Coded Compression Insulator for Cable ID

| Item #   | Fig. | Description                                    |
|----------|------|------------------------------------------------|
| COM-1059 | 5    | F Compression Connector for Mini-RG-59, Yellow |
| COM-1159 | 6    | F Compression Connector for RG-59, Red         |
| COM-1259 | 7    | F Compression Connector for RG-59TFE, White    |
| COM-1006 | 8    | F Compression Connector for RG-6, Black        |
| COM-1206 | 9    | F Compression Connector for RG-6TFE, Green     |
| COM-1016 | 10   | F Compression Connector for RG-6 Quad, Blue    |
| COM-1011 | 11   | F Compression Connector for RG-11, Black       |

## F Series Termination Tools

### Features

- For Termination of F Style Connectors

| Item #   | Fig. | Description                                                   |
|----------|------|---------------------------------------------------------------|
| TCS-5000 | 12   | 2 Blade Automatic Coax Stripper for RG-58/59/6                |
| TFC-4000 | 13   | F Economy Crimper for RG-59/6 (.255/.325)                     |
| TFC-4010 | 14   | F Professional Crimper for RG-59/6 (.255/.322)                |
| TFC-4020 | 15   | Large O.D Pro-Crimper for RG-6/8/11/213 (.100/.322/.448)      |
| TFC-4030 | 15   | Large O.D. Pro-Crimper for RG-6Q/8/11 (.100/.359/406)         |
| TFC-4035 | 15   | Large O.D. Pro-Crimper for 1pc RG-11 (.100/.359/.475)         |
| TFC-4080 | 16   | Universal Ratchet Compression Tool for BNC, F & RCA           |
| TRF-3020 | 17   | 9" Ratchet Crimper .350/.320/.255 for RG-59/6/6Q F Connectors |

## F Series RG-59 Connectors

### Features

- Available in 1 & 2pc Design

| Item #   | Fig. | Description                                               |
|----------|------|-----------------------------------------------------------|
| CFC-1111 | 1    | F-Male Deluxe Twist-On for RG-59 PVC                      |
| CFC-7110 | 2    | F-Male Crimp F-59ALM w/1/4" ring for RG-59 PVC            |
| CFC-7111 | 3    | F-Male Crimp F-59ALM w/1/2" ring for RG-59 PVC            |
| CFC-7112 | 3    | F-Male Crimp F-59ALM for RG-59 Plenum                     |
| CFC-7113 | 4    | F-Male 2pc Crimp with 1/2" ring for RG-59/62 PVC          |
| CFC-7123 | 3    | F-Male Crimp F-59ALX w/1/2" ring for RG-59 Tri-Shield PVC |



## F Series RG-6 Connectors

### Features

- 1pc Design for Easy Termination

| Item #   | Fig. | Description                                               |
|----------|------|-----------------------------------------------------------|
| CFC-1114 | 5    | F-Male Deluxe Twist-On for RG-6 PVC                       |
| CFC-7114 | 6    | F-Male Crimp F-56ALM w/1/2" ring for RG-6 PVC             |
| CFC-7115 | 6    | F-Male Crimp F-56ALM w/1/2" ring for RG-6 Plenum          |
| CFC-7124 | 6    | F-Male Crimp F-56ALX w/1/2" ring for RG-6 Tri-Shield PVC  |
| CFC-7125 | 6    | F-Male Crimp F-56ALS w/1/2" ring for RG-6 Quad-Shield PVC |
| CFC-7214 | 6    | F-Male Crimp F-56ALMWP w/O-ring for RG-6 PVC              |
| CFC-7314 | 7    | F-Male Crimp Weatherproof, w/O-ring & Gel for RG-6 PVC    |



## F Series RG-11 Connectors

### Features

- Available in 1, 2 & 3pc Design

| Item #   | Fig. | Description                                   |
|----------|------|-----------------------------------------------|
| CFC-7118 | 8    | F-Male 3pc Crimp for RG-11 PVC                |
| CFC-7119 | 9    | F-Male 1pc Crimp for RG-11 PVC                |
| CFC-7120 | 10   | F-Male 2pc Crimp with 1/4" ring for RG-11 PVC |



**See section 6 for our  
complete selection  
of tools**

**F Inter-Series Adapters****Features**

- For In-Line Conversion to Non-F Style Connectors



Fig.1



Fig.2



Fig.3



Fig.4



Fig.8



Fig.5



Fig.9



Fig.6



Fig.10



Fig.7

**F Intra-Series Adapters****Features**

- For In-Line Coupling of F Style Connectors



Fig.11



Fig.12



Fig.13



Fig.14



Fig.15



Fig.17



Fig.18



Fig.16



Fig.19

**Item #**

CAD-1005  
CAD-1035  
CAD-1037  
CAD-1105  
CAD-1110  
CAD-1115  
CAD-1116  
CAD-1120  
CAD-1125  
CAD-1440

**Fig.**

1  
2  
3  
4  
5  
6  
7  
8  
9  
10

**Description**

F-Male to BNC Female Adapter  
F-Female to BNC Male Adapter  
F-Female to N-Male Adapter  
F-Female to 3.5mm Male Adapter  
F-Male to RCA Female Adapter  
F-Female to RCA Male Adapter  
F-Female to RCA Female Adapter  
F-Female to Euro Plug Adapter  
F-Female to Euro Jack Adapter  
F-Female to BNC Female Adapter

**Item #**

CAD-1090  
CAD-1095  
CAD-1100  
CFS-0181  
CFS-0182  
CFS-0183  
CFS-0184  
CFS-0186  
CFS-0191

**Fig.**

11  
12  
13  
14  
15  
16  
17  
18  
19

**Description**

F-Female to Push-On F-Male Adapter  
F Right Angle to F-Female to Push-On Male Adapter  
F Right Angle to F-Female to Male Adapter  
F-81 Female to Female Inline Coupler  
F-81 Female to Female Inline Coupler with Nut & Washer  
3/8" Nut & Washer for F-81  
F-Male to Male Inline Coupler  
F-81 CATV Female to Female In-Line Coupler, 1GHz  
F-81 CATV/Satellite (F-F) In-Line Coupler, 3Ghz

## 75 Ohm BNC Intra-Series Adapters

### Features

- For In-Line Coupling of 75 Ohm BNC Connectors

| Item #   | Fig. | Description                                                |
|----------|------|------------------------------------------------------------|
| CAB-1020 | 1    | 75 Ohm BNC Tee (F-M-F) Adapter                             |
| CAB-1025 | 2    | 75 Ohm BNC Tee (F-F-F) Adapter                             |
| CAB-2000 | 3    | 75 Ohm BNC In-Line (F-F) Splice Adapter                    |
| CAB-2015 | 4    | 75 Ohm BNC Right Angle Male to Female Adapter              |
| CBB-4233 | 5    | 75 Ohm Isolated BNC Bulkhead (F-F) Adapter                 |
| CBN-5175 | 6    | 75 Ohm BNC Male Terminator                                 |
| CWP-1030 | 7    | Single-Gang Stainless Steel Wall Plate with Dual 1/2" Hole |



Fig.7

## 75 Ohm BNC Inter-Series Adapters

### Features

- For In-Line Conversion to Non-BNC Style Connectors

| Item #   | Fig. | Description                           |
|----------|------|---------------------------------------|
| CAB-1010 | 8    | 75 Ohm BNC Female to RCA Male Adapter |
| CAB-1030 | 9    | 75 Ohm BNC Male to RCA Female Adapter |
| CAB-1035 | 10   | 75 Ohm BNC Male to F-Female Adapter   |
| CAB-2005 | 11   | 75 Ohm BNC Female to F-Male Adapter   |



75 Ohm BNC Adapters

RF Coaxial Connectors

QUEST

**75 Ohm BNC Compression Connectors****Features****NEW**

- Weatherproof Design
- Course Knurl for Better Finger Grip
- Color-Coded Compression Insulator for Cable ID

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| COM-2006 | 1    | 75 Ohm BNC Male Compression, RG-6, Black        |
| COM-2016 | 2    | 75 Ohm BNC Male Compression, RG-6 Quad, Blue    |
| COM-2059 | 3    | 75 Ohm BNC Male Compression, RG-59, Red         |
| COM-2159 | 4    | 75 Ohm BNC Male Compression, Mini RG-59, Yellow |

**See full line of  
compression  
connectors**

**BNC Series Termination Tools****Features**

- For Termination of BNC Connectors



Fig.5



Fig.6



Fig.7

| Item #   | Fig. | Description                                                                               |
|----------|------|-------------------------------------------------------------------------------------------|
| TCS-5000 | 5    | 2 Blade Automatic Coax Stripper for RG-58/59/6                                            |
| TCS-5010 | 5    | 3 Blade Automatic Coax Stripper for RG-58/59/6                                            |
| TRF-3000 | 6    | 9" Ratchet Crimper for RG59 3pc BNC/TNC<br>(Die: .255/.213/.068)                          |
| TRF-3001 | 6    | 9" Ratchet Crimper for RG-58/59 2pc BNC/TNC<br>(Die: .305/.228/.068)                      |
| TRF-3010 | 6    | 9" Ratchet Crimper for RG-58/59 TFE 3pc. BNC/TNC<br>(Die: .213/.190/.068/.042)            |
| TRF-3015 | 6    | 9" Ratchet Crimper for RG-58/59 BNC/TNC/Mini-UHF<br>(Die: .255/.213/.068/.100/.068/.052)  |
| TRF-3060 | 6    | Universal 9" Ratchet Crimper for 2pc. & 3pc. BNC/TNC/F<br>(Die: .325/.255/.213/.110/.068) |
| TFC-4080 | 7    | Universal Ratchet Compression Tool for BNC, F & RCA                                       |

**See section 6 for our  
complete selection  
of tools**

## 75 Ohm 1pc BNC Twist-On Connectors

### Features

- 1 Piece Toolless Design
- Reusable Capability

| Item #   | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| CBB-1210 | 1    | 75 Ohm Twist-On BNC Male for RG-59          |
| CBB-1211 | 1    | 75 Ohm Twist-On BNC Male for RG-59 Plenum   |
| CBB-1214 | 1    | 75 Ohm Twist-On BNC Male for RG-6U          |
| CBB-1219 | 1    | 75 Ohm Twist-On BNC Male for Belden 8218    |
| CBB-1220 | 1    | 75 Ohm Twist-On BNC Male for Belden 8281    |
| CBB-1311 | 2    | 75 Ohm Twist-On BNC Female for RG-59 Plenum |
| CBB-1314 | 2    | 75 Ohm Twist-On BNC Female for RG-6         |
| CBB-1315 | 2    | 75 Ohm Twist-On BNC Female for RG-6 Plenum  |



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7

## 75 Ohm 2pc BNC Crimp Connectors

### Features

- Easy to Install 2 Piece Design

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| CBB-2210 | 3    | 75 Ohm 2pc BNC Male Crimp for RG-59/62                 |
| CBB-2211 | 3    | 75 Ohm 2pc BNC Male Crimp for RG-59 Plenum             |
| CBB-2214 | 3    | 75 Ohm 2pc BNC Male Crimp for RG-6U                    |
| CBB-2219 | 3    | 75 Ohm 2pc BNC Male Crimp for Belden 8218              |
| CBB-2220 | 3    | 75 Ohm 2pc BNC Male Crimp for Belden 8281              |
| CBB-2225 | 4    | Universal 75 Ohm 2pc BNC (M) for RG-58/59/59TFE/6/6TFE |
| CBB-2310 | 5    | 75 Ohm 2pc BNC Female for RG-59                        |

## 75 Ohm 3pc BNC Crimp Connectors

### Features

- Wide Selection of Cable Compatibility

| Item #   | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| CBB-3210 | 6    | 75 Ohm 3pc BNC Male Crimp for RG-59/62      |
| CBB-3211 | 6    | 75 Ohm 3pc BNC Male Crimp for RG-59 Plenum  |
| CBB-3214 | 6    | 75 Ohm 3pc BNC Male Crimp for RG-6U         |
| CBB-3219 | 6    | 75 Ohm 3pc BNC Male Crimp for Belden 8218   |
| CBB-3220 | 6    | 75 Ohm 3pc BNC Male Crimp for Belden 8281   |
| CBB-3221 | 7    | 75 Ohm 50 Ohm 5pc BNC Male Crimp for Rg-174 |

75 Ohm BNC Connectors

RF Coaxial Connectors

QUEST



## 50 Ohm BNC Intra-Series Adapters

### Features

- For In-Line Coupling of 50 Ohm BNC Connectors

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| CAD-1000 | 1    | 50 Ohm BNC In-Line Splice (F-F) Adapter    |
| CAD-1003 | 2    | 50 Ohm BNC In-line (M-M) Adapter           |
| CAD-1015 | 3    | 50 Ohm BNC Right Angle (M-F) Adapter       |
| CAD-1020 | 4    | 50 Ohm BNC Tee (F-M-F) Adapter             |
| CAD-1025 | 5    | 50 Ohm BNC Tee (F-F-F) Adapter             |
| CAD-1325 | 6    | 50 Ohm BNC Goal Post Style (F-M-F) Adapter |



## 50 Ohm BNC Inter-Series Adapters

### Features

- For In-Line Conversion to Non-BNC Connectors

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| CAD-1001 | 7    | 50 Ohm BNC Female to TNC Male Adapter      |
| CAD-1002 | 8    | 50 Ohm BNC Male to TNC Female Adapter      |
| CAD-1005 | 9    | 50 Ohm BNC Female to F-Male Adapter        |
| CAD-1010 | 10   | 50 Ohm BNC Female to RCA Male Adapter      |
| CAD-1030 | 11   | 50 Ohm BNC Male to RCA Female Adapter      |
| CAD-1035 | 12   | 50 Ohm BNC Male to F-Female Adapter        |
| CAD-1055 | 13   | 50 Ohm BNC Female to N-Male Adapter        |
| CAD-1056 | 14   | 50 Ohm BNC Female to N-Female Adapter      |
| CAD-1057 | 15   | 50 Ohm BNC Male to RCA Male Adapter        |
| CAD-1061 | 16   | 50 Ohm BNC Male to N-Female Adapter        |
| CAD-1064 | 17   | 50 Ohm BNC Female to UHF Male Adapter      |
| CAD-1076 | 18   | 50 Ohm BNC Male to UHF Female Adapter      |
| CAD-1082 | 19   | 50 Ohm BNC Female to Mini-UHF Male Adapter |
| CAD-1201 | 20   | 50 Ohm BNC Female to SMA Male Adapter      |
| CAD-1440 | 21   | 50 Ohm BNC Female to F-Female Adapter      |

## 50 Ohm BNC Specialty Connectors & Adapters

### Features

- Available for Chassis and PC Mount Use



| Item #   | Fig. | Description                                                  |
|----------|------|--------------------------------------------------------------|
| CBN-4030 | 22   | 50 Ohm Chassis Mount (F), Solder Type with Lug for 3/8" hole |
| CBN-4031 | 23   | 50 Ohm Isolated Chassis Mount (F), Solder Type for 3/8" hole |
| CBN-4032 | 24   | 50 Ohm BNC Bulkhead (F-F) for 1/2" Hole                      |
| CBN-4033 | 25   | 50 Ohm Isolated BNC Bulkhead (F-F) for 1/2" Hole             |
| CBN-4034 | 26   | 50 Ohm BNC Vertical PC Mount Female                          |
| CBN-5150 | 27   | 50 Ohm BNC Male Terminator                                   |
| CBN-6110 | 28   | 50 Ohm 3 Pc BNC Solder Clamp for RG-59                       |
| CBQ-7010 | 29   | 50 Ohm BNC Quick Connector for RG-59U                        |
| CBQ-7011 | 29   | 50 Ohm BNC Quick Connector for RG-58U                        |

## 50 Ohm 1pc BNC Twist-On Connectors

### Features

- 1 Piece Toolless Design
- Reusable Capability

| Item #   | Fig. | Description                                  |
|----------|------|----------------------------------------------|
| CBN-1110 | 1    | 50 Ohm BNC Twist-On Male for RG-59/62 PVC    |
| CBN-1111 | 1    | 50 Ohm BNC Twist-On Male for RG-59/62 Plenum |
| CBN-1112 | 1    | 50 Ohm BNC Twist-On Male for RG-58 PVC       |
| CBN-1114 | 1    | 50 Ohm BNC Twist-On Male for RG-6 PVC        |
| CBN-1117 | 1    | 50 Ohm BNC Twist-On Male for Belden 8281     |
| CBN-1210 | 2    | 50 Ohm BNC Twist-On Female for RG-59 PVC     |



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9

## 50 Ohm 2pc BNC Crimp Connectors

### Features

- Easy to Install 2 Piece Design

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| CBN-2110 | 3    | 50 Ohm 2pc BNC Male Crimp for RG-59/62 PVC             |
| CBN-2111 | 3    | 50 Ohm 2pc BNC Male Crimp for RG-59/62 Plenum          |
| CBN-2112 | 3    | 50 Ohm 2pc BNC Male Crimp for RG-58 PVC                |
| CBN-2114 | 3    | 50 Ohm 2pc BNC Male Crimp for RG-6 PVC                 |
| CBN-2115 | 3    | 50 Ohm 2pc BNC Male Crimp for RG-6 Plenum              |
| CBN-2122 | 3    | 50 Ohm 2pc BNC Male Crimp for RG-174                   |
| CBN-2124 | 4    | 50 Ohm 2pc BNC Right Angle Crimp for RG-6              |
| CBN-2125 | 5    | Universal 50 Ohm 2pc BNC (M) for RG-58/59/59TPE/6/6TFE |
| CBN-2310 | 6    | 50 Ohm 2pc BNC Female Crimp for RG-59 PVC              |

## 50 Ohm 3pc BNC Crimp Connectors

### Features

- Wide Selection of Cable Compatibility

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| CBN-3105 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-59 CATV, 22AWG |
| CBN-3110 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-59/62 PVC      |
| CBN-3111 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-59 Plenum      |
| CBN-3112 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-58 PVC         |
| CBN-3114 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-6 PVC          |
| CBN-3116 | 8    | 50 Ohm 5pc BNC Male Crimp for RG-174/179        |
| CBN-3117 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-59 PVC/Plenum  |
| CBN-3118 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-11 PVC         |
| CBN-3120 | 7    | 50 Ohm 3pc BNC Male Crimp for Belden 8281       |
| CBN-3121 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-58 Plenum      |
| CBN-3122 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-8X             |
| CBN-3210 | 9    | 50 Ohm 3pc BNC Female Crimp for RG-59 PVC       |
| CBN-3212 | 9    | 50 Ohm 3pc BNC Female Crimp for RG-58 PVC       |
| CBN-3214 | 9    | 50 Ohm 3pc BNC Female Crimp for RG-6 PVC        |
| CBN-3219 | 9    | 50 Ohm 3pc BNC Female Crimp for Belden 8281     |
| CBN-3310 | 7    | 50 Ohm 3pc BNC Male Crimp for RG-59, 20AWG Pin  |

50 Ohm BNC Connectors

RF Coaxial Connectors

QUEST



Fig.1



Fig.2

## 50 Ohm N Crimp Connectors

### Features

- Ideal for Antenna Connections

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| CNC-3022 | 1    | 50 Ohm 3pc N-Male Crimp for RG-8/11/213 PVC            |
| CNC-3024 | 2    | 50 Ohm 3pc N-Female Crimp for RG-58 PVC                |
| CNC-3112 | 1    | 50 Ohm 3pc N-Male Crimp for RG-58 PVC                  |
| CNC-3192 | 1    | 50 Ohm 3pc N-Male Crimp with 10AWG Pin for RG-8/11 PVC |



Fig.3

Fig.4



Fig.5



Fig.6

## 50 Ohm N Solder Connectors

### Features

- Solder Terminations for Secure Connection

| Item #   | Fig. | Description                                         |
|----------|------|-----------------------------------------------------|
| CNC-6122 | 3    | 50 Ohm 6pc Solder N-Male for RG-8/11/213/214 PVC    |
| CNC-6123 | 4    | 50 Ohm 3pc Solder N-Male for RG-58 PVC              |
| CNC-6223 | 5    | 50 Ohm 6pc Solder N-Female for RG-8/213 PVC         |
| CNC-6224 | 6    | 50 Ohm Round Chassis Mount N-Female with Solder Lug |



Fig.7



Fig.8



Fig.9

## 50 Ohm N Intra-Series Adapters

### Features

- For In-Line Coupling of N Style Connectors

| Item #   | Fig. | Description                            |
|----------|------|----------------------------------------|
| CAD-1060 | 7    | N-Male to N-Female Right Angle Adapter |
| CAD-1062 | 8    | N-Male to N-Male Adapter               |
| CAD-1063 | 9    | N-Female to N-Female Adapter           |



Fig.10

Fig.11



Fig.12



Fig.13



Fig.14




Fig.15



Fig.16

## 50 Ohm N Inter-Series Adapters

### Features

- For In-Line Conversion to Non-N Style Connectors

| Item #   | Fig. | Description                       |
|----------|------|-----------------------------------|
| CAD-1037 | 10   | N-Male to F-Female Adapter        |
| CAD-1055 | 11   | N-Male to BNC Female Adapter      |
| CAD-1056 | 12   | N-Female to BNC Female Adapter    |
| CAD-1061 | 13   | N-Female to BNC Male Adapter      |
| CAD-1066 | 14   | N-Female to UHF Male Adapter      |
| CAD-1067 | 15   | N-Female to Mini-UHF Male Adapter |
| CAD-1071 | 16   | N-Male to UHF Female Adapter      |

## UHF/Mini-UHF Crimp Connectors

### Features

- Available in UHF & Mini-UHF Versions

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| CMU-3110 | 1    | 3pc Mini-UHF Male Crimp for RG-59 PVC   |
| CMU-3112 | 1    | 3pc Mini-UHF Male Crimp for RG-58 PVC   |
| CMU-3212 | 2    | 3pc Mini-UHF Female Crimp for RG-58 PVC |
| CUF-6220 | 3    | 3pc UHF Male Crimp for RG-58 PVC        |
| CUF-6228 | 3    | 3pc UHF Male Crimp for RG-8/11/213 PVC  |



## UHF Solder Connectors (PL-259)

### Features

- Solder Terminations for Secure Connection

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| CUF-6230 | 4    | UHF Female Flange Mount with Solder Lug |
| CUF-6122 | 5    | UHF Solder Male for RG-8/213            |



## UHF/Mini-UHF Intra-Series Adapters

### Features

- For In-Line Coupling of UHF Style Connectors

| Item #   | Fig. | Description                                        |
|----------|------|----------------------------------------------------|
| CAD-1065 | 6    | UHF In-Line Female to Female Splice Adapter        |
| CAD-1070 | 7    | UHF In-Line Chassis Mount Female to Female Adapter |
| CAD-1075 | 8    | UHF Female to Mini-UHF Male Adapter                |
| CUF-9110 | 9    | UHF Reducer UG176 Type for RG-59                   |
| CUF-9112 | 9    | UHF Reducer UG175 Type for RG-58                   |



## UHF/Mini-UHF Inter-Series Adapters

### Features

- For In-Line Conversion to Non-UHF Connectors

| Item #   | Fig. | Description                         |
|----------|------|-------------------------------------|
| CAD-1064 | 10   | UHF Male to BNC Female Adapter      |
| CAD-1066 | 11   | UHF Male to N-Female Adapter        |
| CAD-1067 | 12   | Mini-UHF Male to N-Female Adapter   |
| CAD-1068 | 13   | Mini-UHF Male to TNC Female         |
| CAD-1071 | 14   | UHF Female to N-Male Adapter        |
| CAD-1076 | 15   | UHF Female to BNC Male Adapter      |
| CAD-1081 | 16   | Mini-UHF Female to TNC Male Adapter |
| CAD-1082 | 17   | Mini-UHF Male to BNC Female Adapter |
| CAD-1575 | 18   | Mini-UHF Female to SMA Male Adapter |



UHF/Mini-UHF Connectors & Adapters

RF Coaxial Connectors





Fig.1

Fig.2



Fig.3



Fig.4

## SMA Crimp Connectors & Adapters

### Features

- For SMA Terminations & Coupling

| Item #   | Fig. | Description                         |
|----------|------|-------------------------------------|
| CSM-2121 | 1    | 3pc SMA Male Crimp for RG-58 PVC    |
| CSM-3212 | 2    | 3pc SMA Female Crimp for RG-58 PVC  |
| CAD-1201 | 3    | SMA Male to BNC Female              |
| CAD-1575 | 4    | SMA Male to Mini-UHF Female Adapter |



Fig.5

Fig.6



Fig.7



Fig.8



Fig.9



Fig.10



Fig.11



Fig.12

## TNC Connectors & Adapters

### Features

- For TNC Terminations & Coupling

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| CTN-2112 | 5    | 3pc TNC Male Crimp for RG-58 PVC           |
| CTN-2122 | 5    | 3pc TNC Male Crimp for RG-8X PVC           |
| CTN-3212 | 6    | 3pc TNC Female Crimp for RG-58 PVC         |
| CAD-1001 | 7    | TNC Male to BNC Female Adapter             |
| CAD-1002 | 8    | TNC Female to BNC Male Adapter             |
| CAD-1068 | 9    | TNC Female to Mini-UHF Male                |
| CAD-1069 | 10   | TNC Male to TNC Female Right Angle Adapter |
| CAD-1077 | 11   | TNC Female to Female Adapter               |
| CAD-1081 | 12   | TNC Male to Mini-UHF Female Adapter        |

## Coaxial Cable

### Features

- For Installation of Cable & Satellite TV

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| NBW-4501 | 13   | RG-59 PVC CMR Cable, 1000ft, White      |
| NBW-4502 | 13   | RG-59 PVC CMR Cable, 1000ft, Black      |
| NBW-4611 | 13   | RG-6 PVC CMR Cable, 1000ft, White       |
| NBW-4612 | 13   | RG-6 PVC CMR Cable, 1000ft, Black       |
| NBW-4621 | 13   | RG-6 Quad Shield PVC CMR, 1000ft, White |
| NBW-4622 | 13   | RG-6 Quad Shield PVC CMR, 1000ft, Black |



Fig.13

# Weatherproof Compression Connectors **NEW**

Designed for indoor and outdoor use, these weatherproof compression connectors are designed to provide high quality audio and video signals in a home theater and demanding A/V environments. They feature color-coded compression rings for easy detection of cable size, coarse knurls for easy grip and they work with most standard compression tools. Color-coded rubber bands are also available for color coding of A/V style connectors.

## Compression F Connectors

### Features

- For Termination of 75 Ohm A/V Cables
- Color-Coded Compression Ring for Cable Type Distinction

| 10 per Poly-Bag | 50 per Jar   | Cable Type |
|-----------------|--------------|------------|
| COM-1006        | COM-1006-50J | RG-6       |
| COM-1206        | COM-1206-50J | RG-6 TFE   |
| COM-1016        | COM-1016-50J | RG-6 Quad  |
| COM-1059        | COM-1059-50J | RG-59      |
| COM-1159        | COM-1159-50J | Mini RG-59 |
| COM-1259        | COM-1259-50J | RG-59 TFE  |
| 10 per Poly-Bag | 25 per Jar   | Cable Type |
| COM-1011        | COM-1011-25J | RG-11      |

### Cable Type Color-Code

Black  
Green  
Blue  
Red  
Yellow  
White

### Color-Code

Black



## Compression BNC Connectors

### Features

- For Termination of 75 Ohm A/V Cables
- Color-Coded Compression Ring for Cable Type Distinction

| 10 per Poly-Bag | 50 per Jar   | Cable Type |
|-----------------|--------------|------------|
| COM-2006        | COM-2006-50J | RG-6       |
| COM-2016        | COM-2016-50J | RG-6 Quad  |
| COM-2059        | COM-2059-50J | RG-59      |
| COM-2159        | COM-2159-50J | Mini RG-59 |

### Cable Type Color-Code

Black  
Blue  
Red  
Yellow



## Compression RCA Connectors

### Features

- For Termination of 75 Ohm A/V Cables
- Color-Coded Compression Ring for Cable Type Distinction

| 10 per Poly-Bag | 50 per Jar   | Cable Type |
|-----------------|--------------|------------|
| COM-3006        | COM-3006-50J | RG-6       |
| COM-3016        | COM-3016-50J | RG-6 Quad  |
| COM-3059        | COM-3059-50J | RG-59      |
| COM-3159        | COM-3159-50J | Mini RG-59 |

### Cable Type Color-Code

Black  
Blue  
Red  
Yellow



## Compression Color-Code Bands

### Features

- Color-Coded Rubber Bands for Cable Identification

| Item #   | Description                                |
|----------|--------------------------------------------|
| COM-3202 | Compression Color-Code Bands, 50pk, Blue   |
| COM-3203 | Compression Color-Code Bands, 50pk, Red    |
| COM-3205 | Compression Color-Code Bands, 50pk, Yellow |
| COM-3206 | Compression Color-Code Bands, 50pk, Green  |
| COM-3208 | Compression Color-Code Bands, 50pk, White  |



See Compression tools

RF Coaxial Connectors

Compression Connectors

QUEST



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9

## 50 Ohm RG-58 Molded BNC Cables

### Features

- Constructed with Molded Strain Relief Boot

| Item #   | Fig. | Description                                       |
|----------|------|---------------------------------------------------|
| NBC-1503 | 1    | 50 Ohm RG-58 BNC (M-M) Molded Cable, 3ft., Black  |
| NBC-1506 | 1    | 50 Ohm RG-58 BNC (M-M) Molded Cable, 6ft., Black  |
| NBC-1512 | 1    | 50 Ohm RG-58 BNC (M-M) Molded Cable, 12ft., Black |

## 50 Ohm RG-58 Assembled BNC Cables

### Features

- Available in Custom Lengths

| Item #   | Fig. | Description                                             |
|----------|------|---------------------------------------------------------|
| RFC-1113 | 2    | 50 Ohm RG-58 BNC (M-M) Cable, 3ft., Black               |
| RFC-1115 | 2    | 50 Ohm RG-58 BNC (M-M) Cable, 7ft., Black               |
| RFC-1116 | 2    | 50 Ohm RG-58 BNC (M-M) Cable, 10ft., Black              |
| RFC-1213 | 3    | 50 Ohm RG-58 BNC to BNC Right-Angle (M-M), 3ft., Black  |
| RFC-1215 | 3    | 50 Ohm RG-58 BNC to BNC Right-Angle (M-M), 7ft., Black  |
| RFC-1216 | 3    | 50 Ohm RG-58 BNC to BNC Right-Angle (M-M), 10ft., Black |
| RFC-1313 | 4    | 50 Ohm RG-58 BNC (M-F) Extn. Cable, 3ft., Black         |
| RFC-1315 | 4    | 50 Ohm RG-58 BNC (M-F) Extn. Cable, 7ft., Black         |
| RFC-1316 | 4    | 50 Ohm RG-58 BNC (M-F) Extn. Cable, 10ft., Black        |

## 75 Ohm RG-59 Molded BNC Cables

### Features

- Constructed with Molded Strain Relief Boot

| Item #   | Fig. | Description                                       |
|----------|------|---------------------------------------------------|
| NBC-1703 | 5    | 75 Ohm RG-59 BNC (M-M) Molded Cable, 3ft., Black  |
| NBC-1706 | 5    | 75 Ohm RG-59 BNC (M-M) Molded Cable, 6ft., Black  |
| NBC-1712 | 5    | 75 Ohm RG-59 BNC (M-M) Molded Cable, 12ft., Black |

## 75 Ohm RG-59 Assembled BNC Cables

### Features

- Available in Custom Lengths

| Item #   | Fig. | Description                                             |
|----------|------|---------------------------------------------------------|
| RFC-1123 | 6    | 75 Ohm RG-59 BNC (M-M) Cable, 3ft., Black               |
| RFC-1125 | 6    | 75 Ohm RG-59 BNC (M-M) Cable, 7ft., Black               |
| RFC-1126 | 6    | 75 Ohm RG-59 BNC (M-M) Cable, 10ft., Black              |
| RFC-1136 | 7    | 75 Ohm Mini-RG-59 BNC (M-M) Cable, 3ft., Black          |
| RFC-1137 | 7    | 75 Ohm Mini-RG-59 BNC (M-M) Cable, 6ft., Black          |
| RFC-1138 | 7    | 75 Ohm Mini-RG-59 BNC (M-M) Cable, 12ft., Black         |
| RFC-1223 | 8    | 50 Ohm RG-59 BNC to BNC Right-Angle (M-M), 3ft., Black  |
| RFC-1225 | 8    | 50 Ohm RG-59 BNC to BNC Right-Angle (M-M), 7ft., Black  |
| RFC-1226 | 8    | 50 Ohm RG-59 BNC to BNC Right-Angle (M-M), 10ft., Black |
| RFC-1323 | 9    | 75 Ohm RG-59 BNC (M-F) Extn. Cable, 3ft., Black         |
| RFC-1325 | 9    | 75 Ohm RG-59 BNC (M-F) Extn. Cable, 7ft., Black         |
| RFC-1326 | 9    | 75 Ohm RG-59 BNC (M-F) Extn. Cable, 10ft., Black        |

## 75 Ohm Molded F Cables

### Features

- Ideal for Satellite & Cable TV

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| VFC-1203 | 1    | 75 Ohm RG-59 F (M-M) Molded Cable, 3ft., Black  |
| VFC-1206 | 1    | 75 Ohm RG-59 F (M-M) Molded Cable, 6ft., Black  |
| VFC-1212 | 1    | 75 Ohm RG-59 F (M-M) Molded Cable, 12ft., Black |
| VFC-2203 | 1    | 75 Ohm RG-6 F (M-M) Molded Cable, 3ft., Black   |
| VFC-2206 | 1    | 75 Ohm RG-6 F (M-M) Molded Cable, 6ft., Black   |
| VFC-2212 | 1    | 75 Ohm RG-6 F (M-M) Molded Cable, 12ft., Black  |



Fig.1

## 75 Ohm RG-6 Compression F Cables

### Features

- Assembled with Weatherproof Connectors
- Available in Custom Lengths

| Item #   | Fig. | Description                                         |
|----------|------|-----------------------------------------------------|
| VFC-3103 | 2    | 75 Ohm RG-6 F (M-M) Compression Cable, 3ft., Black  |
| VFC-3106 | 2    | 75 Ohm RG-6 F (M-M) Compression Cable, 6ft., Black  |
| VFC-3110 | 2    | 75 Ohm RG-6 F (M-M) Compression Cable, 10ft., Black |
| VFC-3125 | 2    | 75 Ohm RG-6 F (M-M) Compression Cable, 25ft., Black |
| VFC-3150 | 2    | 75 Ohm RG-6 F (M-M) Compression Cable, 50ft., Black |
| VFC-3203 | 3    | 75 Ohm RG-6 F (M-M) Compression Cable, 3ft., White  |
| VFC-3206 | 3    | 75 Ohm RG-6 F (M-M) Compression Cable, 6ft., White  |
| VFC-3210 | 3    | 75 Ohm RG-6 F (M-M) Compression Cable, 10ft., White |
| VFC-3225 | 3    | 75 Ohm RG-6 F (M-M) Compression Cable, 25ft., White |
| VFC-3250 | 3    | 75 Ohm RG-6 F (M-M) Compression Cable, 50ft., White |



Fig.2



Fig.3

## 75 Ohm RG-6 Quad Compression F Cables

### Features

- Built with Quad Shield Cable
- Available in Custom Lengths

| Item #    | Fig. | Description                                               |
|-----------|------|-----------------------------------------------------------|
| VFC-4106  | 4    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 6ft., Black   |
| VFC-4110  | 4    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 10ft., Black  |
| VFC-4125  | 4    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 25ft., Black  |
| VFC-4150  | 4    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 50ft., Black  |
| VFC-41100 | 4    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 100ft., Black |
| VFC-4206  | 5    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 6ft., White   |
| VFC-4210  | 5    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 10ft., White  |
| VFC-4225  | 5    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 25ft., White  |
| VFC-4250  | 5    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 50ft., White  |
| VFC-42100 | 5    | 75 Ohm RG-6 Quad F (M-M) Compression Cable, 100ft., White |



Fig.4



Fig.5

**Compression cables are built to custom lengths and can be made with F, RCA & BNC connectors**



Fig.1

## 75 Ohm RG-59 Molded RCA Cables

### Features

- Available in Assembled & Molded Types

| Item #   | Fig. | Description                                    |
|----------|------|------------------------------------------------|
| VCA-4106 | 1    | Single RCA (M-M) Mono Audio Cable, 6ft., Black |
| VCA-4112 | 1    | Single RCA (M-M) Mono Audio Cable, 12ft, Black |



Fig.2

## 75 Ohm RG-59 Assembled RCA Cables

### Features

- Available in Custom Lengths
- Optional Colored Boots Available

| Item #   | Fig. | Description                                          |
|----------|------|------------------------------------------------------|
| NRC-1703 | 2    | 75 Ohm RG-59 RCA (M-M) Assembled Cable, 3ft., Black  |
| NRC-1707 | 2    | 75 Ohm RG-59 RCA (M-M) Assembled Cable, 7ft., Black  |
| NRC-1710 | 2    | 75 Ohm RG-59 RCA (M-M) Assembled Cable, 10ft., Black |
| NRC-1725 | 2    | 75 Ohm RG-59 RCA (M-M) Assembled Cable, 25ft., Black |
| NRC-1750 | 2    | 75 Ohm RG-59 RCA (M-M) Assembled Cable, 25ft., Black |



Fig.3

## 75 Ohm RG-59 Compression RCA Cables

### Features

**NEW**

- Assembled with Weatherproof Gold Connectors
- Color-Coded Bands for Cable Identification
- Available in Mini-RG-59, RG-59, RG-6 & RG-6 Quad
- Available in Custom Lengths

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| VRC-7703 | 3    | 75 Ohm RG-59 RCA (M-M) Compression Cable, 3ft., Black  |
| VRC-7707 | 3    | 75 Ohm RG-59 RCA (M-M) Compression Cable, 7ft., Black  |
| VRC-7710 | 3    | 75 Ohm RG-59 RCA (M-M) Compression Cable, 10ft., Black |
| VRC-7725 | 3    | 75 Ohm RG-59 RCA (M-M) Compression Cable, 25ft., Black |
| VRC-7750 | 3    | 75 Ohm RG-59 RCA (M-M) Compression Cable, 25ft., Black |

**Custom lengths and boot colors available for all  
RG-58 & RG-59 assembled coax cables**

## 50 Ohm RG-58 Assembled TNC Cables

### Features

- Available in Custom Lengths

| Item #   | Fig. | Description                                          |
|----------|------|------------------------------------------------------|
| RFC-1413 | 1    | 50 Ohm RG-58 TNC (M-M) Assembled Cable, 3ft., Black  |
| RFC-1415 | 1    | 50 Ohm RG-58 TNC (M-M) Assembled Cable, 7ft., Black  |
| RFC-1416 | 1    | 50 Ohm RG-58 TNC (M-M) Assembled Cable, 10ft., Black |



Fig.1

## 50 Ohm Assembled N Cables

### Features

- Available in RG-58, RG-11 & RG-213
- Available in Custom Lengths

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| RFC-1813 | 2    | 50 Ohm RG-58 N (M-M) Assembled Cable, 3ft., Black      |
| RFC-1815 | 2    | 50 Ohm RG-58 N (M-M) Assembled Cable, 7ft., Black      |
| RFC-1816 | 2    | 50 Ohm RG-58 N (M-M) Assembled Cable, 10ft., Black     |
| RFC-1843 | 3    | 50 Ohm RG-11/213 N (M-M) Assembled Cable, 3ft., Black  |
| RFC-1845 | 3    | 50 Ohm RG-11/213 N (M-M) Assembled Cable, 7ft., Black  |
| RFC-1846 | 3    | 50 Ohm RG-11/213 N (M-M) Assembled Cable, 10ft., Black |



Fig.2



Fig.3

## 50 Ohm RG-58 Assembled UHF Cables

### Features

- Available in Custom Lengths

| Item #   | Fig. | Description                                          |
|----------|------|------------------------------------------------------|
| RFC-2213 | 4    | 50 Ohm RG-58 UHF (M-M) Assembled Cable, 3ft., Black  |
| RFC-2215 | 4    | 50 Ohm RG-58 UHF (M-M) Assembled Cable, 7ft., Black  |
| RFC-2216 | 4    | 50 Ohm RG-58 UHF (M-M) Assembled Cable, 10ft., Black |



Fig.4

## 50 Ohm Assembled SMA Cables

### Features

- Available in RG-58 & RG-174 Cable
- Available in Custom Lengths

| Item #   | Fig. | Description                                           |
|----------|------|-------------------------------------------------------|
| RFC-1523 | 5    | 50 Ohm RG-174 SMA (M-M) Assembled Cable, 3ft., Black  |
| RFC-1525 | 5    | 50 Ohm RG-174 SMA (M-M) Assembled Cable, 7ft., Black  |
| RFC-1526 | 5    | 50 Ohm RG-174 SMA (M-M) Assembled Cable, 10ft., Black |
| RFC-1533 | 6    | 50 Ohm RG-58 SMA (M-M) Assembled Cable, 3ft., Black   |
| RFC-1535 | 6    | 50 Ohm RG-58 SMA (M-M) Assembled Cable, 7ft., Black   |
| RFC-1536 | 6    | 50 Ohm RG-58 SMA (M-M) Assembled Cable, 10ft., Black  |



Fig.5



Fig.6

Miscellaneous Coaxial Cables

RF Coaxial Connectors



Fig.1



Fig.2



Fig.3




Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



## 0.8" x 0.5" 2pc Raceway

### Features

- 2pc Design with Dual Sided Adhesive Tape
- Constructed of Paintable UL94V/0 Flame Retardent Material

| Item #   | Fig. | Description                                               |
|----------|------|-----------------------------------------------------------|
| NRS-2508 | 1    | 0.8" X 0.5" 2pc Raceway with Cover Lid, 6ft., 25pk, White |
| NRS-4108 | 4    | 0.8" X 0.5" Raceway Flat Elbow, 10pk, White               |
| NRS-4208 | 5    | 0.8" X 0.5" Raceway Inside Elbow, 10pk, White             |
| NRS-4308 | 6    | 0.8" X 0.5" Raceway Outside Elbow, 10pk, White            |
| NRS-4408 | 7    | 0.8" X 0.5" Raceway Tee Adapter, 10pk, White              |
| NRS-4508 | 8    | 0.8" X 0.5" Raceway End Cap, 10pk, White                  |
| NRS-4608 | 9    | 0.8" X 0.5" Raceway Splice, 10pk, White                   |

## 1.25" x 0.5" 2pc Raceway

### Features

- 2pc Design with Dual Sided Adhesive Tape
- Constructed of Paintable UL94V/0 Flame Retardent Material

| Item #   | Fig. | Description                                                |
|----------|------|------------------------------------------------------------|
| NRS-2712 | 2    | 1.25" X 0.5" 2pc Raceway with Cover Lid, 6ft., 25pk, White |
| NRS-4112 | 4    | 1.25" X 0.5" Raceway Flat Elbow, 10pk, White               |
| NRS-4212 | 5    | 1.25" X 0.5" Raceway Inside Elbow, 10pk, White             |
| NRS-4312 | 6    | 1.25" X 0.5" Raceway Outside Elbow, 10pk, White            |
| NRS-4412 | 7    | 1.25" X 0.5" Raceway Tee Adapter, 10pk, White              |
| NRS-4512 | 8    | 1.25" X 0.5" Raceway End Cap, 10pk, White                  |
| NRS-4612 | 9    | 1.25" X 0.5" Raceway Splice, 10pk, White                   |

## 1.6" x 0.9" 2pc Raceway

### Features

- 2pc Design with Dual Sided Adhesive Tape
- Constructed of Paintable UL94V/0 Flame Retardent Material

| Item #   | Fig. | Description                                               |
|----------|------|-----------------------------------------------------------|
| NRS-2516 | 3    | 1.6" X 0.9" 2pc Raceway with Cover Lid, 6ft., 25pk, White |
| NRS-4116 | 4    | 1.6" X 0.9" Raceway Flat Elbow, 10pk, White               |
| NRS-4216 | 5    | 1.6" X 0.9" Raceway Inside Elbow, 10pk, White             |
| NRS-4316 | 6    | 1.6" X 0.9" Raceway Outside Elbow, 10pk, White            |
| NRS-4416 | 7    | 1.6" X 0.9" Raceway Tee Adapter, 10pk, White              |
| NRS-4516 | 8    | 1.6" X 0.9" Raceway End Cap, 10pk, White                  |
| NRS-4616 | 9    | 1.6" X 0.9" Raceway Splice, 10pk, White                   |

## Surface Mount Boxes

### Features

- Surface Mount Boxes for Faceplate Installations
- Flat Box Version Snaps Together to Form Box

| Item #   | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| NFP-3000 | 10   | 2" Deep Surface Mount Junction Box, White   |
| NRS-3062 | 10   | 1.5" Deep Surface Mount Junction Box, White |
| FFB1G-W  | 11   | Single-Gang Surface Mount Flat Box, White   |
| FFB1G-B  | 11   | Single-Gang Surface Mount Flat Box, Beige   |

Fig.10



Fig.11



Raceway On-A-Roll® is ideal for wiring security systems, telecom & datacom, and home theater installations. When pulled out of the box, Raceway On-A-Roll® is in its flat design, can be cut to exact size, and snaps together into a standard duct shape. The 1/2" and 1" Raceway On-A-Roll system is compatible with the accessory components of the WireHider System. It comes complete with a solvent based curing adhesive foam tape on the back for secure adhesion to the wall. It is an easy and attractive way to organize and conceal wires or cables of any kind. Plus with up to 100ft. in a pizza box style dispenser and its cut-to-length efficiency, it provides 100% usable raceway.

## Raceway On-A-Roll

### Features

**NEW**

- Compact Storage – Up to 100ft. per Pizza Box Style Dispenser
- Cuts to Length with Little or No Waste
- Constructed of UL94VO Flame Retardant PVC
- Built with UV Stabilizer to Prevent Color Fading
- Latex Paintable PVC Surface
- Accessories Available for 1/2" & 1" Sizes



### White Beige Fig. Description

|           |           |   |                                                           |
|-----------|-----------|---|-----------------------------------------------------------|
| FWF-10511 | FWF-10521 | 1 | 1" Raceway On-A-Roll 1pk POS Display, 50ft.               |
| FWF-05511 | FWF-05521 | 1 | 1/2" Raceway On-A-Roll 1pk POS Display, 50ft.             |
| FWF-14111 | FWF-14121 | 1 | 3/8" Raceway On-A-Roll 1pk POS Display, 100ft.            |
| FWF-14511 | FWF-14521 | 1 | 3/8" Raceway On-A-Roll 1pk POS Display, 50ft.             |
| FWF-38511 | FWF-38521 | 1 | 3/8" Low-Profile Raceway On-A-Roll 1pk POS Display, 50ft. |
| FWF-25111 | FWF-25121 | 1 | 1/4" Raceway On-A-Roll 1pk POS Display, 50ft.             |
| FWF-25511 | FWF-25521 | 1 | 1/4" Raceway On-A-Roll 1pk POS Display, 100ft.            |

Fig.1

## Multi-Pack Counter Display

### Features

**NEW**

- Sold in Point-of-Sale Counter Display Box
- Display holds up to 6 Pizza Box Dispensers

### White Beige Fig. Description

|           |           |   |                                                |
|-----------|-----------|---|------------------------------------------------|
| FWF-10513 | N/A       | 2 | 1" Raceway On-A-Roll 3pk POS Display, 50ft.    |
| FWF-05516 | N/A       | 2 | 1/2" Raceway On-A-Roll 6pk POS Display, 50ft.  |
| FWF-14116 | FWF-14126 | 2 | 3/8" Raceway On-A-Roll 6pk POS Display, 100ft. |
| FWF-14516 | FWF-14526 | 2 | 3/8" Raceway On-A-Roll 6pk POS Display, 50ft.  |
| FWF-25116 | FWF-25126 | 2 | 1/4" Raceway On-A-Roll 6pk POS Display, 100ft. |
| FWF-25516 | FWF-25526 | 2 | 1/4" Raceway On-A-Roll 6pk POS Display, 50ft.  |



Fig.2

### Internal Dimensions:

| Size             | Width  | Height |
|------------------|--------|--------|
| 1/4"             | 0.255" | 0.125" |
| 3/8" Low-Profile | 0.255" | 0.125" |
| 3/8"             | 0.375" | 0.375" |
| 1/2"             | 0.475" | 0.475" |
| 1"               | 1.085" | 0.545" |

Raceway On-A-Roll

Wire Management

QUEST

The WireHider® non-Metallic Surface Mount Raceway was designed with the installation professional in mind. WireHider® was designed to eliminate the problem of hard to install locations where the cable has a tendency to fall out, especially on ceiling runs. This raceway duct speeds up installation by enabling you to simply push the cables into its flexible center slit and it allows you to exit anywhere along the run without the concern of the cable falling out. No raceway covers are required, but are available as an option!

**NEW****WireHider Raceway****Features**

- Constructed of UL94VO Flame Retardant PVC
- Separate Covers Available as an Option
- Built with UV Stabilizer to Prevent Color Fading
- Solvent Based Adhesive Foam Tape for Easy Installation

**Combo  
Raceway  
& Cover  
Lid Kits  
Available!**

**White      Beige      Fig.      Description**

|           |           |   |                                          |
|-----------|-----------|---|------------------------------------------|
| FWH-11411 | FWH-11421 | 1 | 1/2" WireHider, 1 Pack Retail Bag, 48in. |
| FWH-11916 | FWH-11926 | 1 | 1/2" WireHider, 6 Pack, 48in.            |
| FWH-11414 | FWH-11424 | 1 | 1/2" WireHider, 48 Pack, 48in.           |
| FWH-11614 | FWH-11624 | 1 | 1/2" WireHider, 50 Pack, 72in.           |

|           |           |   |                                        |
|-----------|-----------|---|----------------------------------------|
| FWH-12411 | FWH-12421 | 1 | 1" WireHider, 1 Pack Retail Bag, 48in. |
| FWH-12916 | FWH-12926 | 1 | 1" WireHider, 6 Pack, 48in.            |
| FWH-12414 | FWH-12424 | 1 | 1" WireHider, 28 Pack, 48in.           |
| FWH-12614 | FWH-12624 | 1 | 1" WireHider, 40 Pack, 72in.           |

|           |           |   |                                            |
|-----------|-----------|---|--------------------------------------------|
| FWH-13411 | FWH-13421 | 1 | 1-1/2" WireHider, 1 Pack Retail Bag, 48in. |
| FWH-13914 | FWH-13924 | 1 | 1-1/2" WireHider, 4 Pack, 48in.            |
| FWH-13414 | FWH-13424 | 1 | 1-1/2" WireHider, 24 Pack, 48in.           |
| FWH-13614 | FWH-13624 | 1 | 1-1/2" WireHider, 40 Pack, 72in.           |

**Internal Dimensions:**

| Size   | Width  | Height |
|--------|--------|--------|
| 1/2"   | 0.475" | 0.475" |
| 1"     | 1.085" | 0.545" |
| 1-1/2" | 1.5"   | 0.687" |

**WireHider Cover Lid****Features****NEW**

- Constructed of UL94VO Flame Retardant PVC
- Built with UV Stabilizer to Prevent Color Fading
- Covers have a Latex Paintable PVC Surface

**White      Beige      Fig.      Description**

|           |           |   |                                          |
|-----------|-----------|---|------------------------------------------|
| FCL-21411 | FCL-21421 | 1 | 1/2" Cover Lid, 1 Pack Retail Bag, 48in. |
| FCL-21916 | FCL-21926 | 1 | 1/2" Cover Lid, 6 Pack, 48in.            |
| FCL-21414 | FCL-21424 | 1 | 1/2" Cover Lid, 48 Pack, 48in.           |
| FCL-21614 | FCL-21624 | 1 | 1/2" Cover Lid, 50 Pack, 72in.           |

|           |           |   |                                        |
|-----------|-----------|---|----------------------------------------|
| FCL-22411 | FCL-22421 | 1 | 1" Cover Lid, 1 Pack Retail Bag, 48in. |
| FCL-22916 | FCL-22926 | 1 | 1" Cover Lid, 6 Pack, 48in.            |
| FCL-22414 | FCL-22424 | 1 | 1" Cover Lid, 28 Pack, 48in.           |
| FCL-22614 | FCL-22624 | 1 | 1" Cover Lid, 40 Pack, 72in.           |

|           |           |   |                                            |
|-----------|-----------|---|--------------------------------------------|
| FCL-23411 | FCL-23421 | 1 | 1-1/2" Cover Lid, 1 Pack Retail Bag, 48in. |
| FCL-23914 | FCL-23924 | 1 | 1-1/2" Cover Lid, 4 Pack, 48in.            |
| FCL-23414 | FCL-23424 | 1 | 1-1/2" Cover Lid, 24 Pack, 48in.           |
| FCL-23614 | FCL-23624 | 1 | 1-1/2" Cover Lid, 40 Pack, 72in.           |

**Cover Lid Dimensions:**

| Size   | Width  | Height |
|--------|--------|--------|
| 1/2"   | 0.645" | 0.535" |
| 1"     | 1.225" | 0.605" |
| 1-1/2" | 1.687" | 0.875" |

**Special colors available upon request**  
(Minimum order quantities apply)

The WireHider® Latching Duct Raceway System is an economical alternative to many two-piece solutions. It is designed with a flexible living hinge allowing for multiple adds/moves/changes as your wiring requirements change. This Latching Duct system is compatible with the accessory components of the two-piece WireHider® System. It comes complete with a solvent based curing adhesive foam tape on the back for secure adhesion to the wall. It is easy to install, and it eliminates the need to stock both channel and cover lids as required by most two-piece systems.

## Latching Duct Raceway

### Features

**NEW**

- Economical One-Piece Latching System
- Constructed of UL94VO Flame Retardant PVC
- Built with UV Stabilizer to Prevent Color Fading
- Latex Paintable PVC Surface
- Adhesive Foam Tape for Fast & Easy Installation
- Duct Cutting Tool (Sold separately)

| White      | Beige      | Fig. | Description                                    |
|------------|------------|------|------------------------------------------------|
| LDR-01411S | ----       | 1    | 1/2" Latching Duct, 1 Pack Retail Bag, 48in.   |
| LDR-01611S | LDR-01621S | 1    | 1/2" Latching Duct, 1 Pack Retail Bag, 72in.   |
| LDR-01611P | LDR-01621P | 1    | 1/2" Latching Duct, 5 Pack Retail Bag, 72in.   |
| LDR-01612  | LDR-01622  | 1    | 1/2" Latching Duct, 20 Pack, 72in.             |
| LDR-02411S | ----       | 2    | 1" Latching Duct, 1 Pack Retail Bag, 48in.     |
| LDR-02611S | ----       | 2    | 1" Latching Duct, 1 Pack Retail Bag, 72in.     |
| LDR-02611P | LDR-02621P | 2    | 1" Latching Duct, 4 Pack Retail Bag, 72in.     |
| LDR-02612  | LDR-02622  | 2    | 1" Latching Duct, 20 Pack, 72in.               |
| LDR-03411S | ----       | 3    | 1-1/2" Latching Duct, 1 Pack Retail Bag, 48in. |
| LDR-03611S | ----       | 3    | 1-1/2" Latching Duct, 1 Pack Retail Bag, 72in. |
| LDR-03611P | LDR-03621P | 3    | 1-1/2" Latching Duct, 4 Pack Retail Bag, 72in. |
| LDR-03612  | LDR-03622  | 3    | 1-1/2" Latching Duct, 20 Pack, 72in.           |



### Internal Dimensions:

| Size   | Width  | Height |
|--------|--------|--------|
| 1/2"   | 0.475" | 0.475" |
| 1"     | 1.085" | 0.545" |
| 1-1/2" | 1.5"   | 0.687" |

## WireHider Flat Screen TV Kit

### Features


**NEW**

- Hides & Guides Unsightly Wires & Power Cords
- Dual 1 1/2" Channels for Separation of Power and A/V Cables
- Easy Installation with Peel and Mount Adhesive Tape
- Paintable Snap-On Cover Lid to Match Any Decor

| White    | Beige    | Fig. | Description                        |
|----------|----------|------|------------------------------------|
| FSTVK-01 | FSTVK-02 | 4    | WireHider Flat Screen TV Kit, 4ft. |



Fig.4



## PVC/Duct Cutting Tool

### Features

- Tool for Easy Cutting of Raceway Systems

| Item #   | Fig. | Description                      |
|----------|------|----------------------------------|
| TMS-2000 | 5    | Heavy Duty PVC/Duct Cutting Tool |



Fig.5

Latching Duct Raceway

Wire Management

QUEST



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8

**1/2" WireHider Accessories****Features****NEW**

- Constructed of UL94VO Flame Retardant PVC
- Latex Paintable PVC Surface

| White     | Beige     | Fig. | Description                                    |
|-----------|-----------|------|------------------------------------------------|
| FRA-31412 | FRA-31422 | 1    | 1/2" Right Angle, 2 Pack Retail Bag            |
| FRA-31414 | FRA-31424 | 1    | 1/2" Right Angle, 12 Pack                      |
| FCD-61412 | FCD-61422 | 2    | 1/2" Ceiling Drop, 2 Pack Retail Bag           |
| FCD-61414 | FCD-61424 | 2    | 1/2" Ceiling Drop, 12 Pack                     |
| FCF-LD05W | FCF-LD05E | 3    | 1/2" Coupler for Latching Duct & ROAR, 12 Pack |
| FEC-71412 | FEC-71422 | 4    | 1/2" End Cap, 2 Pack Retail Bag                |
| FEC-71414 | FEC-71424 | 4    | 1/2" End Cap, 12 Pack                          |
| FIC-41412 | FIC-41422 | 5    | 1/2" Inside Corner, 2 Pack Retail Bag          |
| FIC-41414 | FIC-41424 | 5    | 1/2" Inside Corner, 12 Pack                    |
| FJC-05W   | FJC-05E   | 6    | 1/2" Coupler for WireHider, 12 Pack            |
| FOC-51412 | FOC-51422 | 7    | 1/2" Outside Corner, 2 Pack Retail Bag         |
| FOC-51414 | FOC-51424 | 7    | 1/2" Outside Corner, 12 Pack                   |
| FTC-81412 | FTC-81422 | 8    | 1/2" Tee, Single Pack Retail Bag               |
| FTC-81414 | FTC-81424 | 8    | 1/2" Tee, 12 Pack                              |

**1" WireHider Accessories****Features****NEW**

- Constructed of UL94VO Flame Retardant PVC
- Latex Paintable PVC Surface

| White     | Beige     | Fig. | Description                                  |
|-----------|-----------|------|----------------------------------------------|
| FRA-32412 | FRA-32422 | 1    | 1" Right Angle, 2 Pack Retail Bag            |
| FRA-32414 | FRA-32424 | 1    | 1" Right Angle, 12 Pack                      |
| FCD-62412 | FCD-62422 | 2    | 1" Ceiling Drop, 2 Pack Retail Bag           |
| FCD-62414 | FCD-62424 | 2    | 1" Ceiling Drop, 12 Pack                     |
| FCF-LD10W | FCF-LD10E | 3    | 1" Coupler for Latching Duct & ROAR, 12 Pack |
| FEC-72412 | FEC-72422 | 4    | 1" End Cap, 2 Pack Retail Bag                |
| FEC-72414 | FEC-72424 | 4    | 1" End Cap, 12 Pack                          |
| FIC-42412 | FIC-42424 | 5    | 1" Inside Corner, 2 Pack Retail Bag          |
| FIC-42414 | FIC-42424 | 5    | 1" Inside Corner, 12 Pack                    |
| FJC-10W   | FJC-10E   | 6    | 1" Coupler for WireHider, 12 Pack            |
| FOC-52412 | FOC-52422 | 7    | 1" Outside Corner, 2 Pack Retail Bag         |
| FOC-52414 | FOC-52424 | 7    | 1" Outside Corner, 12 Pack                   |
| FTC-82412 | FTC-82422 | 8    | 1" Tee, Single Pack Retail Bag               |
| FTC-82414 | FTC-82424 | 8    | 1" Tee, 12 Pack                              |

**1 1/2" WireHider Accessories****Features****NEW**

- Constructed of UL94VO Flame Retardant PVC
- Latex Paintable PVC Surface

| White     | Beige     | Fig. | Description                           |
|-----------|-----------|------|---------------------------------------|
| FRA-33414 | FRA-33424 | 1    | 1-1/2" Right Angle, 12 Pack           |
| FCD-63414 | FCD-63424 | 2    | 1-1/2" Ceiling Drop, 12 Pack          |
| FCF-LD15W | FCF-LD15E | 3    | 1-1/2" Ceiling Drop, 12 Pack          |
| FEC-73414 | FEC-73424 | 4    | 1-1/2" End Cap, 12 Pack               |
| FIC-43414 | FIC-43424 | 5    | 1-1/2" Inside Corner, 12 Pack         |
| FJC-15W   | FJC-15E   | 6    | 1-1/2" Coupler for WireHider, 12 Pack |
| FOC-53414 | FOC-53424 | 7    | 1-1/2" Outside Corner, 12 Pack        |
| FTC-83414 | FTC-83424 | 8    | 1-1/2" Tee, 12 Pack                   |

## Releaseable Nylon Cable Ties

### Features



- Releaseable Style for Cable Relocating
- Black Cable Ties are UV Stabilized for Outdoor Use

### Natural Black Fig. Description

|          |          |   |                                              |
|----------|----------|---|----------------------------------------------|
| NWT-6051 | NWT-6058 | 1 | 5" 50 lb Releaseable Nylon Cable Tie, 100pk  |
| NWT-6081 | NWT-6088 | 1 | 8" 50 lb Releaseable Nylon Cable Tie, 100pk  |
| NWT-6111 | NWT-6118 | 1 | 11" 50 lb Releaseable Nylon Cable Tie, 100pk |

## Nylon Cable Ties

### Features



- Marker and Nailable Styles Available
- Black Cable Ties are UV Stabilized for Outdoor Use

### Natural Black Fig. Description

|          |          |   |                                         |
|----------|----------|---|-----------------------------------------|
| NWT-3151 | NWT-3152 | 2 | 16" 120lb Snagless Cable Tie, 100pk     |
| NWT-3751 | NWT-3752 | 2 | 8" 80lb Snagless Cable Tie, 100pk       |
| NWT-4081 | NWT-4088 | 3 | 8" 40lb Nylon Cable Tie, 100pk          |
| NWT-4111 | NWT-4118 | 3 | 11" 40lb Nylon Cable Tie, 100pk         |
| NWT-4141 | NWT-4148 | 3 | 14" 40lb Nylon Cable Tie, 100pk         |
| NWT-4200 | -----    | 4 | 8" 40lb Nylon Nailable Cable Tie, 100pk |
| NWT-4210 | -----    | 5 | 4" 18lb Nylon Marker Cable Tie, 100pk   |
| NWT-8041 | NWT-8048 | 3 | 4" 18lb Nylon Cable Tie, 100pk          |
| NWT-8088 | NWT-8081 | 3 | 8" 18lb Nylon Cable Tie, 100pk          |

## Nylon Cable Tie Accessories

### Features

- Cable Mounts for Securing Cable Ties

| Item #   | Fig. | Description                                          |
|----------|------|------------------------------------------------------|
| NWT-9002 | 6    | 0.6" Length Saddle Type Tie Mount, 100pk, Natural    |
| NWT-9003 | 6    | 0.9" Length Saddle Type Tie Mount, 100pk, Natural    |
| NWT-9101 | 7    | 0.75" Length Self Adhesive Tie Mount, 100pk, Natural |
| NWT-9102 | 7    | 1.10" Length Self Adhesive Tie Mount, 100pk, Natural |
| TMI-1015 | 8    | Installation Tool for .1" to .2" Nylon Cable Ties    |

## Hook & Loop Fasteners

### Features

- High Density Loop for Added Strength and Retention

| Item #   | Fig. | Description                                   |
|----------|------|-----------------------------------------------|
| NVT-0191 | 9    | 1" x 9" Hook & Loop Cable Ties, 10pk, Black   |
| NVT-0192 | 9    | 1" x 9" Hook & Loop Cable Ties, 10pk, Blue    |
| NVT-0193 | 9    | 1" x 9" Hook & Loop Cable Ties, 10pk, Red     |
| NVT-1132 | 9    | 1" x 13" Hook & Loop Cable Ties, 10pk, Blue   |
| NVT-1133 | 9    | 1" x 13" Hook & Loop Cable Ties, 10pk, Red    |
| NVT-3461 | 9    | 3/4" x 6" Hook & Loop Cable Ties, 10pk, Black |
| NVT-3401 | 10   | 3/4" Dual-Sided Hook & Loop, 36ft/roll, Black |
| NVT-3402 | 10   | 3/4" Dual-Sided Hook & Loop, 36ft/roll, Blue  |
| NVT-3801 | 10   | 3/8" Dual-Sided Hook & Loop, 36ft/roll, Black |
| NVT-3802 | 10   | 3/8" Dual-Sided Hook & Loop, 36ft/roll, Blue  |



Fig.1



Fig.2



Fig.3




Fig.4

Fig.5



Fig.6



Fig.7



Fig.8



Fig.9




Fig.10

Wire Wraps & Cable Organizers

Wire Management

QUEST



## Universal Compression Tool

### Features

- Works with Most Standard Compression Connectors
- Universal Tool Crimps Standard & Right Angle Connectors
- Ratchet Function with Release Dial
- Adjustable Screw for Varying Connector Lengths

#### Item #

TFC-4080

#### Description

Universal Ratchet Compression Crimp Tool for BNC, F and RCA



## Lightweight Ratchet Crimp Tools

### Features

These lightweight ratchet crimp tools are designed for the professional installer looking to lighten their tool kit. They are constructed of lightweight aluminum that weighs 40% less than the standard steel frame tool. They have quick release jaws allowing a tool-less die change in seconds, and are designed with a cushioned ergonomic handle for comfortable use. The tools come complete with die sets, which are also interchangeable.

- Light Weight Aluminum Frame
- Quick Release Die Changing Function
- Full Cycle Ratchet Mechanism
- Safety Release Trigger



#### Tool # Die # Description

|          |          |                                                                                  |
|----------|----------|----------------------------------------------------------------------------------|
| TRF-7000 | ---      | Ratchet Aluminum Crimp Tool Frame<br>No Die Included                             |
| TRF-7005 | TRD-7005 | Ratchet Crimp Tool for RG-11 3pc BNC<br>(Die: .429/.075)                         |
| TRF-7015 | TRD-7015 | Ratchet Crimp Tool for RG-174 3pc BNC<br>(Die: .178/.128/.068)                   |
| TRF-7020 | TRD-7020 | Ratchet Crimp Tool for RG-8 3pc N<br>(Die: .429/.100/.080)                       |
| TRF-7040 | TRD-7040 | Ratchet Crimp Tool for RG-179/58/58TFE 3pc BNC/TNC<br>(Die: .213/.190/.068/.042) |
| TRF-7050 | TRD-7050 | Ratchet Crimp Tool for RG-58/59TFE/6/8281 2pc BNC<br>(Die: .320/.305/.228)       |
| TRF-7055 | TRD-7055 | Ratchet Crimp Tool for RG-59/6/6TFE 2pc BNC/TNC/MiniUHF<br>(Die: .324/.265/.068) |
| TRF-7065 | TRD-7065 | Ratchet Crimp Tool for Butt Splice/Insulated Terminals<br>(Die: .16-28AWG)       |

The QUEST Professional Ratchet Crimp Tool series provides installers the best choice in professional connector crimp tools. These tools are designed for durable use and provides long life dependability and consistent, reliable terminations, crimp after crimp. They feature a 9" frame design, which allows strong leverage during the crimp process with a ratchet action mechanism providing easy, repeatable and reliable crimps. The tools come complete with die sets, which are also interchangeable.


## Professional Ratchet Crimp Tools



### Features

- 9" Extended Frame Size
- Pressure Adjustment for Reliable Crimp
- Full Cycle Ratchet Mechanism
- Safety Release Trigger

| Tool #   | Die #    | Description                                                                                        |
|----------|----------|----------------------------------------------------------------------------------------------------|
| TRF-1001 | ----     | 9" Ratchet Crimp Tool Frame<br>(No Die Included)                                                   |
| TRF-3000 | TRD-3000 | 9" Ratchet Crimp Tool for RG-58 3pc BNC/TNC<br>(Die: .255/.213/.068)                               |
| TRF-3001 | TRD-3001 | 9" Ratchet Crimp Tool for RG-58/59/62 2pc BNC/TNC<br>(Die: .305/.228/.068)                         |
| TRF-3010 | TRD-3010 | 9" Ratchet Crimp Tool for RG-58/59TFE 3pc BNC/TNC/N/UHF<br>(Die: .213/.190/.068/.042)              |
| TRF-3015 | TRD-3015 | 9" Ratchet Crimp Tool for RG-58/59/62 2pc BNC/TNC/Mini-UHF<br>(Die: .255/.213/.068/.100/.068/.052) |
| TRF-3020 | TRD-3020 | 9" Ratchet Crimp Tool for RG-59/6/6Q 1pc F<br>(Die: .350/.320/.255)                                |
| TRF-3030 | TRD-3030 | 9" Ratchet Crimp Tool for RG-8/11/213 N (10AWG)<br>(Die: .429/.100)                                |
| TRF-3035 | TRD-3035 | 9" Ratchet Crimp Tool for RG-58/174/8218/735A 3pc BNC/TNC<br>(Die: .213/.178/.068/.042)            |
| TRF-3040 | TRD-3040 | 9" Ratchet Crimp Tool for RG-59/6/8281 2 & 3pc BNC/TNC/UHF<br>(Die: .324/.255/.068/.042)           |
| TRF-3045 | TRD-3045 | 9" Ratchet Crimp Tool for RG-6/8281 3pc BNC & 1pc F<br>(Die: .324/.178/.068)                       |
| TRF-3051 | TRD-3051 | 9" Ratchet Crimp Tool Insulated Terminals<br>(Die: 10 - 22AWG)                                     |
| TRF-3052 | TRD-3052 | 9" Ratchet D-Sub Crimp Tool for Non-Insulated Open Barrels<br>(Die: 12 - 22AWG)                    |
| TRF-3054 | TRD-3054 | 9" Ratchet Crimp Tool for Fiber Connectors<br>(Die: .213/.178/.151)                                |
| TRF-3060 | TRD-3060 | 9" Universal Ratchet Crimp Tool for Most 2 & 3pc Connectors<br>(Die: .325/.255/.213/.110/.068)     |



Professional Ratchet Crimp Tools

Installation Tools & Kits





Fig.1

## Self-Adjusting Wire Strippers

### Features

- Self-Adjusting for Ease of Use
- 2 & 3 Blade Styles for Coaxial Connectors

| Item #   | Fig. | Description                                       |
|----------|------|---------------------------------------------------|
| TCS-5000 | 1    | 2 Blade Automatic Coax Stripper for RG-58/59/62/6 |
| TCS-5010 | 1    | 3 Blade Automatic Coax Stripper for RG-58/59/62/6 |



Fig.2



Fig.3



Fig.4



Fig.5

## Adjustable Wire Strippers

### Features

- Adjustable for Preferred Settings
- 2 & 3 Blade Styles for Coaxial Connectors

| Item #   | Fig. | Description                                        |
|----------|------|----------------------------------------------------|
| TCS-5020 | 2    | 2 Blade Coax Stripper for RG-58/59/62/6/6 Quad/174 |
| TCS-5030 | 3    | 3 Blade Coax Stripper for RG-58/59/62              |
| TCS-5040 | 4    | 3 Blade Coax Stripper for RG-8/11/213              |
| TEL-6100 | 5    | 4-Way Coax/UTP Wire Stripper and Cutter            |

**See additional wire  
strippers & cutters**

## F Compression Tools

### Features

- Works with Most Standard Compression Connectors
- Universal Tool Crimps Standard & Right Angle Connectors

| Item #   | Fig. | Description                                                 |
|----------|------|-------------------------------------------------------------|
| TFC-4040 | 1    | F Ratchet Compression Tool for RG-59/6/6 Quad               |
| TFC-4045 | 2    | F Ratchet Compression Tool for RG-11                        |
| TFC-4080 | 3    | Universal Ratchet Compression Crimp Tool for BNC, F and RCA |
| TFC-4090 | 4    | Compact F Compression Tool for RG-59/6/6 Quad               |



Fig.1




Fig.4



Fig.3



Fig.2

## Non-Ratchet F Crimp Tools

### Features

- Terminates Standard F Connectors

| Item #   | Fig. | Description                                            |
|----------|------|--------------------------------------------------------|
| TFC-4000 | 5    | Economy F Crimp Tool for RG-59/6 (Die Size: .255/.325) |
| TFC-4010 | 6    | Professional F Crimp for RG-59/6 (Die Size :.255/.322) |



Fig.5




Fig.6

## Large O.D. Non-Ratchet Crimpers

### Features

- Terminates Large O.D. F & UHF Connectors

| Item #   | Fig. | Description                                                                               |
|----------|------|-------------------------------------------------------------------------------------------|
| TFC-4020 | 7    | Large O.D. Pro Crimp Tool for RG-6/8/11/213 (Die Size :.100/.322/.448)                    |
| TFC-4030 | 7    | Large O.D. Pro Crimp Tool for RG-6 Quad/8/11/213 (Die Size :.100/.359/.406)               |
| TFC-4035 | 7    | Large O.D. Pro Crimp Tool for RG-6 Quad/8/11/213 for 1pc F/UHF (Die Size :.100/.359/.475) |



Fig.7

F Style Crimping Tools

Installation Tools & Kits



Fig.1



Fig.2



Fig.3



Fig.4

## Non-Ratchet Modular Crimp Tools

### Features

- Hardened Steel Frame
- Designed with Cutting and Stripping Blades

| Item #   | Fig. | Description                                   |
|----------|------|-----------------------------------------------|
| TEL-6000 | 1    | RJ-11/12/45 Pro Crimp Tool for 6p4c/6p6c/8p8c |
| TEL-6040 | 2    | RJ-11/12 Crimp Tool for 6p2c/6p4c/6p6c        |
| TEL-6050 | 2    | RJ-45 Crimp Tool for 8p8c Modular Plugs       |

## UTP Wire Stripping Tools

### Features

- Designed with Cutting and Stripping Blades

| Item #   | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| TEL-6100 | 3    | 4-Way Coax/UTP/Wire Stripper & Cutter       |
| TEL-6105 | 4    | Adjustable 4-Way UTP/Wire Stripper & Cutter |

## Ratchet Modular Crimp Tools

### Features

- Ratchet Design for Ease of Crimp
- Designed with Cutting and Stripping Blades

| Item #   | Fig. | Description                                                                                                  |
|----------|------|--------------------------------------------------------------------------------------------------------------|
| TEL-6001 | 1    | RJ-11/12/45 Pro Ratchet Crimp Tool for 6p4c/6p6c/8p8c                                                        |
| TEL-6016 | 2    | RJ-11/12/45 Pro Ratchet Crimp Tool for 6p4c/6p6c/8p8c (Boxed)                                                |
| TEL-6020 | 3    | Universal RJ-11/12/45 Pro Ratchet Modular Crimp Tool (for 4p2c/4p4c/6p4c/6p6c/8p8c/10p10c/DEC 6p6c/AMP 8p8c) |
| TEL-6030 | 4    | RJ-11/12/45 Lightweight Ratchet Crimp Tool for 6p4c/6p6c/8p8c                                                |



Fig.1



Fig.2



Fig.3



Fig.4

Ratchet Modular Crimping Tools

Installation Tools & Kits

## Punch Down Tools/Replacement Blades



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5

## Non-Impact Punch Down Tools

## Features

- Pocket Size Design
- Non-Impact Punch Down Function

| Item #   | Fig. | Description                                  |
|----------|------|----------------------------------------------|
| TEL-6070 | 1    | 66/110 Punch Down Tool with Punch Only Blade |
| TEL-6110 | 2    | 110 Punch Tool with Built-In UTP Stripper    |

## Punch Down Tool Replacement Blades

## Features

- Replacement Blades for Impact Punch Down Tools Only
- For use with TEL-6080/6090/6091/6095/7000 Tools
- Compatible with most Competitors Impact Punch Down Tools

| Item #   | Fig. | Description              |
|----------|------|--------------------------|
| TEL-6092 | 3    | Krone Punch & Cut Blades |
| TEL-6097 | 4    | 66 Punch & Cut Blades    |
| TEL-6098 | 5    | 110 Punch & Cut Blades   |

## Multi-Pair Impact Punch Down Tools

### Features

- Terminates Up To 5 Pairs with One Punch

| Item #   | Fig. | Description                                               |
|----------|------|-----------------------------------------------------------|
| TEL-6120 | 1    | 5 Pair Impact Punch Down Tool with 110 Punch & Cut Blades |



Fig.1

## Impact Punch Down Tools

### Features

- For Termination of 66, 110 & Krone Style Connectors
- Adjustable Impact Tension Adjustment
- Built-In Locking Blade Storage

| Item #   | Fig. | Description                                                              |
|----------|------|--------------------------------------------------------------------------|
| TEL-6080 | 2    | Impact Punch Down Tool with 110 Punch & Cut Blades                       |
| TEL-6090 | 3    | Pro-Series Impact Punch Down Tool with 110 Punch & Cut Blades            |
| TEL-6091 | 3    | Pro-Series Impact Punch Down Tool with Krone Punch & Cut Blades          |
| TEL-6095 | 4    | Pro-Series Impact Punch Down Tool w/110 Punch & Cut Blades/Pic Tools     |
| TEL-7000 | 3    | Pro-Series Impact Punch Down Tool with (2) Punch & Cut Blades - 66 & 110 |



Fig.2



Fig.3



Fig.4

Punch Down Tools

Installation Tools & Kits





## UTP Wire Stripping Tools

### Features

- Designed with Cutting and Stripping Blades



Fig.1



Fig.2

| Item #   | Fig. | Description                                 |
|----------|------|---------------------------------------------|
| TEL-6100 | 1    | 4-Way Coax/UTP/Wire Stripper & Cutter       |
| TEL-6105 | 2    | 4-Way UTP/Wire Adjustable Stripper & Cutter |



## Multi-Gauge Wire Stripping Tools

### Features

- Designed with Cutting and Stripping Blades




Fig.3



Fig.4

| Item #   | Fig. | Description                                                  |
|----------|------|--------------------------------------------------------------|
| THT-9110 | 3    | Wire Stripper & Insulated Terminal Crimper for 10-22AWG Wire |
| TMI-1020 | 4    | Wire Stripper & Cutter for 10 - 22AWG Wire                   |
| TMI-1021 | 4    | Wire Stripper & Cutter for 20 - 30AWG Wire                   |
| TMI-1025 | 5    | Compact Adjustable Wire Stripper & Cutter for 10-24AWG Wire  |



Fig.5

## D-Sub Crimping Tools



### Features

- Terminate D-Sub Pins on 12 to 30AWG Wire
- Available in Ratchet and Non-Ratchet Versions

| Item #   | Fig. | Description                                                             |
|----------|------|-------------------------------------------------------------------------|
| TFC-5000 | 1    | Non-Ratchet D-Sub Crimp Tool For Open Barrel Contacts 20-28AWG Wire     |
| TRF-4000 | 2    | 8" Ratchet D-Sub & V.35 Crimp Tool for 18-30AWG Wire                    |
| TRF-3052 | 3    | 9" Ratchet D-Sub Crimp Tool for Non-Insulated Open Barrel 12-22AWG Wire |



Fig.1



Fig.2



Fig.3

## D-Sub Insertion/Extraction Tool



### Features

- Designed for Insertion & Removal of D-Sub Pins

| Item #   | Fig. | Description                |
|----------|------|----------------------------|
| DHA-3000 | 4    | Insertion/ Extraction Tool |



Fig.4

D-Sub Crimping Tools

Installation Tools & Kits





Fig.1

## Fiber Optic Termination Kit

### Features

- Kit includes Carbide Scribe, Kevlar Scissors, Fast Epoxy, ST & SC Polish Disc, Ratchet Crimp Tool, Polish Film, Rubber work pad and is stored in a durable ABS Case

| Item #   | Fig. | Description                                      |
|----------|------|--------------------------------------------------|
| NFK-2000 | 1    | Termination Kit for Fiber Optic SC/ST Connectors |



Fig.2

## Fiber Optic Crimp Tools

### Features

- Full Cycle Ratchet Mechanism
- Safety Release Trigger

| Item #   | Fig. | Description                                                         |
|----------|------|---------------------------------------------------------------------|
| TRF-3054 | 2    | 9" Ratchet Crimp Tool for Fiber Connectors<br>(Die: .213/.178/.151) |



Fig.3

## Miscellaneous Fiber Optic Tools

### Features

- Microscope for Fiber Cable Verification
- Tools for Stripping & Cutting Fiber Cable

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| NFS-2000 | 3    | 200X Fiber Microscope with Stand & Adapter |
| TFS-1200 | 4    | Fiber Optic Kevlar Cutting Scissors        |
| TFS-1400 | 5    | Fiber Optic Stripping Tool                 |



Fig.4



Fig.5

## 5" Cutters & Pliers

### Features

- Constructed of Black Steel Frame
- Soft Cushioned Dual Color Hand Grips

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| THT-2030 | 1    | 5" Side Cutter with Thin Nose Flush Cutter      |
| THT-2130 | 2    | 5 1/2" Long Nose Plier, Serrated Slim-Line Jaws |



Fig.1



Fig.2

## 5" Cutters & Pliers

### Features

- Constructed of Hardened Steel
- Soft Cushioned Hand Grips

| Item #   | Fig. | Description                                                                       |
|----------|------|-----------------------------------------------------------------------------------|
| THT-2040 | 3    | 4 1/2" Electrical Diagonal Cutter with Flush Jaws                                 |
| THT-2050 | 4    | 5" Long Nose Pliers with Serrated Jaws                                            |
| THT-2070 | 5    | 5" Bent Nose Pliers with Smooth Jaws                                              |
| THT-2080 | 6    | 5" Flat Nose Pliers with Serrated Jaws                                            |
| THK-2002 | 3-6  | 5" Pliers & Cutter 4pc Tool Set<br>(includes one each of THT-2040/2050/2070/2080) |



Fig.3



Fig.4



Fig.5



Fig.6

## 5" Stainless Steel Cutters & Pliers

### Features

- Constructed of Stainless Steel with Riveted Spring
- PVC Insulated Handles

| Item #   | Fig. | Description                                                                  |
|----------|------|------------------------------------------------------------------------------|
| THT-1850 | 7    | 5" Stainless Flat Nose Precision Tool                                        |
| THT-1890 | 8    | 5" Stainless Bent Nose Pliers                                                |
| THT-1900 | 9    | 5" Stainless Flat Nose Pliers                                                |
| THK-2001 | 7-9  | 5" Pliers & Cutter 3pc Tool Set<br>(includes one each of THT-1850/1890/1900) |



Fig.7



Fig.8



Fig.9



Fig.1



Fig.2



Fig.3

## Miniature Cutters

### Features

- Constructed of Hardened Steel
- Soft Cushioned Dual Color Hand Grips

| Item #   | Fig. | Description                                         |
|----------|------|-----------------------------------------------------|
| THT-1800 | 1    | 4 3/4" Long Nose Pliers with Cutter & Serrated Jaws |
| THT-1880 | 2    | 4 1/4" Diagonal Cutter for Flush Cutting            |
| THT-2020 | 3    | 4 1/4" End Nipper Cutter for Flush Cutting          |



Fig.4



Fig.5

## Miniature Pliers

### Features

- Constructed of Hardened Steel
- Soft Cushioned Dual Color Hand Grips

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| THT-2000 | 4    | 5 3/4" Needle Nose Plier with Smooth Jaws |
| THT-2810 | 5    | 4 3/4" Smooth Flat Nose Plier             |

## Miniature Cutters & Pliers Tool Set

### Features

- Constructed of Hardened Steel
- Soft Cushioned Dual Color Hand Grips

| Item #   | Fig. | Description                                                                  |
|----------|------|------------------------------------------------------------------------------|
| THK-2000 | 6    | 4" Pliers & Cutter 3pc Tool Set<br>(includes one each of THT-1800/2000/2810) |



Fig.6

## Large Frame Pliers

### Features

- Constructed of Hardened Steel
- Soft Cushioned Dual Color Hand Grips
- Serrated Jaws

| Item #   | Fig. | Description                                      |
|----------|------|--------------------------------------------------|
| THT-2100 | 1    | 6" Slip Joint Pliers with Cutter & Serrated Jaws |
| THT-2110 | 2    | 6" Linemans Pliers with Cutter & Serrated Jaws   |
| THT-2120 | 3    | 6" Long Nose Pliers with Cutter & Serrated Jaws  |



Fig.1



Fig.2



Fig.3

## Water Pump Pliers

### Features

- Constructed of Hardened Steel
- Soft Cushioned Insulated Hand Grips
- 1-1/3" Slip-Joint Serrated Jaws

| Item #   | Fig. | Description                     |
|----------|------|---------------------------------|
| TMS-1220 | 4    | 9" Adjustable Water Pump Pliers |



Fig.4

## Adjustable Wrench

### Features

- Thumbwheel Adjustable 5/8" Smooth Jaws
- Insulated Dual Color Handle

| Item #   | Fig. | Description                                |
|----------|------|--------------------------------------------|
| THT-8500 | 5    | 6" Adjustable Wrench with Insulated Handle |



Fig.5

Large Frame Cutters &amp; Pliers

Fig.1



## Round Wire Cable Cutters

### Features

- For Cutting up to 100 Pair Telephone Wire
- Soft Cushioned Hand Grips
- Locking Latch and Built-In Return Spring

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| TMI-1030 | 1    | Round Cable & Wire Cutter Up To 1/2"      |
| TMI-1031 | 2    | Round Cable & Wire Cutter Up To 100 Pairs |

Fig.2



## Ratchet Wire Cable Cutters

### Features

- For Cutting Large O.D. Copper & Aluminum Cables
- Ratchet Design with Quick Release Mechanism
- Hardened Steel Blades

Fig.3



| Item #   | Fig. | Description                                   |
|----------|------|-----------------------------------------------|
| TMI-1040 | 3    | Ratchet Cable Cutter for Cables up to 750 MCM |

## 3-In-1 Pliers & Cutters

### Features

- Heads Change Easily between Pliers/Long Nose/Cutters
- Double Leverage Technology for Added Leverage
- 1/3 Lighter than Standard Pliers

Fig.4



| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| THT-3500 | 4    | 9" 3-In-1 Changeable Pliers/Cutter Tool |

## 6" Side Cutting Pliers

### Features

- 6" Pliers with 1" Head Length
- Soft Cushioned Dual Color Hand Grips

| Item #   | Fig. | Description                      |
|----------|------|----------------------------------|
| THT-2140 | 1    | 6" Side Cutter for Flush Cutting |



Fig.1

## Large Frame Pliers

### Features

- Constructed of Hardened Steel
- Soft Cushioned Dual Color Hand Grips

| Item #   | Fig. | Description                                     |
|----------|------|-------------------------------------------------|
| THT-1840 | 2    | 6" Long Nose Pliers with Cutter & Serrated Jaws |
| THT-1860 | 3    | 8" Linemans Pliers with Cutter & Serrated Jaws  |
| THT-2150 | 3    | 6" Linemans Pliers with Cutter & Serrated Jaws  |



Fig.2



Fig.3

## 3pc 6" Frame Cutters & Pliers Set

### Features

- Constructed of Hardened Steel
- Soft Cushioned Dual Color Hand Grips

| Item #   | Fig. | Description                                                                             |
|----------|------|-----------------------------------------------------------------------------------------|
| THK-2003 | 4    | 6" Heavy Duty Pliers & Cutter 3pc Tool Set<br>(includes one each of THT-1840/2140/2150) |



Fig.4

Large Frame Cutters & Pliers

Installation Tools & Kits

QUEST

## High Voltage Screwdriver Kit

### Features

- Soft Cushioned Insulated Hand Grips
- Insulated Up To 1000VAC
- Contains 4 Slotted & 3 Phillips Screwdrivers  
(Slotted: 2.5mm, 4mm, 5.5mm, 6.5mm Phillips: #0, #1, #2)

| Item #   | Fig. | Description                                        |
|----------|------|----------------------------------------------------|
| TSD-8800 | 1    | 7pc High Voltage Screwdriver Set with Zipper Pouch |



Fig.1

## High Voltage Large Frame Pliers

### Features

- Constructed of Hardened Steel
- Soft Cushioned Insulated Hand Grips
- Insulated Up To 1000VAC

| Item #   | Fig. | Description                                                                        |
|----------|------|------------------------------------------------------------------------------------|
| THT-9200 | 2    | 6" High Voltage Linemans Pliers with Cutters                                       |
| THT-9210 | 3    | 7" High Voltage Long Nose Pliers with Cutters                                      |
| THK-2004 | 2-3  | High Voltage Lineman's Pliers 2pc Tool Set<br>(includes one each of THT-9200/9210) |



Fig.2



Fig.3

## 6pc Screwdriver Tool Set

### Features

- Contains 4 Slotted & 2 Phillips Screwdrivers
- Color-Coded Sure-Grip Rubberized Grips

| Item #   | Fig. | Description                           |
|----------|------|---------------------------------------|
| THT-5050 | 1    | Electricians Screwdriver 6pc Tool Set |



Fig.1

## Flat Blade Screwdrivers & Sets

### Features

- Chrome Vanadium Shaft w/Magnetized Black Oxide Tip
- Ergonomic Color-Coded Rubberized Grips

| Item #   | Fig. | Description                                                                                  |
|----------|------|----------------------------------------------------------------------------------------------|
| TSD-1212 | 2    | 6" Flat Screwdriver, 1/8"OD, 1/32x1/4"Tip, Green                                             |
| TSD-2312 | 2    | 8" Flat Screwdriver, 1/8"OD, 7/32x3/16"Tip, Green                                            |
| TSD-2412 | 2    | 10.5" Flat Screwdriver, 3/16"OD, 7/32x3/16"Tip, Green                                        |
| TSD-3112 | 2    | 8" Flat Screwdriver, 1/8"OD, 1/32x1/4"Tip, Green                                             |
| TSD-3312 | 2    | 8" Flat Screwdriver, 1/4"OD, 3/16x1/8"Tip, Green                                             |
| TSD-3412 | 2    | 8" Flat Screwdriver, 1/4"OD, 1/32x1/4"Tip, Green                                             |
| TSD-4412 | 2    | 10.5" Flat Screwdriver, 1/16"OD, 1/16x5/16"Tip, Green                                        |
| THK-2005 | 2    | Flat Blade Screwdriver 7pc Set, Green<br>(includes one of each Flat blade Screwdriver above) |



Fig.2

## Phillips Blade Screwdrivers & Sets

### Features

- Chrome Vanadium Shaft w/Magnetized Black Oxide Tip
- Ergonomic Color-Coded Rubberized Grips

| Item #   | Fig. | Description                                                                                  |
|----------|------|----------------------------------------------------------------------------------------------|
| TSD-1221 | 3    | 6" Phillips Screwdriver 1/8"OD, # 0 Tip, Red                                                 |
| TSD-2321 | 3    | 8" Phillips Screwdriver 3/16"OD, # 1 Tip, Red                                                |
| TSD-2421 | 3    | 10.5" Phillips Screwdriver 3/16"OD, # 1 Tip, Red                                             |
| TSD-3121 | 3    | 8" Phillips Screwdriver 3/16"OD, # 0 Tip, Red                                                |
| TSD-3321 | 3    | 8" Phillips Screwdriver 1/4"OD, # 2 Tip, Red                                                 |
| TSD-3421 | 3    | 10.5" Phillips Screwdriver 1/4"OD, # 2 Tip, Red                                              |
| TSD-4421 | 3    | 10.5" Phillips Screwdriver 5/16"OD, #3 Tip, Red                                              |
| THK-2006 | 3    | Phillips Screwdriver 7pc Set, Red<br>(includes one of each Phillips blade Screwdriver above) |



Fig.3

## Star Blade Screwdrivers & Sets

### Features

- Chrome Vanadium Shaft w/Magnetized Black Oxide Tip
- Ergonomic Color-Coded Rubberized Grips

| Item #   | Fig. | Description                                                                                |
|----------|------|--------------------------------------------------------------------------------------------|
| TSD-5333 | 4    | 3" Star Screwdriver 7/32"OD, # T10 Tip, Blue                                               |
| TSD-6333 | 4    | 4" Star Screwdriver 7/32"OD, # T15 Tip, Blue                                               |
| TSD-7333 | 4    | 4" Star Screwdriver 7/32"OD, # T20 Tip, Blue                                               |
| TSD-8333 | 4    | 4" Star Screwdriver 7/32"OD, # T25 Tip, Blue                                               |
| THK-2007 | 4    | Star Screwdriver Kit, 4pc Set, Blue<br>(includes one of each Star blade Screwdriver above) |



Fig.4



Fig.1

## 100pc Screwdriver Bit Set

### Features

- Includes 100 Most Common & Specialty Bit Heads
- Packaged in a Compact Plastic Carrying Case

| Item #   | Fig. | Description         |
|----------|------|---------------------|
| TBK-1900 | 1    | 100pc Every Bit Set |



Fig.2

## Variable High Speed Rotary Tool Kit

### Features

- 6,000 to 32,000 RPM, 130Watt Motor
- Includes 36 Grinding, Engraving & Polishing Bits

| Item #   | Fig. | Description                         |
|----------|------|-------------------------------------|
| THD-1000 | 2    | Variable High Speed Rotary Tool Kit |



Fig.3

## High Speed Rotatory Drill

### Features

- Ideal for Small Drilling Projects
- Includes 3pc Drill Accessories Kit

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| THD-1001 | 3    | 3pc Accessory High Speed Rotatory Drill |



Fig.4

## 3.6V Cordless Screwdriver Kit

### Features

- 200RPM 35in/lb. Torque with Reversible Action
- Includes 29 Bit Heads and a 3 Hour Charger
- Packaged in a Compact Plastic Carrying Case

| Item #   | Fig. | Description              |
|----------|------|--------------------------|
| TMS-2032 | 4    | Cordless Screwdriver Kit |

**21pc Combo Precision Tool Kit****Features**

- All Metal Tool Construction with Rotating Heads
- Contains Hex/Nutdriver/Slotted/Phillips Tools

| Item #   | Description                   |
|----------|-------------------------------|
| TPK-5000 | 21pc Combo Precision Tool Kit |

**Non-Conductive Electrical Tape****Features**

- Individually Wrapped 3/4" x 60ft Rolls

| Item #   | Description                            |
|----------|----------------------------------------|
| GMP-1020 | 3/4" Electrical Tape, 60ft roll, Black |

**4 Outlet Surge Power Strips****Features**

- 125VAC, 90 Joule 1-Line MOV Surge Protection
- Packaged for Retail Display

| Item #   | Description                           |
|----------|---------------------------------------|
| GMP-2006 | 4 Outlet Surge Power Strip, 6ft. cord |

**Clear Safety Goggles****Features**

- Adjustable Frames with Wrap-Around Protection

| Item #   | Description                               |
|----------|-------------------------------------------|
| TSG-1000 | Clear Safety Goggles (Individually Boxed) |

**Deluxe Magnifying Lamp****Features**

- 3 Diopter / 2.25x Magnification
- Table Mount Bracket with Spring Arms
- 120VAC 2x9W Fluorescent Lamp w/6ft Cord
- Arm Mounted Ballast

| Item #   | Description                             |
|----------|-----------------------------------------|
| GMP-8150 | Deluxe Magnifying Lamp, 6ft Cord, White |

**6 Outlet Surge Power Strips****Features**

- 125VAC, 270 Joule 3-Line MOV Surge Protection
- Packaged for Retail Display

| Item #   | Description                           |
|----------|---------------------------------------|
| GMP-2001 | 6 Outlet Surge Power Strip, 4ft. cord |

**Rubberized Measuring Tape****Features**

- Auto-Retracting with Position Locking Trigger

| Item #   | Description                      |
|----------|----------------------------------|
| TMT-3310 | Rubberized Measuring Tape, 10ft. |
| TMT-3325 | Rubberized Measuring Tape, 25ft. |
| TMT-3335 | Rubberized Measuring Tape, 33ft. |



Miscellaneous Tools

Installation Tools &amp; Kits

QUEST



Fig.1

## Clamp Style Digital Multi-Tester

### Features

- Measures AC, DC, Amps & Ohms
- Capacity, Frequency and Diode Tests
- Read Hold & Backlight Functions Built-In
- Test Leads Included
- Dimensions: 7.5"h x 2.5"w x 1.5"d

| Item #   | Fig. | Description                                  |
|----------|------|----------------------------------------------|
| TTE-9300 | 1    | 3 1/2" Digit AC Electrical Inductance Tester |

TTE-9300  
 AC Volts: 4, 40, 400, 700  
 DC Volts: 4, 40, 400, 1000  
 DC Current: 200mA  
 Ohms: 400, 4K, 40K, 4M, 40M  
 Capacitance: 40u, 400u, 4u, 40uF  
 Frequency: 10 to 100KHz



Fig.2

## Deluxe Digital Multi-Meter

### Features

- Measures AC, DC, Amps & Ohms
- Read Hold Function Built-In
- Test Leads Included
- Dimensions: 5"h x 2.5"w x 1.5"d

| Item #   | Fig. | Description                |
|----------|------|----------------------------|
| TTE-3040 | 2    | Deluxe Digital Multi-Meter |

TTE-3040  
 AC Volts: 250, 750  
 DC Volts: 0.2, 2, 20, 200, 750, 1000  
 DC Current: 200u, 2mA, 20mA  
 Ohms: 200, 2K, 20K, 200K, 2M



Fig.3

## Compact Analog Multi-Meter

### Features

- Measures AC, DC, Amps & Ohms
- Test Leads Included
- Dimensions: 5.75"h x 3.5"w x 1"d

| Item #   | Fig. | Description                |
|----------|------|----------------------------|
| TTE-3010 | 3    | Compact Analog Multi-Meter |

TTE-3010  
 AC Volts: 10, 50, 250, 1000  
 DC Volts: 0.1, 0.5, 2.5, 10, 50, 250, 1000  
 DC Current: 50u, 2.5mA, 25mA, 250mA  
 Ohms: 2K, 20K, 200K, 2M, 20M

## Lineman's Butt Set

### Features

- TMF and Pulse Mode Selectivity
- High/Low Impedence Monitor & Ringing
- Includes PVC Insulated Test Cord with Alligator Clips
- Rugged & Impact Resistant Case w/ Belt Clip
- Features Last Number Redial
- DSL Protected with Off-Hook Datasafe

| Item #   | Fig. | Description        |
|----------|------|--------------------|
| TTE-2000 | 1    | Lineman's Butt Set |



Fig.1

## Amplifier Probe & Tone Generator Set

### Features

- Identify and Trace Wires using Selectable Tones
- 3 Color LED for Line Polarity/Continuity/Voltage Testing
- Includes Zippered Carrying Case

| Item #   | Fig. | Description                          |
|----------|------|--------------------------------------|
| TTE-2100 | 2    | Amplifier Probe & Tone Generator Set |



Fig.2

## Probe & Tone Generator Set

### Features

- Identify and Trace Wires using Selectable Tones
- 3 Color LED for Line Polarity/Continuity/Voltage Testing
- Includes Zippered Carrying Case

| Item #   | Fig. | Description                |
|----------|------|----------------------------|
| TTE-9040 | 3    | Tone Generator & Probe Set |



Fig.3



Fig.1

## Coaxial and LAN Cable Tester

### Features

- Ideal for Testing of Coaxial & LAN Patch Cables
- Verifies Cable Continuity, Opens, Shorts & Mis-Wiring
- Remote Module Testing up to 1000ft. Away
- Includes Zippered Carrying Case

| Item #   | Fig. | Description                       |
|----------|------|-----------------------------------|
| TTE-9000 | 1    | Multi-Network Remote Cable Tester |



Fig.2

## Coaxial and LAN Cable Tester

### Features

- Ideal for Testing of Coaxial & LAN Patch Cables
- Verifies Cable Continuity, Opens, Shorts & Mis-Wiring
- Tests Coaxial, BNC, RJ-11 & RJ-45
- Includes Zippered Carrying Case

| Item #   | Fig. | Description                     |
|----------|------|---------------------------------|
| TTE-9025 | 2    | Remote LAN/Coaxial Cable Tester |



Fig.3

## Remote Network Tester

### Features

- Ideal for Testing of Coaxial & LAN Patch Cables
- Verifies Cable Continuity, Opens, Shorts & Mis-Wiring
- Tests USB, Coaxial, BNC, RJ-11 & RJ-45
- Includes Zippered Carrying Case

| Item #   | Fig. | Description                      |
|----------|------|----------------------------------|
| TTE-9030 | 3    | Remote LAN/Coax/USB Cable Tester |



Fig.4

## Multi-Network Tester

### Features

- Ideal for Testing of Coaxial & LAN Patch Cables
- Verifies Cable Continuity, Opens, Shorts & Mis-Wiring
- Tests USB, Coaxial, BNC, RJ-11, RJ-45 & 1394
- Remote Module Testing up to 600ft. Away
- Built-In Audible Beeper
- Includes Zippered Carrying Case

| Item #   | Fig. | Description                             |
|----------|------|-----------------------------------------|
| TTE-9050 | 4    | Deluxe Remote LAN/Coax/USB Cable Tester |

**Compact Polymer Push-Pull Sets****Features**

- 14" Rods Vary in Flexibility from 5 to 360 Degrees
- Single Glow-In-Dark Rod Provided For Dark Locations
- Kit Includes Hook, Bullet, Claw, Flat & Round Eye Accessories

| Item #        | Description                                      |
|---------------|--------------------------------------------------|
| QPLMR-800-7   | 8ft Polymer Push-Pull Rod Set with (7) 14"Rods   |
| QPLMR-1500-13 | 15ft Polymer Push-Pull Rod Set with (13) 14"Rods |
| QPLMR-5       | 5pk Replacement Push-Pull Rod Attachment Kit     |

**Compact Glow-in-Dark Push-Pull Sets****Features**

- 14" Rods Vary in Flexibility from 5 to 360 Degrees
- All Rods Are Glow-In-Dark For Dark Locations
- Kit Includes Hook, Bullet, Claw, Flat & Round Eye Accessories

| Item #         | Description                                           |
|----------------|-------------------------------------------------------|
| QPLMR-1500-13G | 8ft Glow-In-Dark Push-Pull Rod Set with (7) 14"Rods   |
| QPLMR-800-7G   | 15ft Glow-In-Dark Push-Pull Rod Set with (13) 14"Rods |
| QPLMR-5G       | 5pk Glow-In-Dark Push-Pull Rod Attachment Kit         |

**Network Installers Kit****Features**

- Ideal for Network Installers and MIS Managers
- Includes TEL-6090 Impact Punch Tool, Cable Stripper, Mod Plug Assortment, TTE-9000 Tester & Zippered Case

| Item #   | Description                              |
|----------|------------------------------------------|
| TTE-9020 | Network Installer Kit with Tester & Case |

**Cable Splicing Belt Kit****Features**

- Electricians Scissors & Splicers Knife w/Belt Case

| Item #   | Description                 |
|----------|-----------------------------|
| TTK-1680 | Cable Splicing Kit W/ Pouch |

**Cabling Technicians Tool Belt Kit****Features**

- Includes TEL-7000 Impact Punch Tool, Cable Stripper, Scissors, Splicing Knife, Probe Pick, Screwdriver, Electricians Scissors & Splicers Knife w/Belt Case

| Item #   | Description                                      |
|----------|--------------------------------------------------|
| TTK-5200 | Cabling Technicians Tool Belt Kit with Belt Case |



**26pc Compact Tool Kit****Features**

- Includes Cutters, Pliers, Tweezers, 4 Sockets with Handle & Extension, 6pc Precision Screwdrivers, Nutdrivers & 10pc Bit Set in a Compact Plastic Case

**Item #** TTK-3010**Description**

26pc Compact Tool Kit, Gray

**12pc Compact Tool Kit****Features**

- Includes Slotted, Phillips and Star Screwdrivers, 3/16" & 1/4" Nutdrivers, Tweezers, IC Extractor and more in a Zippered Carrying Case

**Item #** TCK-1000**Description**

12pc Basic Tool Kit, Black

**20pc Computer Tool Kit****Features**

- Includes Crimper/Stripper, Long Nose Pliers, Adjustable Wrench, Tweezers, 30W Soldering Iron w/Solder, Slotted, Phillips and Star Screwdrivers, Nutdrivers and more in a Zippered Carrying Case

**Item #** TCK-1010**Description**

20pc Computer Service Tool Kit, Black

**23pc Computer Tool Kit****Features**

- Includes Crimper/Stripper, Diagonal Cutter, Long Nose Pliers, Adjustable Wrench, Tweezers; 30W Soldering Iron w/Solder & 3pc Aid Kit, Desolder Pump; Slotted, Phillips and Star Screwdrivers, Nutdrivers, 2pc File set and more in a Zippered Carrying Case

**Item #** TSK-1120**Description**

23pc Computer Repair Kit, Black

**Premium Aluminum Tool Case****Features**

- \* High Impact Aluminum with Combination Lock
- \* Cushioned Handle & Padded Dividers
- \* Dimensions: 18"h x 13"w x 4.3"d

**Item #** THC-9030**Description**

High Impact Aluminum Case with Tool Pallet, Blue

**ABS Tool Case with Aluminum Frame****Features**

- \* High Impact ABS Plastic with Key Lock
- \* Cushioned Handle & Padded Dividers
- \* Dimensions: 18.5"h x 14.1"w x 6.3"d

**Item #** THC-9060**Description**

High Impact ABS Plastic Case with Tool Pallet, Black

**Technicians 5-Gallon Bucket Bag****Features**

- \* Durable Polyester Fits over 5-Gallon Bucket
- \* 11 Interior & 32 Exterior Pockets
- \* Dimensions: 24"h x 22.5"w x 11"d

**Item #** THC-1020**Description**

5 Gallon Bucket Bag, Black

**Technicians Gate Mouth Tool Bag****Features**

- \* Durable Polyester w/ Heavy Duty Zipper
- \* 8 Interior & 14 Exterior Pockets
- \* Dimensions: 13"h x 18"w x 9"d

**Item #** THC-1010**Description**

Gate Mouth Tool Bag, Gray



**19pc PC Repair Kit****Features**

- \* Compact Tool Kit for Basic Electronic Projects
- \* Includes Heavy Duty Plastic Case

**Item #**  
TCK-4040

**Description**  
19pc Electronic Tool Kit, Black

**Contains:**

- 30 Watt Soldering Iron
- Desoldering Pump
- Solder Tube
- Anti-Static Wrist Strap
- 3-Prong Holder
- IC Extractor • IC Insertion Tool
- Reverse Action Tweezers
- 6" Wire Stripper/Cutter
- 6" Adjustable Wrench
- 5" Long Nose Pliers
- Phillips Screwdrivers: #0x75mm, #1x100mm
- Slotted Screwdrivers: 3x75mm, 5x100mm
- Nutdrivers: 3/16" And 1/4"
- Star: T10, T15
- Zippered Carrying Case

**20pc Electronic Tool Kit****Features**

- \* Compact Tool Kit for Basic Electronic Projects
- \* Includes Heavy Duty Plastic Case

**Item #**  
TCK-1300

**Description**  
20pc Electronic Tool Kit, Gray

**Contains:**

- 8" Crimper / Wire Stripper
- 6" Long Nose Pliers
- 6" Adjustable Wrench
- 35W Soldering Iron
- Reverse Action Tweezers
- Insulated Tweezers
- IC Clip
- 3-Prong Holder
- Plastic Spare Parts Tube
- Flashlight
- Phillips Screwdrivers: #0x75mm, #1x75mm, #2x100mm
- Slotted Screwdrivers: 3x75mm, 5x75mm, #6x100mm
- Nutdrivers: 3/16" And 1/4"
- Star: T10, T15
- Heavy Duty Molded Case

**40pc Computer Repair Kit****Features**

- \* Tool Kit Designed for Computer Technicians
- \* Includes PVC Zipper Case with Pallet
- \* Dimensions: 15.7"h x 11.8"w x 4.5"d

**Item #**  
TCK-1040

**Description**  
40pc Computer Service Tool Kit, Black

**Contains:**

- 3 1/2 Digital Multimeter • 30 Watt Soldering Iron
- Desoldering Pump • Soldering Iron Stand
- Solder Tube • 3pc Soldering Aid Kit
- 6" Side Cutter • 5 1/4" Long Nose Pliers
- 6" Long Nose Pliers • 4 1/2" Diagonal Pliers
- 6" Adjustable Wrench • 7 In 1 Crimp Tool
- Snap-Off Blade Cutter • Tweezers
- 7pc Folding Hex Key Wrench • 3pc File Set
- Phillips Screwdrivers: #1x 3", #2 x 4"
- Slotted Screwdrivers: 5mmx3", 6mmx4", 8mmx6"
- 6pc Screwdriver Set: 4pc Flat: 1.4, 2.0, 2.4, 3.0mm,
- 2 Pc. Phillips: #0, #1 • 10ft. Tape Measure
- PVC Electrical Tape • Components Storage Box
- Deluxe Black Pvc Case With Pallet
- Strap And Individual Pouches • 15.7" x 11.8" x 4.5"

**61pc Electronic Tool Kit****Features**

- \* Deluxe Tool Kit for Computer Technicians
- \* Includes Heavy Duty Plastic Case

**Item #**  
TSK-2020

**Description**  
61pc Electronic Tool Kit, Gray

**Contains:**

- 25 Watt Soldering Iron
- Solder Tube • Desoldering Pump
- Cutting Probe
- 3 Prong Holder
- IC Insertor/Extractor
- Multi Purpose Cutting/Stripping Tool
- 4" Long Nose Pliers
- 3.5" Diagonal Cutter
- Magnetic Bit Handle
- Phillips Bits #1, #2, #3
- Slotted Bits: 3/32", 3/16", 1/4"
- Hex Bits: 1/16", 5/64, 3/32", 1/8", 5/32"
- Star Bits: T5, T8, T10, T20
- Nut Driver Bits: 1/4", 3/16", 7/32", 5/16", 9/32"
- Precision Screwdriver With Phillips #0, Slotted 1/8"
- Telescoping Pick Up Tool • Stainless Tweezers
- Stainless Clamp Tweezers • Snap-Blade Knife
- Parts Tube • Parts Box



Technician Tool Kits

Installation Tools &amp; Kits

QUEST



Fig.1

## 51pc Field Service Tool Kits

### Features

- \* Ideal for Network Installers and Field Engineers
- \* Attache Style Carrying Case with 2 Pallets
- \* Dimensions: 17.5"h x 12.6"w x 3.3"d

| Item #   | Fig. | Description                        |
|----------|------|------------------------------------|
| TSK-1180 | 1    | 51pc Field Service Tool Kit, Black |

#### Contains:

- 3 1/2 Digital Multimeter • 30 Watt Soldering Iron
- Desoldering Pump • Soldering Iron Stand
- Solder Tube • 3pc Soldering Aid Kit • Brush
- 5" Flat Nose Pliers • 5" Needle Nose Pliers
- 5" Bent Needle Nose Pliers • 4.5" Side Cutters
- 6" Adjustable Wrench • 6" Stainless Steel Scissors
- 6" Long Tweezers • 7 Pc. Folding Hex Key Wrench
- 2pc Needle File Set (Round & Flat) • Utility Knife
- 10pc Screwdriver Set: Phillips Screwdrivers:  
#0x75, #1x75, #2x100, #2x38mm
- Slotted Screwdrivers: 3.2x75, 5x75, 6x100, 5x150, 6x150mm
- Precision Screwdriver Set: Phillips: #0, #1, Slotted: 1.0, 1.6, 2.4, 3.0mm
- 10 ft. Tape Measure
- PVC Electrical Tape • Components Storage Box
- 2X Multi-Pocket Removable Pallets
- Attache Style Tool Case: 17.5" x 12.6" x 3.3"



Fig.2

## 79pc LAN Installation Tool Kit

### Features

- \* Ideal for Network Installers and Field Engineers
- \* Attache Style Carrying Case with 2 Pallets
- \* Dimensions: 15.7"h x 11.8"w x 4.5"d

| Item #   | Fig. | Description                                   |
|----------|------|-----------------------------------------------|
| TNK-4020 | 2    | 79 pc Deluxe LAN Installation Tool Kit, Black |

#### Contains:

- 9" Modular Crimp Tool With Interchangeable Dies  
For RJ-11 / 45 DEC, RG-58, RG-174 & Fiber Connector
- Adjustable Impact Punch-Down Tool With 66 & 110 Blades
- 6.5" Cable Cutter
- 6" Diagonal Cutters
- 6" Long Nose Pliers
- 4 3/8" Universal Stripping Tool
- Utility Knife
- 25pc Super Torque Ratchet Driver
- Changeable Shank Ratchet Drive
- Phillips Bits: #0, 1, 2, 3
- Slotted Bits: 1/8", 3/16", 1/4"
- Star Bits: T10, T15, T20, T25, T27, T30
- Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm  
3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32", 1/2"
- Socket Adapter
- 30 Watt Soldering Iron
- Desoldering Pump
- Solder Tube
- 7pc Folding Hex Key Wrench
- Components Storage Box
- Digital Multimeter W/Holster
- Network Cable Tester
- 2 X Removable Pallets
- Attache Style Carrying Case with Strap
- 15.7"x11.8"x4.5"



Fig.3

## 85pc Deluxe Field Service Tool Kit

### Features

- \* Ideal for Network Installers and Field Engineers
- \* Attache Style Carrying Case with 2 Pallets
- \* Dimensions: 18.5"h x 14.1"w x 6.3"d

| Item #   | Fig. | Description                               |
|----------|------|-------------------------------------------|
| TPK-6000 | 3    | 85pc Deluxe Field Service Tool Kit, Black |

#### Contains:

- 3 1/2 Digital Multimeter • Continuity Tester
- 34pc Cordless Screwdriver (Charger, 33 Bits, Case)
- Deluxe Mini Torch • 30 Watt Soldering Iron
- Desoldering Pump • Soldering Iron Stand
- Telescopic Inspection Mirror
- 3pc Soldering Aid Kit
- 6" Adjustable Wrench
- 5 1/4" Long Nose Pliers
- 4 1/2" Diagonal Cutter
- 5 1/4" Flat Nose Pliers
- 6 1/2" Stainless Scissors
- 5 1/4" Bent Nose Pliers
- 8 1/2" Wire Crimper/Stripper
- 7pc Folding Hex Key Wrench • Tweezers
- 5pc Needle File Set • Snap-Off Blade Cutter
- Clamp Vise • Alignment Screwdriver
- Sure-Grip Screwdriver Set: Phillips Screwdrivers:  
#0x3.2mmx3", #1x5mmx4", #2x6mmx4", #2x6mmx1.5", #3x8mmx6",  
#0x3.2mmx3", #1x5mmx4", #2x6mmx4", #2x6mmx1.5", #3x8mmx6",  
Slotted Screwdrivers: 3.2mmx3", 5mmx4", 6mmx4",  
8mmx6", 6mmx1.5"
- 6pc Screwdriver Set: Phillips: #0, #1, Slotted: 1.4, 2.0, 2.4, 3.0mm
- PVC Electrical Tape • Tape Measure
- Components Box
- ABS Molded Tool Case: 18.5" x 14.1" x 6.3"

## 95pc Pro-Technicians Service Kit

### Features

- \* Ideal for Network Installers and Field Engineers
- \* Attache Style Carrying Case with 2 Pallets
- \* Dimensions: 18.9"h x 14.1"w x 6.7"d

| Item #   | Fig. | Description                            |
|----------|------|----------------------------------------|
| TSK-2000 | 1    | 95pc Pro-Technicians Service Kit, Blue |

#### Contains:

- 3 1/2 Digital Multimeter • Mini Drill W/Engraving & Drill Bits
- Deluxe Mini Torch • 30 Watt Soldering Iron
- Desoldering Pump • 3pc Soldering Aid Kit
- Solder Tube • Telescopic Inspection Mirror
- 29pc 1/2" Drive Socket Wrench Set
- 9.5" Crimper / Wire Stripper
- Wire Stripper/Cutter • 8" Lineman's Pliers
- 6" Slip Joint Pliers • 6" Long Nose Pliers
- 6" Side Cutters • 6" Adjustable Wrench
- 5 1/4" Long Nose Pliers • 4 1/2" Diagonal Cutters
- 5 1/4" Flat Nose Pliers • 5 1/4" Bent Nose Pliers
- 10pc Miniature Combo Wrench Set: 5/32", 3/16", 1/4", 7/32", 15/64", 5/16", 9/32", 3/8", 11/32", 7/16"
- Sure-Grip Screwdriver Set: Phillips Screwdrivers: #1x5mmx4", #2x6mmx4", Slotted Screwdrivers: 5mmx4", 5mmx6", 6mmx4", 8mmx6"
- 6pc Screwdriver Set: Phillips: #0, #1, Slotted: 1.4, 2.0, 2.4, 3.0mm
- Alignment Screwdriver • Claw Hammer
- 5pc Needle File Set
- 7pc Folding Hex Key Wrench • Tweezers
- IC Extractor • 3 Prong Holder
- Anti-Static Wrist Strap • 10 ft. Tape Measure
- Components Box • Heavy Duty Case With Corner Protectors, Tool Pallet, Pockets,
- Adjustable Sections
- 18.9" x 14.1" x 6.7"



Fig.1

## 100pc Master Technician Tool Kit

### Features

- \* Ideal for Network Installers and Field Engineers
- \* Attache Style Carrying Case with 2 Pallets
- \* Dimensions: 18"h x 13"w x 6"d

| Item #   | Fig. | Description                              |
|----------|------|------------------------------------------|
| TPK-7000 | 2    | 100pc Master Technician Tool Kit, Silver |

#### Contains:

- 3 1/2 Digital Multimeter • Continuity Tester
- 34pc Cordless Screwdriver (Charger, 33 Bits, Case)
- Mini Vacuum Cleaner • 30 Watt Soldering Iron
- Desoldering Pump • 3pc Soldering Aid Kit
- Solder Tube • Soldering Iron Stand
- 9" 5-Way Crimping Tool • 6" Adjustable Wrench
- 8" Lineman's Pliers • 5" Flat Nose Pliers
- 5" Bent Nose Pliers
- 5" Long Nose Pliers • 4 1/2" Side Cutters
- 6" Stainless Scissors
- 6" Tweezers • Clamp Vise • 10pc Miniature Combo Wrench Set (5/32", 3/16", 1/4", 7/32", 15/64", 5/16", 9/32", 3/8", 11/32", 7/16")
- 6pc Long Precision Screwdriver Set (Phillips Screwdrivers: #0-x2.4x75mm, #0X3.0x100mm, #1x3.8x100mm, Slotted Screwdrivers: 2.4X75mm, 3.0x100mm, 3.8x150mm)
- 12pc Screwdriver Set (6X150, 5x150, 6x100, 5x100, 6x38mm, 6X100, 5x100, 6x38mm • Nut Driver: 1/4", 3/16" • Star: T10, T15
- Mini Flashlight • 7pc Folding Hex Key Wrench
- 5pc Needle File Set • IC Extractor • 3 Prong Holder
- Utility Knife • Anti-Static Wrist Strap
- Cleaning Solution • Plastic Flip-Top Box
- PVC Electrical Tape
- Heavy Duty Case 2X Tool Pallets
- Pockets, Adjustable Sections 18"x 13" x 6"



Fig.2

Technician Tool Kits

Installation Tools & Kits

QUEST