

[Harnessing](#) > [Heat Shrink Components](#) > [EMI Shielded Boots](#)

202S152-25C-0



✓ ACTIVE

[Raychem](#) | [Raychem Rayaten](#)TE Part # **202S152-25C-0**TE Internal #: **EK7282-000**Molded Part Type : **EMI Shielded Molded Parts**Color : **Black**Material Systems Code : **25**Material : **Modified Elastomer**Adhesive Pre-Coat : **No** Add to List ▾ | [Similar Products](#)[Compatible Parts & Tooling](#)

SHOP OUR DISTRIBUTORS

North America ▾

Request pricing, availability and customization options

[CONTACT US](#)

We are here to help!

Get in touch with our product experts.

[CHAT WITH US](#)[EMAIL US](#)[CALL US](#)

DOCUMENTS

FEATURES

PRODUCT COMPLIANCE

Product Drawings

202S152-25C-0

 [202S152-25C-0](#) English

Catalog Pages/Data Sheets

 [ENG_DS_1-1773953-5_0518.pdf](#) English

Product Environmental Compliance

Safety Data Sheet

 [ENG_MSDS_SDS0281-CA-ENG_1.0.pdf](#) English [FRE_MSDS_SDS0281-CA-FRE_1.0.pdf](#) French

Safety Data Sheet

 [GER_MSDS_SDS0281-EC-GER_1.0.pdf](#) German

Safety Data Sheet

 [DAN_MSDS_SDS0281-EC-DAN_1.0.pdf](#) Danish

Safety Data Sheet

 [ENG_MSDS_SDS0281-EC-ENG_1.0.pdf](#) English

Safety Data Sheet

 [SPA_MSDS_SDS0281-EC-SPA_1.0.pdf](#) Spanish

Safety Data Sheet

 [FRE_MSDS_SDS0281-EC-FRE_1.0.pdf](#) French

Safety Data Sheet

 [ITA_MSDS_SDS0281-EC-ITA_1.0.pdf](#) Italian

Safety Data Sheet

 [DUT_MSDS_SDS0281-EC-DUT_1.0.pdf](#) Dutch

Safety Data Sheet

 [NOR_MSDS_SDS0281-EC-NOR_1.0.pdf](#)
Norwegian

Safety Data Sheet

[SWE_MSDS_SDS0281-EC-SWE_1.0.pdf](#) Swedish

Safety Data Sheet

[ENG_MSDS_SDS0281-US-ENG_1.0.pdf](#) English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Molded Part Type : **EMI Shielded Molded Parts**

Angle : **Straight**

Product Type : **Molded Part**

Body Features

Color : **Black**

Material Systems Code : **25**

Material : **Modified Elastomer**

Adhesive Pre-Coat : **No**

Material Code : **25**

Dimensions

Expanded Inside Diameter (Min) : **36 mm [1.42 in]**

Recovered Inside Diameter (Max) : **22.4 mm [.88 in]**

Cable Diameter Range : **8.9 – 18.7 mm [.35 – .74 in]**

Usage Conditions

Operating Temperature Range (°C): **-75 – 150**

Other

Adhesive Type : **Adhesive Purchased Separately**

Statement of Compliance

[Statement of Compliance pdf](#)

Compatible Parts [> Contact Product Support](#)

Also in the Series | [Raychem Rayaten](#)





EMI Shielded Boots
(91)