




## WD WIRING DUCT

PVC & Halogen Free

25/40/60/80/100/120 mm width 30/40/60/80/100 mm height



The ENTRELEC wiring duct range includes popular profile widths such as 24, 40, 60, 80 100 and 120 mm.

The high-quality PVC & halogen free material allows the use in many applications such as standard industrial applications with PVC range to the most demanding applications such as railway, high buildings, industrial enclosure and public buildings with the low smoke and halogen free range. The specific design offers many solutions to help optimize and simplify the wiring.

### Speed up your project


- Save time while breaking off ribs without using any tools
- Additional hole on the side, allows the use of cable ties to group your cables in an efficient manner
- Speeds up your maintenance work with our cover design that eases cover removal
- Quickly mount wire retainers on the bottom rail of the duct without screwing and slide them along the rail

### Easy to install

- Special rib pattern design allows right wire placement and cable grouping
- Lower scoreline supports easier splitting of wiring duct's base and wall with no sharp edges
- Upper scoreline supports easier breaking off the ribs
- Smooth, burr-free edges help protect installers from injury and wires from damage

### For all your needs

- Low Smoke Halogen Free Wiring Ducts Family complying with EN45545-2 (R22-R23,HL3) for railway
- Flame-retardant, self-extinguishing according to UL94-V0
- Wiring duct covers hold securely even in a vertical position and under vibration
- Temperature range from -25 °C up to +90 °C




## PVC Wiring Ducts with additional holes

PVC wiring ducts with additional holes are designed to offer a great flexibility in your panel design and to save installation time.

### Features & specifications

- Can be used with cable tie thanks to additional holes on the sides
- Flame-retardant, self-extinguishing according to UL94-V0
- Upper scoreline is available for easy breaking off the ribs
- Lower scoreline at base of sidewall allow cutting out and removing sections of sidewall with no sharp edges
- Operating temperature: -5°C to 60°C
- Standard length: 2 meters
- Color: RAL 7030 Grey
- Complies with RoHS regulations
- Complies with IEC 60695-2-1 and EN 50085-2-3 standards

### Product ordering information



| Size Width (A) x Height (C) |             | Type           | Part Number     | Packing             |
|-----------------------------|-------------|----------------|-----------------|---------------------|
| mm                          | in          |                |                 |                     |
| 25 x 30                     | 0.98 x 1.18 | WD-1-DP-GR2530 | 1SET411008R0000 | 50 x 2 m (78.74 in) |
| 25 x 40                     | 0.98 x 1.57 | WD-1-DP-GR2540 | 1SET411009R0000 | 50 x 2 m (78.74 in) |
| 25 x 60                     | 0.98 x 2.36 | WD-1-DP-GR2560 | 1SET411010R0000 | 30 x 2 m (78.74 in) |
| 25 x 80                     | 0.98 x 3.15 | WD-1-DP-GR2580 | 1SET411011R0000 | 28 x 2 m (78.74 in) |
| 25 x 100                    | 0.98 x 3.94 | WD-1-DP-GR2510 | 1SET411007R0000 | 22 x 2 m (78.74 in) |
| 40 x 40                     | 1.57 x 1.57 | WD-1-DP-GR4040 | 1SET411013R0000 | 26 x 2 m (78.74 in) |
| 40 x 60                     | 1.57 x 2.36 | WD-1-DP-GR4060 | 1SET411014R0000 | 18 x 2 m (78.74 in) |
| 40 x 80                     | 1.57 x 3.15 | WD-1-DP-GR4080 | 1SET411015R0000 | 20 x 2 m (78.74 in) |
| 40 x 100                    | 1.57 x 3.94 | WD-1-DP-GR4010 | 1SET411012R0000 | 14 x 2 m (78.74 in) |
| 60 x 40                     | 2.36 x 1.57 | WD-1-DP-GR6040 | 1SET411017R0000 | 18 x 2 m (78.74 in) |
| 60 x 60                     | 2.36 x 2.36 | WD-1-DP-GR6060 | 1SET411018R0000 | 12 x 2 m (78.74 in) |
| 60 x 80                     | 2.36 x 3.15 | WD-1-DP-GR6080 | 1SET411019R0000 | 12 x 2 m (78.74 in) |
| 60 x 100                    | 2.36 x 3.94 | WD-1-DP-GR6010 | 1SET411016R0000 | 18 x 2 m (78.74 in) |
| 80 x 40                     | 3.15 x 1.57 | WD-1-DP-GR8040 | 1SET411021R0000 | 18 x 2 m (78.74 in) |
| 80 x 60                     | 3.15 x 2.36 | WD-1-DP-GR8060 | 1SET411022R0000 | 14 x 2 m (78.74 in) |
| 80 x 80                     | 3.15 x 3.15 | WD-1-DP-GR8080 | 1SET411023R0000 | 10 x 2 m (78.74 in) |
| 80 x 100                    | 3.15 x 3.94 | WD-1-DP-GR8010 | 1SET411020R0000 | 12 x 2 m (78.74 in) |
| 100 x 60                    | 3.94 x 2.36 | WD-1-DP-GR1006 | 1SET411002R0000 | 10 x 2 m (78.74 in) |
| 100 x 80                    | 3.94 x 3.15 | WD-1-DP-GR1008 | 1SET411003R0000 | 8 x 2 m (78.74 in)  |
| 100 x 100                   | 3.94 x 3.94 | WD-1-DP-GR1001 | 1SET411001R0000 | 12 x 2 m (78.74 in) |
| 120 x 60                    | 4.72 x 2.36 | WD-1-DP-GR1206 | 1SET411005R0000 | 8 x 2 m (78.74 in)  |
| 120 x 80                    | 4.72 x 3.15 | WD-1-DP-GR1208 | 1SET411006R0000 | 6 x 2 m (78.74 in)  |
| 120 x 100                   | 4.72 x 3.94 | WD-1-DP-GR1201 | 1SET411004R0000 | 10 x 2 m (78.74 in) |


Note: Covers are included in the wiring duct packaging



## PVC Wiring Ducts Covers

PVC wiring ducts covers are designed to ease cover removal when ducts are fully wired. They hold securely even in a vertical position and under vibration.

### Product ordering information






| Size | Width (A) |    | Color                                                                                  | Type          | Part Number     | Packing Qty         |
|------|-----------|----|----------------------------------------------------------------------------------------|---------------|-----------------|---------------------|
|      | mm        | in |                                                                                        |               |                 |                     |
| 25   | 0.98      |    | Grey  | WD-1-CP-GR025 | 1SET411201R0000 | 16 x 2 m (78.74 in) |
| 40   | 1.57      |    |                                                                                        | WD-1-CP-GR040 | 1SET411202R0000 | 16 x 2 m (78.74 in) |
| 60   | 2.36      |    |                                                                                        | WD-1-CP-GR060 | 1SET411203R0000 | 6 x 2 m (78.74 in)  |
| 80   | 3.15      |    |                                                                                        | WD-1-CP-GR080 | 1SET411204R0000 | 6 x 2 m (78.74 in)  |
| 100  | 3.94      |    |                                                                                        | WD-1-CP-GR100 | 1SET411205R0000 | 8 x 2 m (78.74 in)  |
| 120  | 4.72      |    |                                                                                        | WD-1-CP-GR120 | 1SET411206R0000 | 6 x 2 m (78.74 in)  |

## LSHF low smoke halogen free Wiring Ducts

The LSHF Low Smoke Halogen Free Wiring Ducts are designed to offer excellent fire safety characteristics and are suitable for use in harsh environments.

### Features & specifications

- Flame-retardant, self-extinguishing according to UL94-V0
- Low smoke
- Complying with EN 45545-2 (R22-R23, HL3) for railway
- Smooth, burr-free edges help protect installers from injury and wires from damage
- Upper scoreline is available for easy breaking off the ribs
- Lower scoreline at base of sidewall allow cutting out and removing sections of sidewall with no sharp edges
- Operating temperature: -25°C to 90°C
- Standard length: 2 meters
- Material: PC/ABS
- Color: RAL 7035 Grey
- Complies with RoHS regulations
- Complies with EN 50085-2-3 standards





|                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

### Product ordering information

| Size      |             | Type           | Part Number     | Packing Qty         |
|-----------|-------------|----------------|-----------------|---------------------|
| Width (A) | Height (C)  |                |                 |                     |
| mm        | in          |                |                 |                     |
| 25 x 30   | 0.98 x 1.18 | WD-1-DH-GR2530 | 1SET411101R0000 | 46 x 2 m (78.74 in) |
| 25 x 40   | 0.98 x 1.57 | WD-1-DH-GR2540 | 1SET411102R0000 | 50 x 2 m (78.74 in) |
| 25 x 60   | 0.98 x 2.36 | WD-1-DH-GR2560 | 1SET411103R0000 | 30 x 2 m (78.74 in) |
| 40 x 40   | 1.57 x 1.57 | WD-1-DH-GR4040 | 1SET411104R0000 | 24 x 2 m (78.74 in) |
| 40 x 60   | 1.57 x 2.36 | WD-1-DH-GR4060 | 1SET411105R0000 | 18 x 2 m (78.74 in) |
| 40 x 80   | 1.57 x 3.15 | WD-1-DH-GR4080 | 1SET411106R0000 | 20 x 2 m (78.74 in) |
| 60 x 40   | 2.36 x 1.57 | WD-1-DH-GR6040 | 1SET411107R0000 | 18 x 2 m (78.74 in) |
| 60 x 60   | 2.36 x 2.36 | WD-1-DH-GR6060 | 1SET411108R0000 | 12 x 2 m (78.74 in) |
| 60 x 80   | 2.36 x 3.15 | WD-1-DH-GR6080 | 1SET411109R0000 | 12 x 2 m (78.74 in) |
| 80 x 60   | 3.15 x 2.36 | WD-1-DH-GR8060 | 1SET411110R0000 | 14 x 2 m (78.74 in) |
| 80 x 80   | 3.15 x 3.15 | WD-1-DH-GR8080 | 1SET411111R0000 | 10 x 2 m (78.74 in) |

Note: Covers are included in the wiring duct packaging



## LSHF low smoke halogen free Wiring Ducts covers

LSHF wiring ducts covers are designed to ease cover removal when ducts are fully wired. They hold securely even in a vertical position and under vibration.

### Product ordering information

| Size Width (A) |      | Color  | Type          | Part Number     |  | Packing             |
|----------------|------|--------|---------------|-----------------|--|---------------------|
| mm             | in   |        |               |                 |  | Qty                 |
| 25             | 0.98 | Grey ■ | WD-1-CH-GR025 | 1SET411250R0000 |  | 14 x 2 m (78.74 in) |
| 40             | 1.57 |        | WD-1-CH-GR040 | 1SET411251R0000 |  | 12 x 2 m (78.74 in) |
| 60             | 2.36 |        | WD-1-CH-GR060 | 1SET411252R0000 |  | 6 x 2 m (78.74 in)  |
| 80             | 3.15 |        | WD-1-CH-GR080 | 1SET411253R0000 |  | 8 x 2 m (78.74 in)  |

## PVC Wiring Ducts accessories

Our accessories ease wire management within the cable ducts.

### Features & specifications

- Wire retainer help wire management. They can easily be mounted on the bottom rail of the duct without screwing and slide them along the rail
- Cable clamp associated with wire ties help in maintaining firmly the cables. As wire retainer, they can easily be mounted on the bottom rail of the duct without screwing and slide them along the rail
- Cable holder are clipped onto the ribs to maintain large bundles of wires

### Product ordering information

| Size Width (A) x Height (C) |    | Color | Type | Part Number |  | Packing |
|-----------------------------|----|-------|------|-------------|--|---------|
| mm                          | in |       |      |             |  | Qty     |

#### Wire retainer <sup>(1)</sup>

|           |             |         |              |                 |  |    |
|-----------|-------------|---------|--------------|-----------------|--|----|
| 40 x 40   | 1.57 x 1.57 | Black ■ | WD-1-RT-4040 | 1SET411301R0000 |  | 10 |
| 40 x 60   | 1.57 x 2.36 |         | WD-1-RT-4060 | 1SET411302R0000 |  | 10 |
| 40 x 80   | 1.57 x 3.15 |         | WD-1-RT-4080 | 1SET411304R0000 |  | 10 |
| 60 x 40   | 2.36 x 1.57 |         | WD-1-RT-6040 | 1SET411305R0000 |  | 10 |
| 60 x 60   | 2.36 x 2.36 |         | WD-1-RT-6060 | 1SET411306R0000 |  | 10 |
| 60 x 80   | 2.36 x 3.15 |         | WD-1-RT-6080 | 1SET411303R0000 |  | 10 |
| 60 x 100  | 2.36 x 3.94 |         | WD-1-RT-6010 | 1SET411307R0000 |  | 10 |
| 80 x 60   | 3.15 x 2.36 |         | WD-1-RT-8060 | 1SET411308R0000 |  | 10 |
| 80 x 80   | 3.15 x 3.15 |         | WD-1-RT-8080 | 1SET411311R0000 |  | 10 |
| 80 x 100  | 3.15 x 3.94 |         | WD-1-RT-8010 | 1SET411312R0000 |  | 10 |
| 100 x 60  | 3.94 x 2.36 |         | WD-1-RT-1006 | 1SET411309R0000 |  | 10 |
| 100 x 80  | 3.94 x 3.15 |         | WD-1-RT-1008 | 1SET411313R0000 |  | 10 |
| 100 x 100 | 3.94 x 3.94 |         | WD-1-RT-1001 | 1SET411314R0000 |  | 10 |
| 120 x 60  | 4.72 x 2.36 |         | WD-1-RT-1206 | 1SET411310R0000 |  | 10 |
| 120 x 80  | 4.72 x 3.15 |         | WD-1-RT-1208 | 1SET411315R0000 |  | 10 |
| 120 x 100 | 4.72 x 3.94 |         | WD-1-RT-1201 | 1SET411316R0000 |  | 10 |

#### Body-bound rivet <sup>(2)</sup>

|     |      |        |              |                 |  |     |
|-----|------|--------|--------------|-----------------|--|-----|
| 6.5 | 0.25 | Grey ■ | WD-1-TL-0002 | 1SET411402R0000 |  | 100 |
|-----|------|--------|--------------|-----------------|--|-----|

#### Cable <sup>(2)</sup>

|              |         |              |                 |  |    |
|--------------|---------|--------------|-----------------|--|----|
| Cable clamp  | Black ■ | WD-1-TL-0003 | 1SET411403R0000 |  | 10 |
| Cable holder |         | WD-1-TL-0004 | 1SET411404R0000 |  | 10 |



Wire retainer



Body-bound rivet



Cable clamp



Cable holder

1. Only compatible with PVC range
2. Compatible with PVC and LSHF ranges

## WD WIRING DUCT



Hand held wiring duct cutter

### Wiring ducts tools for PVC and Low Smoke Halogen Free ranges


Wiring ducts tools are designed to help optimize preparation work and mounting inside the panel.

#### Product ordering information

| Description                  | Type         | Part Number     | Packing |  |
|------------------------------|--------------|-----------------|---------|--|
|                              |              |                 | Qty     |  |
| Setting tool for rivets      | WD-1-TL-0001 | 1SET411401R0000 | 1       |  |
| Hand held wiring duct cutter | WD-1-TL-0007 | 1SET411407R0000 | 1       |  |

### Products dimensions

Wiring duct




#### Product ordering information and product dimensions

| Size Width (A)<br>x Height (C)     |             | Color          | Type            | Part Number     | A    |      | B    |      | C    |      | D    |      | E    |      | F    |      | G    |      | H    |      | I    |      | J         |           |
|------------------------------------|-------------|----------------|-----------------|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|-----------|
| mm                                 | in          |                |                 |                 | mm   | in   | mm   | in   | mm   | in   | mm   | in   | mm   | in   | mm   | in   | mm   | in   | mm   | in   | mm   | in   | mm        | in        |
| PVC Wiring Duct                    |             |                |                 |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |           |           |
| 25 x 30                            | 0.98 x 1.18 | Grey           | WD-1-DP-GR2530  | 1SET411008R0000 | 25   | 0.98 | 26.4 | 1.04 | 30   | 1.18 | 10   | 0.39 | 1.4  | 0.05 | 1.4  | 0.05 | 11.4 | 0.44 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 25 x 40                            | 0.98 x 1.57 |                | WD-1-DP-GR2540  | 1SET411009R0000 | 25   | 0.98 | 36.2 | 1.43 | 40   | 1.57 | 11   | 0.43 | 1.4  | 0.05 | 1.4  | 0.05 | 12.4 | 0.48 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 25 x 60                            | 0.98 x 2.36 |                | WD-1-DP-GR2560  | 1SET411010R0000 | 25   | 0.98 | 56.4 | 2.22 | 60   | 2.36 | 12   | 0.47 | 1.6  | 0.06 | 1.6  | 0.06 | 13.6 | 0.53 | 4    | 0.16 | 6    | 0.16 | 2.1       | 0.08      |
| 25 x 80                            | 0.98 x 3.15 |                | WD-1-DP-GR2580  | 1SET411011R0000 | 25   | 0.98 | 76.8 | 3.02 | 80   | 3.15 | 14   | 0.55 | 1.8  | 0.07 | 1.8  | 0.07 | 15.8 | 0.62 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 25 x 100                           | 0.98 x 3.94 |                | WD-1-DP-GR2510  | 1SET411007R0000 | 25   | 0.98 | 96.6 | 3.80 | 100  | 3.94 | 16   | 0.63 | 1.9  | 0.07 | 1.9  | 0.07 | 17.9 | 0.70 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 40 x 40                            | 1.57 x 1.57 |                | WD-1-DP-GR4040  | 1SET411013R0000 | 40   | 1.57 | 36.5 | 1.43 | 40   | 1.57 | 11   | 0.43 | 1.4  | 0.05 | 1.4  | 0.05 | 12.4 | 0.48 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 40 x 60                            | 1.57 x 2.36 |                | WD-1-DP-GR4060  | 1SET411014R0000 | 40   | 1.57 | 56.5 | 2.22 | 60   | 2.36 | 12   | 0.47 | 1.6  | 0.06 | 1.6  | 0.06 | 13.6 | 0.53 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 40 x 80                            | 1.57 x 3.15 |                | WD-1-DP-GR4080  | 1SET411015R0000 | 40   | 1.57 | 76.8 | 3.02 | 80   | 3.15 | 14   | 0.55 | 1.8  | 0.07 | 1.8  | 0.07 | 15.8 | 0.62 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 40 x 100                           | 1.57 x 3.94 |                | WD-1-DP-GR4010  | 1SET411012R0000 | 40   | 1.57 | 96.9 | 3.81 | 100  | 3.94 | 16   | 0.63 | 1.9  | 0.07 | 2    | 0.07 | 17.9 | 0.70 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 60 x 40                            | 2.36 x 1.57 |                | WD-1-DP-GR6040  | 1SET411017R0000 | 60   | 2.36 | 36.8 | 1.45 | 40   | 1.57 | 11   | 0.43 | 1.6  | 0.06 | 1.6  | 0.06 | 12.6 | 0.49 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 60 x 60                            | 2.36 x 2.36 |                | WD-1-DP-GR6060  | 1SET411018R0000 | 60   | 2.36 | 56.8 | 2.23 | 60   | 2.36 | 12   | 0.47 | 1.8  | 0.07 | 1.8  | 0.07 | 13.8 | 0.54 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 60 x 80                            | 2.36 x 3.15 |                | WD-1-DP-GR6080  | 1SET411019R0000 | 60   | 2.36 | 76.7 | 3.02 | 80   | 3.15 | 14   | 0.55 | 1.8  | 0.07 | 1.8  | 0.07 | 15.8 | 0.62 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 60 x 100                           | 2.36 x 3.94 |                | WD-1-DP-GR6010  | 1SET411016R0000 | 60   | 2.36 | 96.9 | 3.81 | 100  | 3.94 | 16   | 0.63 | 2    | 0.07 | 2    | 0.07 | 18   | 0.70 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 80 x 40                            | 3.15 x 1.57 |                | WD-1-DP-GR8040  | 1SET411021R0000 | 80   | 3.15 | 36.8 | 1.45 | 40   | 1.57 | 11   | 0.43 | 1.6  | 0.06 | 1.6  | 0.06 | 12.6 | 0.49 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 80 x 60                            | 3.15 x 2.36 |                | WD-1-DP-GR8060  | 1SET411022R0000 | 80   | 3.15 | 57   | 2.24 | 60   | 2.36 | 12   | 0.47 | 1.8  | 0.07 | 1.8  | 0.07 | 13.8 | 0.54 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 80 x 80                            | 3.15 x 3.15 |                | WD-1-DP-GR8080  | 1SET411023R0000 | 80   | 3.15 | 77.1 | 3.03 | 80   | 3.15 | 14   | 0.55 | 1.8  | 0.07 | 1.8  | 0.07 | 15.8 | 0.62 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 80 x 100                           | 3.15 x 3.94 |                | WD-1-DP-GR8010  | 1SET411020R0000 | 80   | 3.15 | 97.2 | 3.82 | 100  | 3.94 | 16   | 0.63 | 2.2  | 0.08 | 2.2  | 0.08 | 18.2 | 0.71 | 4    | 0.16 | 6    | 0.24 | 2.1       | 0.08      |
| 100 x 60                           | 3.94 x 2.36 | WD-1-DP-GR1006 | 1SET411002R0000 | 100             | 3.94 | 57.3 | 2.25 | 60   | 2.36 | 12   | 0.47 | 2    | 0.07 | 2    | 0.07 | 14   | 0.55 | 4    | 0.16 | 6    | 0.24 | 2.1  | 0.08      |           |
| 100 x 80                           | 3.94 x 3.15 | WD-1-DP-GR1008 | 1SET411003R0000 | 100             | 3.94 | 77.2 | 3.04 | 80   | 3.15 | 14   | 0.55 | 2    | 0.07 | 2    | 0.07 | 16   | 0.63 | 4    | 0.16 | 6    | 0.24 | 2.1  | 0.08      |           |
| 100 x 100                          | 3.94 x 3.94 | WD-1-DP-GR1001 | 1SET411001R0000 | 100             | 3.94 | 97.2 | 3.82 | 100  | 3.94 | 16   | 0.63 | 2.2  | 0.08 | 2.2  | 0.08 | 18.2 | 0.71 | 4    | 0.16 | 6    | 0.24 | 2.1  | 0.08      |           |
| 120 x 60                           | 4.72 x 2.36 | WD-1-DP-GR1206 | 1SET411005R0000 | 120             | 4.72 | 57.6 | 2.26 | 60   | 2.36 | 12   | 0.47 | 2.3  | 0.09 | 2    | 0.07 | 14.3 | 0.56 | 4    | 0.16 | 6    | 0.24 | 2.1  | 0.08      |           |
| 120 x 80                           | 4.72 x 3.15 | WD-1-DP-GR1208 | 1SET411006R0000 | 120             | 4.72 | 77.5 | 3.05 | 80   | 3.15 | 14   | 0.55 | 2.3  | 0.09 | 2    | 0.07 | 16.3 | 0.64 | 4    | 0.16 | 6    | 0.24 | 2.1  | 0.08      |           |
| 120 x 100                          | 4.72 x 3.94 | WD-1-DP-GR1201 | 1SET411004R0000 | 120             | 4.72 | 97.5 | 3.84 | 100  | 3.94 | 16   | 0.63 | 2.4  | 0.09 | 2.4  | 0.09 | 18.4 | 0.72 | 4    | 0.16 | 6    | 0.24 | 2.1  | 0.08      |           |
| Low smoke halogen free Wiring Duct |             |                |                 |                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |           |           |
| 25 x 30                            | 0.98 x 1.18 | Grey           | WD-1-DH-GR2530  | 1SET411101R0000 | 25   | 0.98 | 26.6 | 1.05 | 30   | 1.18 | 8    | 0.31 | 1.55 | 0.06 | 1.55 | 0.06 | 9.55 | 0.38 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 25 x 40                            | 0.98 x 1.57 |                | WD-1-DH-GR2540  | 1SET411102R0000 | 25   | 0.98 | 36.8 | 1.45 | 40   | 1.57 | 10   | 0.39 | 1.6  | 0.06 | 1.6  | 0.06 | 11.6 | 0.46 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 25 x 60                            | 0.98 x 2.36 |                | WD-1-DH-GR2560  | 1SET411103R0000 | 25   | 0.98 | 56.8 | 2.24 | 60   | 2.36 | 12   | 0.47 | 1.6  | 0.06 | 1.6  | 0.06 | 13.6 | 0.54 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 40 x 40                            | 1.57 x 1.57 |                | WD-1-DH-GR4040  | 1SET411104R0000 | 40   | 1.57 | 36.9 | 1.45 | 40   | 1.57 | 10   | 0.39 | 1.6  | 0.06 | 1.6  | 0.06 | 11.6 | 0.46 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 40 x 60                            | 1.57 x 2.36 |                | WD-1-DH-GR4060  | 1SET411105R0000 | 40   | 1.57 | 56.9 | 2.24 | 60   | 2.36 | 12   | 0.47 | 1.6  | 0.06 | 1.6  | 0.06 | 13.6 | 0.54 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 40 x 80                            | 1.57 x 3.15 |                | WD-1-DH-GR4080  | 1SET411106R0000 | 40   | 1.57 | 76.9 | 3.03 | 80   | 3.15 | 14   | 0.55 | 1.8  | 0.07 | 1.8  | 0.07 | 15.8 | 0.62 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 60 x 40                            | 2.36 x 1.57 |                | WD-1-DH-GR6040  | 1SET411107R0000 | 60   | 2.37 | 37   | 1.46 | 40   | 1.57 | 10   | 0.39 | 1.6  | 0.06 | 1.6  | 0.06 | 11.6 | 0.46 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 60 x 60                            | 2.36 x 2.36 |                | WD-1-DH-GR6060  | 1SET411108R0000 | 60   | 2.36 | 57.1 | 2.25 | 60   | 2.36 | 12   | 0.47 | 1.8  | 0.07 | 1.8  | 0.07 | 13.8 | 0.54 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 60 x 80                            | 2.36 x 3.15 |                | WD-1-DH-GR6080  | 1SET411109R0000 | 60   | 2.36 | 77.1 | 3.04 | 80   | 3.15 | 14   | 0.55 | 1.9  | 0.07 | 1.9  | 0.07 | 15.9 | 0.63 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 80 x 60                            | 3.15 x 2.36 |                | WD-1-DH-GR8060  | 1SET411110R0000 | 80   | 3.15 | 57.1 | 2.25 | 60   | 2.36 | 12   | 0.47 | 1.8  | 0.07 | 1.8  | 0.07 | 13.8 | 0.54 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |
| 80 x 80                            | 3.15 x 3.15 |                | WD-1-DH-GR8080  | 1SET411111R0000 | 80   | 3.15 | 77.1 | 3.04 | 80   | 3.15 | 14   | 0.55 | 2    | 0.08 | 2    | 0.08 | 16   | 0.63 | 4    | 0.16 | 6    | 0.24 | 1.8 - 2.1 | 0.07-0.08 |

Products dimensions

Wire retainer





Product ordering information and product dimensions



| Size Width (A) x Height (C) |             | Type         | Part Number     | A   |      | B  |      |
|-----------------------------|-------------|--------------|-----------------|-----|------|----|------|
| mm                          | in          |              |                 | mm  | in   | mm | in   |
| 40 x 40                     | 1.57 x 1.57 | WD-1-RT-4040 | 1SET411301R0000 | 34  | 1.34 | 35 | 1.38 |
| 40 x 60                     | 1.57 x 2.36 | WD-1-RT-4060 | 1SET411302R0000 | 34  | 1.34 | 53 | 2.09 |
| 40 x 80                     | 1.57 x 3.15 | WD-1-RT-4080 | 1SET411304R0000 | 34  | 1.34 | 75 | 2.95 |
| 60 x 40                     | 2.36 x 1.57 | WD-1-RT-6040 | 1SET411305R0000 | 53  | 2.09 | 35 | 1.38 |
| 60 x 60                     | 2.36 x 2.36 | WD-1-RT-6060 | 1SET411306R0000 | 53  | 2.09 | 53 | 2.09 |
| 60 x 80                     | 2.36 x 3.15 | WD-1-RT-6080 | 1SET411303R0000 | 53  | 2.09 | 75 | 2.95 |
| 60 x 100                    | 2.36 x 3.94 | WD-1-RT-6010 | 1SET411307R0000 | 53  | 2.09 | 95 | 3.74 |
| 80 x 60                     | 3.15 x 2.36 | WD-1-RT-8060 | 1SET411308R0000 | 73  | 2.87 | 53 | 2.09 |
| 80 x 80                     | 3.15 x 3.15 | WD-1-RT-8080 | 1SET411311R0000 | 73  | 2.87 | 75 | 2.95 |
| 80 x 100                    | 3.15 x 3.94 | WD-1-RT-8010 | 1SET411312R0000 | 73  | 2.87 | 95 | 3.74 |
| 100 x 60                    | 3.94 x 2.36 | WD-1-RT-1006 | 1SET411309R0000 | 93  | 3.66 | 53 | 2.09 |
| 100 x 80                    | 3.94 x 3.15 | WD-1-RT-1008 | 1SET411313R0000 | 93  | 3.66 | 75 | 2.95 |
| 100 x 100                   | 3.94 x 3.94 | WD-1-RT-1001 | 1SET411314R0000 | 93  | 3.66 | 95 | 3.74 |
| 120 x 60                    | 4.72 x 2.36 | WD-1-RT-1206 | 1SET411310R0000 | 113 | 4.45 | 53 | 2.09 |
| 120 x 80                    | 4.72 x 3.15 | WD-1-RT-1208 | 1SET411315R0000 | 113 | 4.45 | 75 | 2.95 |
| 120 x 100                   | 4.72 x 3.94 | WD-1-RT-1201 | 1SET411316R0000 | 113 | 4.45 | 95 | 3.74 |

Cable Clamp & Holder

Cable Clamp



Cable Holder



Product ordering information and product dimensions

| Description  | Type         | Part Number      | A    |      | B  |      | C  |      | D  |      | E    |      |
|--------------|--------------|------------------|------|------|----|------|----|------|----|------|------|------|
|              |              |                  | mm   | in   | mm | in   | mm | in   | mm | in   | mm   | in   |
| Cable clamp  | WD-1-TL-0003 | 1SET411403 R0000 | 15   | 0.59 | 11 | 0.43 | 6  | 0.24 |    |      |      |      |
| Cable holder | WD-1-TL-0004 | 1SET411404 R0000 | 83.6 | 3.29 | 14 | 0.55 | 15 | 0.59 | 20 | 0.78 | 19.8 | 0.78 |

**te.com**

© 2023 TE Connectivity Ltd. family of companies. All Rights Reserved.

ENTRELEC, TE Connectivity, TE connectivity (logo) and Every Connection Counts are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any changes to the information contained herein without prior notice. TE Connectivity assumes only those obligations set forth in the terms and conditions for this product and shall in no event be liable for any incidental, indirect, or consequential damages arising out of the sale, resale, use, or misapplication of the product. TE expressly disclaims any implied warranties with respect to the information contained herein, including, but not limited to, implied warranties of merchantability or fitness for a particular purpose. Dimensions, specifications and/or information contained herein are for reference purposes only and are subject to change without notice. Consult TE for the latest dimensions, specifications and/or information. Users of TE Connectivity products must make their own assessment as to whether the respective product is suitable for the respective desired application.

INDUSTRIAL / WD WIRING DUCT / BROCHURE / EN

07/23

## **BROCHURE**

TE Connectivity  
3, rue Jean Perrin  
69687 Chassieu cedex  
France  
Tel: +33 481923100