D16/12.NT.L



General Information

 Extended Product Type:
 D16/12.NT.L

 Product ID:
 1SNA399889R0400

 EAN:
 3472593998892

Catalog Description: D16/12.NT.L Spring Terminal Blocks - Neutral disconnect - Blue

Long Description: - Specially developped for TN-C-S Network, - Easy disconnection of neutral for isolation, -

Easy to access thanks to the front wiring entry, - Clamping contact pressure non dependent

on the operator and automatic creeping compensation.

Categories

Products » Low Voltage Products and Systems » Connection Devices » Terminal Blocks » Solution Series

Ordering

Color:BlueMinimum Order Quantity:10 pieceCustoms Tariff Number:85365080

Popular Downloads

Data Sheet, Technical Information: 1SNC160001C0207-CH-B spring clamp **Instructions and Manuals:** 1SNC160001C0207-CH-B spring clamp

Dimensions

Product Net Width: 12 mm
Product Net Height: 93.4 mm
Product Net Depth: 44.5 mm
Product Net Weight: 50 g

Technical

Rated Cross-Section: 16 mm²
Spacing: 12 mm
Connection Type: Spring
Function: Fuse
Number of Levels: 1

Connecting Capacity Main Circuit: Spring Clamp / Flexible 1x 0.5 ... 16 mm²

Spring Clamp / Rigid 1x 0.5 ... 25 mm²

Gauge Type: A7

Rated Current (I_n): Main Circuit 76 A
Rated Short-time Withstand Current for 1 s 1920 A

(I_{cw}):

Rated Voltage (U_r): 400 V Rated Impulse Withstand Voltage 6000 V

(U_{imp}):

Pollution Degree: 3

Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10

Insulation Material: Polyamide

Mounting on DIN Rail: TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715

TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715

Wire Stripping Length: 19.0 mm
Recommended Screw Driver: 6.5 mm

Technical UL/CSA

Connecting Capacity UL/CSA: Stranded 6 AWG

Environmental

Ambient Air Temperature: Operation -55 ... +110 °C

Storage -55 ... +110 °C

RoHS Status: Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q4

Certificates and Declarations (Document Number)

 Declaration of Conformity - CE:
 1SND225027U1000

 EAC Certificate:
 1SND162001A1100

 RoHS Information:
 1SND230488F0201

Classifications

| Object Classification Code: | X |
|-----------------------------|--|
| ETIM 4: | EC001257 - Neutral disconnect terminal block |
| ETIM 5: | EC001257 - Neutral disconnect terminal block |
| ETIM 6: | EC001257 - Neutral disconnect terminal block |

Container Information

| Container information | |
|-------------------------------|---------------|
| Package Level 1 Units: | 10 piece |
| Package Level 1 Width: | 60 mm |
| Package Level 1 Length: | 193 mm |
| Package Level 1 Height: | 57 mm |
| Package Level 1 Gross Weight: | 0.5 kg |
| Package Level 1 EAN: | 3472593998892 |
| Package Level 2 Units: | 180 piece |
| Package Level 2 Width: | 300 mm |
| Package Level 2 Length: | 500 mm |
| Package Level 2 Height: | 150 mm |
| Package Level 2 Gross Weight: | 9.35 kg |
| Package Level 3 Units: | 8640 piece |
| Product Packing Type: | Box |
| | |

