

Actual



Representative

**Location: MEDLEY** 

**GRAYBAR** 

11250 NW 91st STREET

Catalog Number: 2675

 Product ID:
 7TAD105030R0003

 UPC Number:
 78621002675

 EAN Number:
 05414363134701

Status: A

Liquidtight Cord Connector, 3/4 Inch, Straight, Cord Range 0.660 to 0.780 Inch, Meets Coast Guard CG293, Nylon, Black

- Segmented chuck provides high mechanical pullout performance, will not cut or damage cord jacket.
- Suitable for use in hazardous locations where general purpose equipment is specifically permitted by NEC. Class I, Div 2; Class II, Div 1 & Div 1
- Meets Coast Guard CG293

North American Specifications (UNSPSC)		
UNSPSC	39121431 Cable gland connector	
IGCC	4601 Cable gland connector	
Brand Name	T&B	
Туре	Cord Connectors-Straight	
Special Features	Hand Tightens, No Tools Needed for Assembly	
Application	To Connect Flexible Cord to a Box or Enclosure	
	and Provide Adequate Strain Relief.	
Standard	UL E13938, CSA	
Size	3/4 Inch	
Conductor Range	0.660 to 0.780 Inch	
Material	Nylon	
Color	Black	
Temperature Rating	-34 to +105 C	

European Specifications (ETIM)		
ETIM	EC000441 Cable screw gland	
Thread type	NPT	
Nominal thread size inch/gas pipe thread	3/4 inch	
Thread length	15.875mm	
Suitable for cable diameter	16.764-19.812mm	
Material	Plastic	
Material quality	Polyamide (PA)	
Colour	Black	
Model	Straight	
Operating temperature	-34-+105°C	

Packaging	
Inner Quantity	10
Inner Dimensions (inches)	6x4.5x3
Outer Quantity	100
Outer Dimensions (inches)	12.5x11x9
Weight Uom	10 lbs. per 100

## **Documents / Support Tools**



Technical Drawing / Data Sheet	TDS000052
Technical Drawing / Data Sheet US	Available on Website
Instruction Sheet	TA01320-TB2
Support/Tools	Available on Website
Header	
3D Model	Available on Website

## For further technical assistance, please contact us...

ABB Installation Products - USA 860 Ridge Lake Blvd. Memphis, TN 38120 www.tnb.com ABB Installation Products Technical Support MS 3B-50 860 Ridge Lake Blvd. Memphis, TN 38120 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321 Email:techsupport@tnb.com