

Actual

Catalog Number: GSC590

 Product ID:
 7TAI029060R0020

 UPC Number:
 78621081407

 EAN Number:
 05414363114901

Status: A

Two Piece Outer Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter 14.99mm, Outer Diameter 17.02mm, Color Red, Copper Alloy

- Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circularshaped crimp), for grounding multiple or overall shielded cables.
- The sleeves are color coded according to their size.
- · Applications in communications, aerospace, and electronics.

North American Specifications (UNSPSC)	
UNSPSC	39121432 Electrical terminals
IGCC	4603 Electrical terminals
Brand Name	Shield-Kon
Туре	Two-Piece Outer Sleeve Connector
Special Features	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
Material	Copper Alloy
Color	Red

European Specifications (ETIM)	
ETIM	EC002650 Connection for screened wires
Model	2-part
Sleeve form	Outer sleeve
Insulated	N
Outer diameter sleeve	17.02mm
Inner diameter sleeve	14.99mm
Sleeve length	11.2mm
Colour code	Red
Compression shape	Round
Reel packaging	N

Packaging	
Inner Quantity	50
Inner Dimensions (inches)	3x3x3.5
Outer Quantity	250
Outer Dimensions (inches)	3.125x7x9.75
Weight Uom	1.19 lbs. per 100

Documents / Support Tools

Technical Drawing / Data Sheet US Available on Website

For further technical assistance, please contact us...



860 Ridge Lake Blvd. Memphis, TN 38120 www.tnb.com

MS 3B-50 860 Ridge Lake Blvd. Memphis, TN 38120 Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321 Email:techsupport@tnb.com