



[Home](#) / [Products](#) / [VDV Punchdown](#) / [PDT TOOL ONLY w/o blade](#)

PDT TOOL ONLY w/o blade

Cat No: PA3526

Greenlee UPC No: 769328103991

[Contact Sales](#)

- For 28-24 AWG Solid or Stranded conductor
- Standard impact compression design
- Adjustable HI/LO settings for compression force
- Impact force: HI= 35 lbs. (110 N), LO= 25 lbs. (155 N)
- Reversible clip-in blades (except BIX & Krone)
- Punches down with or without cut function (except BIX & Krone)
- Spare blade stores in handle of tool (except BIX & Krone)
- Impact handle and blades available separately
- Leather holster available to attach to belt





Specifications

Attribute Name	Attribute Value
Application	For 28-24 AWG Solid Or Stranded Conductor
Impact Force	35 LB (110 N) High, 25 LB (155 N) Low
Length	6.200 IN (158.000 MM)
Type	Impact
Weight	5.000 OZ (142.000 G)
Item Status Date	01012009
Country of Origin	TW
UNSPSC	43223343
International Harmonize Code	8203403000
RoHS Indicator	U
MSDS Update Flag	N

Products

- Cable TV
- DSL
- Ethernet
- Fiber Optic Instruments
- Hand Tools
- Location and Irrigation
- VDV Instruments
- Wi-Fi

Our Company

- About Us

Quick Links

- Request a Demo
- Contact Us



©2019 Tempo Communications, Inc.

[Cookies](#) [License Agreement](#) [Privacy Policy](#) [Terms & Conditions](#)