

Data sheet

285-607

2-CONDUCTOR EARTH TERMINAL BLOCK LATERAL MARKING
FRONT-ENTRY CAGE CLAMP CONNECTION HORIZONTAL TYPE



Technical data

Package size 15 pieces.

Cross section from [mm ²]	6 mm ²
Cross section to [mm ²]	35 mm ²
Cross section from [AWG]	08 AWG
Cross section to [AWG]	02 AWG
Weight	151.851 g
Color	green-yellow
Wiring type	Front-entry
No. of connection Points	2
No. of potentials	1
Height	52.5 mm
Height	2.07 in
Width	16 mm
Width	0.63 in
Depth	115.5 mm
Depth	4.55 in
Strip length from	23 mm
Strip length to	23 mm
Strip length	0.91 in
Strip length from	0 mm
Strip length	0.63 in
Strip length to	0 mm

Data sheet

285-607

2-CONDUCTOR EARTH TERMINAL BLOCK LATERAL MARKING FRONT-ENTRY CAGE CLAMP CONNECTION HORIZONTAL TYPE

Approval	Voltage	Current	Approval number	Notes
BBJ	800	125	B/12/700/03	
BV			07436/C0	
CCA	800	125	NL4639	
CSA			154112-1327714	
CSM	800	125	017956	
cURus-EX			E185892	
DNV	800	125	E6999	
GL			17295-00HH	
KEMA			98.2759.08	
KR	800	138	HMB05880-EL001	
LR	800	125	91/20112(E1)	
RMR	800	125	99.00007.250	
RosTeST	800	125	B09523	
UL			E45172	

Data sheet

285-607

2-CONDUCTOR EARTH TERMINAL BLOCK LATERAL MARKING FRONT-ENTRY CAGE CLAMP CONNECTION HORIZONTAL TYPE

Accessories

Item number

ADJACENT JUMPER NOMINAL CURRENT 70 A	283-402
ADJACENT JUMPER NOMINAL CURRENT 70 A	283-422
COPPER CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-198
COVER CARRIER TYPE 2	709-168
COVER TYPE 2	709-154
FINGER GUARD COVER	285-400
HOLD BLOCK FOR ISOLATED MOUNTING ON DIN 35 RAIL	209-106
Individual wire jumpers	individual jumper
Open individual wire jumpers ends	individual jumper open end
OPERATING STICKER FOR FRONT-ENTRY RAIL-MOUNTED TERMINAL BLOCKS	210-186
PIVOTABLE GROUP MARKER CARRIER	249-105
PROTECTIVE WARNING MARKER WITH HIGH VOLTAGE SYMBOL,BLACK	285-415
SCREWDRIVER Type 3, bar (5,5 x 0,8) mm	210-121
SCREWDRIVER WITH PARTIALLY INSULATED SHAFT Type 3, bar (5,5 x 0,8) mm	210-621
SCREWLESS END STOP 10 MM / 0.394 IN WIDE	249-117
SCREWLESS END STOP 6 MM / 0.236 IN WIDE	249-116
SEPARATOR PLATE 2 MM / 0.079 IN THICK	285-327
SEPARATOR PLATE 2 MM / 0.079 IN THICK	285-337
SPARE FIXING / RETAINING SCREWS	209-196
SPARE KNURLED NUT	210-549
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-114
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-197
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-506
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-508
STEEL CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-118
STEEL CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-548
TEST PLUG ADAPTER 11.6 MM / 0.452 IN WIDE	283-404
WMB MULTI MARKING SYSTEM PLAIN	793-501
WMB MULTI MARKING SYSTEM PLAIN	793-5501
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-006
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-005
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-002
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-007
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-012
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-017
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-023
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-024
WSB QUICK MARKING SYSTEM PLAIN	209-501

Data sheet

285-607

2-CONDUCTOR EARTH TERMINAL BLOCK LATERAL MARKING FRONT-ENTRY CAGE CLAMP CONNECTION HORIZONTAL TYPE

WSB QUICK MARKING SYSTEM PLAIN	209-501/000-002
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-005
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-006
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-007
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-012
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-017
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-023
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-024