

**MetalliCard  
CC-M 85/54 AL**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

|                    |                                                 |
|--------------------|-------------------------------------------------|
| Type               | CC-M 85/54 AL                                   |
| Order No.          | <a href="#">1327600000</a>                      |
| Version            | MetalliCard, Device markers, 54 x 85 mm, silver |
| GTIN (EAN)         | 4050118132502                                   |
| Qty.               | 40 pc(s).                                       |
| compatible printer | <a href="#">1324380000</a>                      |

**MetalliCard**  
**CC-M 85/54 AL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Technical data**
**Dimensions and weights**

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Width      | 85 mm  | Width (inches)  | 3.346 inch |
| Height     | 54 mm  | Height (inches) | 2.126 inch |
| Depth      | 0.5 mm | Depth (inches)  | 0.02 inch  |
| Net weight | 6.33 g |                 |            |

**General data**

|                             |              |                        |                              |
|-----------------------------|--------------|------------------------|------------------------------|
| Colour                      | silver       | Material               | Chrome coated aluminium (AL) |
| Operating temperature range | -55...130 °C | Recommended industries | Energy, Process              |
| Width                       | 85 mm        |                        |                              |

**Classifications**

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0   | EC001288    |
| eClass 9.0  | 27-40-06-29 | eClass 9.1 | 27-40-06-29 |
| eClass 10.0 | 27-40-06-29 |            |             |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                  |                                                |
|------------------|------------------------------------------------|
| Engineering Data | <a href="#">EPLAN, WSCAD</a>                   |
| Engineering Data | <a href="#">STEP</a>                           |
| Software         | <a href="#">M-Print PRO configuration file</a> |

### MetalliCard CC-M 85/54 AL

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Example of use

