


## DK-SERIES DKO DK5 24VUC

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)



At just 6 mm wide, all components of the DKO range of minicouplers have an extremely narrow design. Four or five screw connections with a nominal cross-section of 4 mm<sup>2</sup> are available.

The minicouplers are suitable for a wide range of applications in the coupling of digital sensor/actuator signals with automation devices and the process field.

### General ordering data

|                     |                                                                                                                                                           |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Delivery status     | <b>This article will no longer be available in the future.</b>                                                                                            |
| Available until     | 2014-12-31                                                                                                                                                |
| Type                | DKO DK5 24VUC                                                                                                                                             |
| Order No.           | <a href="#">8228630000</a>                                                                                                                                |
| Version             | DK-SERIES, Solid-state relay, Rated control voltage: 24 V UC ±20 % , Rated switching voltage: 24 VDC ±20%, Rated switching current: 2 A, Screw connection |
| GTIN (EAN)          | 4008190193881                                                                                                                                             |
| Qty.                | 10 pc(s).                                                                                                                                                 |
| Alternative product | <a href="#">8937930000</a>                                                                                                                                |

**DK-SERIES**  
**DKO DK5 24VUC**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

|       |       |            |        |
|-------|-------|------------|--------|
| Width | 6 mm  | Height     | 77 mm  |
| Depth | 77 mm | Net weight | 25.5 g |

**Temperatures**

|                     |                                                |                       |                |
|---------------------|------------------------------------------------|-----------------------|----------------|
| Humidity            | 40 °C / 93 % rel. humidity,<br>no condensation | Operating temperature | -25 °C...50 °C |
| Storage temperature | -40 °C...85 °C                                 |                       |                |

**Probability of failure**

|      |             |
|------|-------------|
| MTTF | 1,806 Years |
|------|-------------|

**control side**

|                          |                        |                         |               |
|--------------------------|------------------------|-------------------------|---------------|
| Cut-in / dropout voltage | 16 V DC                | Rated control voltage   | 24 V UC ±20 % |
| Power rating             | Max.: 220 mVA / 195 mW | Rated auxiliary voltage | No            |

**Load side**

|                          |             |                                               |       |
|--------------------------|-------------|-----------------------------------------------|-------|
| Solid-state type         | Transistor  | max. switching frequency (DC control voltage) | 10 Hz |
| Rated switching voltage  | 24 VDC ±20% | Continuous current                            | 2 A   |
| Rated switching current  | 2 A         | Switch-on delay                               | 2 ms  |
| Switch-off delay         | < 7 ms      | Load side status indicator                    | LED * |
| Short-circuit-proof      | Yes         | Rated auxiliary voltage                       | No    |
| Pulse duty factor (gen.) | 1:2         |                                               |       |

**General data**

|                                                      |                   |                                 |                                                |
|------------------------------------------------------|-------------------|---------------------------------|------------------------------------------------|
| Solid-state type                                     | Transistor        | No. of poles                    | 1                                              |
| Wire connection method                               | Screw connection  | Humidity                        | 40 °C / 93 % rel. humidity,<br>no condensation |
| Standards                                            | DIN EN 50178      | Wire cross-section, solid, max. | 4 mm <sup>2</sup>                              |
| Wire connection cross section, finely stranded, max. | 4 mm <sup>2</sup> |                                 |                                                |

**Insulation coordination**

|                           |       |                                                               |          |
|---------------------------|-------|---------------------------------------------------------------|----------|
| Rated voltage             | 300 V | Clearance and creepage distances for control side - load side | ≥ 5.5 mm |
| Impulse withstand voltage | 6 kV  | Pollution severity                                            | 2        |
| Surge voltage category    | III   |                                                               |          |

**Further details of approvals / standards**

|           |              |
|-----------|--------------|
| Standards | DIN EN 50178 |
|-----------|--------------|

**Connection data**

|                                                      |                     |                                                      |                   |
|------------------------------------------------------|---------------------|------------------------------------------------------|-------------------|
| Wire connection method                               | Screw connection    | Clamping range, rated connection                     | 4 mm <sup>2</sup> |
| Clamping range, rated connection, min.               | 0.5 mm <sup>2</sup> | Clamping range, rated connection, max.               | 4 mm <sup>2</sup> |
| Wire cross-section, solid, min.                      | 0.5 mm <sup>2</sup> | Wire cross-section, solid, max.                      | 4 mm <sup>2</sup> |
| Wire connection cross-section, finely stranded, min. | 0.5 mm <sup>2</sup> | Wire connection cross section, finely stranded, max. | 4 mm <sup>2</sup> |

## DK-SERIES DKO DK5 24VUC

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Classifications

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 3.0   | EC001504    | UNSPSC     | 30-21-18-01 |
| eClass 5.1 | 27-27-09-90 | eClass 6.2 | 27-14-11-20 |
| eClass 7.1 | 27-27-09-90 |            |             |

### Product information

|                                 |                                                                                              |
|---------------------------------|----------------------------------------------------------------------------------------------|
| Descriptive text ordering data  | Input at bottom                                                                              |
| Descriptive text technical data | * Status indicator: green = OK, yellow = partial short circuit, blinking red = short circuit |
| Descriptive text accessories    | End plate<br>AP DK 5 PA BE: 4036780000                                                       |

### Approvals

Approvals



|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### Downloads


|                           |                                |
|---------------------------|--------------------------------|
| Declaration of Conformity | <a href="#">K072_08_09.pdf</a> |
|                           | <a href="#">3-D model</a>      |

## DK-SERIES DKO DK5 24VUC

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Electric symbol



# Addresses worldwide

## Let's connect.

**AE United Arab Emirates**  
Weidmüller Middle East FZE  
Warehouse Q3-79  
SAIF-Zone  
P.O. BOX 8591  
Sharjah  
Telephone number +971 65572723  
Fax number +971 65572724  
wme.info@weidmueller.com

**AO Angola**  
Please contact  
Phambili Interface  
South Africa

**AR Argentina**  
CPI SA  
Bauness 2660  
C1431DOF Buenos Aires  
Telephone number +54 11 4523 8008  
Fax number +54 11 4522 0546  
info@cpi.com.ar  
www.cpi.com.ar

**AT Austria**  
Weidmüller GmbH  
IZ NOE Süd Straße 2b, Obj  
M 59  
2355 Wiener Neudorf  
Telephone number +43 2236 67080  
Fax number +43 2236 6708-899  
office.at@weidmueller.com  
www.weidmueller.com

**AU Australia**  
Weidmüller Pty. Ltd.  
PO BOX 6944  
Huntingwood 2148  
Huntingwood Drive 43  
Huntingwood NSW 2148  
Telephone number +61 2 9671 9999  
Fax number +61 2 9671 9911  
info@weidmuller.com.au  
www.weidmuller.com.au

**AZ Azerbaijan**  
Representative Office  
Rashad Mahmudov  
Demirchi Tower, 4th floor  
37, Khojali ave.  
AZ 1025 Baku  
Telephone number +994 12 488 80 36  
Fax number +994 12 488 80 37  
rashad.mahmudov@weidmueller.com

**BA Bosnia and Herzegovina**  
Please contact  
our Representative Office  
Weidmüller Interface GmbH  
& Co. KG  
Serbia  
  
or  
  
BIG electric d.o.o  
Mladena Stojanovića 117A  
78000 Banja Luka  
Telephone number +387 51926277  
Fax number +387 51926277  
bigelectric@blic.net  
www.bigelectric.ba

**BE Belgium**  
Weidmüller Benelux B. V.  
Mechelsesteenweg 519 bus  
6 en 7  
1930 Nossegem  
Telephone number +32 2 752 40 70  
Fax number +32 2 751 36 06  
info@weidmueller.be  
www.weidmueller.be

**BG Bulgaria**  
Weid-Bul EOOD  
Bul. "Kliment Ohridski" 13  
1756 Sofia  
Telephone number +359 2 963 2560  
Fax number +359 2 963 1098  
sofia@weidbul.com  
www.weidbul.com

**BH Bahrain**  
Khayber Trading Company  
P.O Box 1976  
Manama  
Telephone number +973 720747  
Fax number +973 720331  
khayber@batelco.com.bh

**BR Brazil**  
Weidmüller Conexel do Brasil  
Conexões Elétricas Ltda.  
Av. Presidente Juscelino, 642  
- Piraporinha  
Diadema, São Paulo  
09950-370  
Telephone number +55 (11) 4366-9600  
Fax number +55 (11) 4362-1677  
vendas@weidmueller.com.br  
www.weidmueller.com.br

**BW Botswana**  
Please contact  
Phambili Interface  
South Africa

**BY Belarus**  
TECHNIKON Ltd.  
Nezavisimosti pr. 177-9  
220125 Minsk  
Telephone number +375 17 393-11-77  
Fax number +375 17 3930080  
wm@technikon.by

**CA Canada**  
W Interconnections Canada  
Inc.  
10 Spy Court  
Markham Ontario L3R 5H6  
Telephone number +1 (905) 475-1507 Ext. 9836  
Fax number +1 (905) 475-2798  
support@weidmuller.ca  
www.weidmuller.ca

**CG Congo**  
Please contact  
Phambili Interface  
South Africa

**CH Switzerland**  
Weidmüller Schweiz AG  
Rundbuckstraße 2  
8212 Neuhausen am  
Rheinfall SH  
Telephone number +41 52 674 07 07  
Fax number +41 52 674 07 08  
info@weidmueller.ch  
www.weidmueller.ch

**CL Chile**  
ATS- INTECH  
Maria Luisa Santander 0475  
Santiago  
Providencia 7500859  
Telephone number +56 2 341 1271  
Fax number +56 2 341 1275  
felipe@atsintech.com  
www.atsintech.com  
  
CPI CHILE LTDA  
Av. Presidente Frei Montalva  
6001, 47 complejo el cortijo  
Santiago - Conchalí  
Telephone number +562 963 8440  
Fax number +562 963 8440  
cpi@cpihile.cl  
www.cpihile.cl

**CN China**  
Weidmüller Interface  
(Shanghai) Co. Ltd.  
100 Yutong Road  
25 F. BM Intercontinental  
Business Center  
200070 Shanghai  
Telephone number +86 21-22195008  
Fax number +86 512-68417505  
customer.hotline@weidmueller.com.cn  
www.cnweidmuller.com

**CO Colombia**  
Automatización Avanzada  
S. A.  
Carrera 97 No., 24 c - 23  
Bodega 4  
110911 Bogotá-D.C.  
Telephone number +57 (1) 547-8510  
Fax number +57 (1) 422-3044  
comercial@automatizacionavanzada.com  
www.automatizacionavanzada.com

**CR Costa Rica**  
ELVATRON S. A.  
la Uruca 400 Norte Banco  
Costa Rica  
San Jose Costa Rica  
Telephone number +506 2961-060  
Fax number +506 5200-609  
dirk.haase@elvatron.com  
www.elvatron.com

**CZ Czech Republic**  
Weidmüller s.r.o.  
Lomnického 5/1705  
140 00 Praha 4  
Telephone number +420 244 001 400  
Fax number +420 244 001 499  
office@weidmueller.cz  
www.weidmueller.cz

**DE Germany**  
Weidmüller GmbH & Co. KG  
Ohmstraße 9  
32758 Detmold  
Postfach 30 54  
32720 Detmold  
Telephone number +49 5231 1428-0  
Fax number +49 5231 14-292083  
weidmueller@weidmueller.de  
www.weidmueller.de

**DK Denmark**  
Weidmüller Danmark  
Vallensbækvej 18A  
2605 Brøndby  
Telephone number +45 27747800  
kundeservice@weidmuller.dk  
www.weidmuller.dk

**EC Ecuador**  
Elsystec S. A., Electricidad  
Sistemas y Tecnología  
Vasco de Contreras N35-251  
y Mañosa  
Quito - Pichincha  
Telephone number +593 22456510  
Fax number +593 22456755  
Elsystec@uiio.satnet.net

**EE Estonia**  
Please contact  
our Representative Office  
Weidmüller Interface GmbH  
& Co. KG  
Latvia  
  
or

Soots Interface OÜ  
Pärnu mnt 142  
11317 Tallinn  
Telephone number +372 609 6933  
Fax number  
info@sootsinterface.ee  
www.sootsinterface.ee

**EG Egypt**  
Standard Electric (OMEGA)  
87, Mohamed Farid Street  
Heliopolis  
Cairo  
Telephone number +202 26229000  
Fax number +202 26221555  
stdelec@rite.com

**ES Spain**  
Weidmüller, S. A.  
Narcis Monturiol 11-13, Pol.  
Ind. Sudoeeste  
8960 Sant Just  
Desvern - Barcelona  
Telephone number +34 934 803 386  
Fax number +34 933 718 055  
weidmuller@weidmuller.es  
www.weidmuller.es

**FI Finland**  
Weidmüller Suomi,  
Weidmüller Aktiebolagetin  
sivuliike  
Koy Plaza Vivace  
Äyritie 8C  
FI 1510 Vantaa  
Telephone number +358 20 7351300  
Fax number +358 800 114 667  
asiakaspalvelu@weidmuller.fi  
www.weidmuller.fi

**FR France**  
Weidmüller E. U. R. L.  
12, Chaussée Jules César  
BP 263 Osnay  
95523 Cergy-Pontoise Cedex  
Telephone number +33 1 34 24 55 00  
Fax number +33 1 34 24 55 01  
mail@weidmuller.fr

**GB Great Britain**  
Weidmüller Ltd.  
Klippon House  
Centurion Court Office Park,  
Meridian East, Meridian  
Business Park  
Leicester  
LE19 1TP  
Telephone number +44 116 282 3470  
Fax number +44 116 289 3582  
marketing@weidmuller.co.uk  
www.weidmuller.co.uk

**GE Georgia**  
Please contact  
our Representative Office  
Rashad Mahmudov  
Azerbaijan.

**GR Greece**  
G.A. Solutions  
Ippokratous 11 Metamorfosi  
144 52 Athen  
Telephone number +30 210 2823233  
Fax number +30 210 2823233  
info@weidmuller.gr  
www.weidmuller.gr

**GT Guatemala**  
Prestelectro, Prestegard  
Electro, S.A.  
Avenida Petapa 44-22,  
Zona 12  
Guatemala City  
Telephone number +502 2442-3346  
Fax number +502 2476-8945  
ventas@prestelectro.com

**HK Hong Kong**  
Weidmüller (Hong Kong)  
Limited Co. Ltd.  
Unit 1617, Metropolis Tower  
No. 10 Metropolis Drive,  
Hunghom, Kowloon  
Telephone number +852 3154 8088  
Fax number +852 31548099  
Info-hk@weidmueller.com.hk

**HR Croatia**  
ElektroPARTNER d.o.o.  
Slavonska avenija 24/6  
HR-10000 Zagreb  
Telephone number +385 (1) 6184 793  
Fax number +385 (1) 6184 795  
elektropartner@zg.t-com.hr  
www.elektropartner.hr

**HU Hungary**  
Weidmüller Kereskedelmi Kft.  
Budapest  
Gubacsi út 6.  
1097  
Telephone number +36 1 382 7700  
Fax number +36 1 382 7701  
info@weidmueller.hu  
www.weidmueller.hu

**ID Indonesia**  
PT. Nego Electrindo  
Ruko Mega Grosir Cempaka  
Mas Blok 1 No. 20 - 22  
Jakarta 10640  
Telephone number +62 21 42882255  
Fax number +62 21 42882266  
sales@negoelectrindo.co.id

**IE Ireland**  
Please contact  
Weidmüller Ltd.  
Great Britain

**IL Israel**  
A. U. Shay Ltd.  
23/25, Embar Street  
49222 Petach-Tikva  
P.O. Box 1 00 49  
49222 Petach-Tikva  
Telephone number +972 3-923-3601  
Fax number +972 3-923-4601  
shay@uriel-shay.com  
www.uriel-shay.com

ATEKA Ltd.  
4, Ha Tavor lane Industrial  
area Segula  
49691 Petach-Tikva  
P.O. Box 4710  
Petach-Tikva  
Telephone number +972 73-200-1311  
Fax number +972 3-924 4245  
marketing@ateka.co.il  
www.ateka.co.il

**IN India**  
Representative Office  
Weidmüller Electronics India  
Pvt. Ltd.  
12th Lane North Avenue, Opp  
Joggers Park,  
Kalyani Nagar, Pune  
411 006  
Telephone number +91 20-41290090  
Nitish.Rajan@weidmueller.de  
www.weidmueller.com

**IS Iceland**  
Samey Automation Center  
Lyngas 13  
210 Garabær  
Telephone number +354 510 5200  
Fax number +354 510 5201  
Samey@samey.is  
www.samey.is

**IT Italy**  
Weidmüller S. r.l.  
Via Albert Einstein 4  
20092 Cinisello  
Balsamo Milano  
Telephone number +39 02 660681  
Fax number +39 02 6124945  
weidmuller@weidmuller.it  
www.weidmuller.it

**JM Jamaica**  
Please contact  
W Interconnections Inc.  
United States

**JO Jordan**  
Trans Jordan for Electro  
PO Box 33 06 07  
Amman  
Telephone number +962 6 533 2020  
Fax number +962 6 533 5800  
transjordan@batelco.jo

**JP Japan**  
Nihon Weidmüller Co. Ltd.  
Sphere Tower Tennoz 2-2-8  
Higashi-Shinagawa,  
Shinagawa-ku  
Tokyo  
140-0002  
Telephone number +81 3 6711 5300  
Fax number +81 3 6711 5333  
weidmullerjapan@weidmuller.co.jp  
www.weidmuller.co.jp



You can find all Weidmüller addresses and your local contact on the internet at: [www.weidmueller.com/countries](http://www.weidmueller.com/countries)

Let's connect.

Sales company

Representation abroad

without representation abroad

|                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>KE</b> <b>Kenya</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                                                                                | <b>MG</b> <b>Madagascar</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                  | <b>NO</b> <b>Norway</b><br>Sivilingeniør J.F. Knudtzen AS<br>Billingstadsletta 97<br>1396 Billingstad<br>PO Box 160<br>1378 Nesbru<br>Telephone number +47 66<br>98 33 50<br>Fax number +47 66 98 09 55<br>firmapost@jfkudtzen.no<br>www.jfkudtzen.no                                                                                                                                                                                                                                          | <b>PT</b> <b>Portugal</b><br>Weidmüller Sistemas de<br>Interface S. A.<br>Estrada Outeiro Polima, R.<br>Augusto Dias da Silva, Lote<br>B - Esct. 2<br>São Domingos de Rana<br>2785-515 Abóboda<br>Telephone number +351 214<br>459 191<br>Fax number +351 214<br>455 871<br>weidmuller@weidmuller.pt<br>www.weidmuller.pt                                                                                                                    | <b>SE</b> <b>Sweden</b><br>Weidmüller AB<br>Axel Danielssons väg 271<br>BOX 31025<br>SE-200 49 Malmö<br>Telephone number +46 77-<br>143 00 44<br>Fax number +46 40-37 48 60<br>info@weidmuller.se<br>www.weidmuller.se                                                                                                                                                                                                                                                                                                                  |
| <b>KR</b> <b>Korea</b><br>Weidmüller Korea Co. Ltd.<br>9th floor, Wonbang B/D<br>Samseong 2-Dong, Gangnam-<br>Gu<br>Seoul 143-42<br>Telephone number +82<br>2-516-0003<br>Fax number +82 2-516-0090<br>info@weidmuller.co.kr<br>www.weidmuller.co.kr                                                                                                                                                          | <b>MK</b> <b>Macedonia</b><br>Please contact<br>our Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Serbia<br><br>or<br>ELEKTRO - SMK dool<br>UL. III Makedonska brigada<br>b.b.<br>1000 Skopje<br>Telephone number +389<br>22460295<br>Fax number<br>Elektro-smk@telekabel.net.mk | <b>NZ</b> <b>New Zealand</b><br>Cuthbert S. Steward Ltd.<br>27 Te Puni Street<br>Petone<br>PO Box 38496<br>Wellington Mail Centre 5054<br>Telephone number (04) 568<br>6156<br>Fax number (09) 489 1752<br>csl@cuthbertstewart.co.nz<br><br>Cuthbert S. Steward Ltd<br>4 Fred Thomas Drive<br>Aon Building, Ground Floor,<br>South Entry<br>Takapuna<br>PO Box 100 338<br>North Shore City 745<br>Telephone number (09) 489<br>1751<br>Fax number (04) 568 6056<br>cslak@cuthbertstewart.co.nz | <b>PY</b> <b>Paraguay</b><br>Please contact<br>CPI SA<br>Argentina                                                                                                                                                                                                                                                                                                                                                                           | <b>SG</b> <b>Singapore</b><br>Weidmüller Pte. Ltd.<br>70 Bendemeer Road<br># 04-03 Luzerne Building<br>Singapore 339940<br>Telephone number +65 6841<br>5311<br>Fax number +65 6841 5377<br>info@weidmuller.com.sg<br>www.weidmuller.com.sg                                                                                                                                                                                                                                                                                             |
| <b>KW</b> <b>Kuwait</b><br>Kana Controls General Trading<br>& Contracting Co. W. L. L.<br>Al Rai Industrial Area, Plot<br>28-30, St. 31<br>13016 Safat<br>B.P. 25593<br>Telephone number +965<br>4741373<br>Fax number +965 4741537<br>info@kanacontrols.com                                                                                                                                                  | <b>MT</b> <b>Malta</b><br>E. S. S., Electrical Supplies &<br>Services Ltd.<br>San Gwakklin Road<br>Mriehel<br><br>Telephone number +356<br>21255777<br>Fax number +356 21255999<br>robert.agius@ess.com.mt                                                                                           | <b>OM</b> <b>Oman</b><br>DAN INTERNATIONAL LLC.<br>Ghala St. 111<br>BP 2901<br>Seeb<br>Telephone number +968<br>5036 77<br>Fax number +968 5037 55<br>yedu@danintl.com                                                                                                                                                                                                                                                                                                                         | <b>QA</b> <b>Qatar</b><br>Petroleum Technology Co.<br>W.L.L.<br>PO Box 16069<br>5th Floor Toyota tower<br>Telephone number +974<br>444 19603<br>Fax number +974 444 19604<br>petrotec@qatar.net.qa<br>www.petrotec.com.qa                                                                                                                                                                                                                    | <b>SI</b> <b>Slovenia</b><br>Elektrospoji d. o. o.<br>Stegne 27<br>SI- 1000 Ljubljana<br>Osrednjeslovenska<br>Telephone number +386 1<br>511 3810<br>Fax number +386 1 511<br>1604<br>info@elektrospoji.si<br>www.elektrospoji.si                                                                                                                                                                                                                                                                                                       |
| <b>KZ</b> <b>Kazakhstan</b><br>Please contact<br>OOO Weidmüller<br>Russia                                                                                                                                                                                                                                                                                                                                     | <b>MU</b> <b>Mauritius</b><br>Mubelo Electrical Ltd.<br>Office 26, Gateway building,<br>St Jean Road<br>Quatre Bornes<br>Mauritius<br>Telephone number +230<br>4670989<br>Fax number +230 4654051<br>richard.mubelo@orange.mu                                                                        | <b>PE</b> <b>Peru</b><br>IMPEXINCA S.A.C.<br>Calle Ortiz de Zavallos No.<br>105, Urb. San Antonio<br>18<br>Lima, Miraflores<br>Telephone number +51 1<br>447 5608<br>info@impexinca.pe<br>www.impexinca.pe<br><br>J & W CIA. S. A.<br>Calle 6 Mz. D Lte. 23, Urb.<br>Ind. Grimanesa<br>01<br>Callao<br>Telephone number +51 1<br>572 2539<br>Fax number +51 1 572 0152<br>contacto@jwcia.com<br>www.jwcia.com                                                                                  | <b>RO</b> <b>Romania</b><br>Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Ionescu Crum Street, No.<br>1, 1st Tower, 1st Floor,<br>Office 4<br>500446 Brasov - Brasov<br>Business Park<br>Telephone number +40 (268)<br>446 222<br>Fax number +40 (262)<br>205 410<br>claudiu.totea@weidmueller.<br>com<br>www.weidmueller.com                                                                                            | <b>SK</b> <b>Slovakia</b><br>ELEKTRIS s.r.o.<br>Elektrárnská 1<br>831 04 Bratislava<br>Telephone number +421<br>2/4920 0113<br>Fax number +421 2/4920<br>0119<br>bratislava@elektris.sk                                                                                                                                                                                                                                                                                                                                                 |
| <b>LB</b> <b>Lebanon</b><br>Progress Engineering &<br>Trading Enterprises<br>Al Nahr Street<br>Beirut 11-1111<br>Telephone number +961 1<br>444 664<br>Fax number +961 1 561 880<br>progress@inco.com.lb                                                                                                                                                                                                      | <b>MW</b> <b>Malawi</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                      | <b>PH</b> <b>Philippines</b><br>Enclosure Systems Specialists<br>Inc.<br>2276 Don Chino Roces<br>Avenue Extension<br>Room 103/105 Narra Building<br>1231 Makati City<br>Telephone number +63 2<br>813 8580<br>Fax number +63 2 813 8596<br>sales_encsys@pltdsl.net<br>www.enclosuresystemsph.<br>com                                                                                                                                                                                           | <b>RS</b> <b>Serbia</b><br>Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Ustanička 189, III sprat<br>Iokai 7a<br>11050 Beograd<br>Telephone number +381<br>112885274<br>Fax number +381<br>112885274<br>zoran.rabrenovic@<br>weidmueller.com<br><br>TeLa Elektrik d.o.o.<br>Ul. Dr. Drage Ljočić 6<br>Beograd<br>Telephone number +381 11<br>2772 415<br>Fax number +381 11 2772<br>850<br>office@tela.rs<br>www.tela.rs | <b>SV</b> <b>El Salvador</b><br>Prestegard Electro<br>11 Avenida Norte No. 240<br>Edificio Salazar No. 2<br>San Salvador<br>Telephone number +503<br>2271 1690<br>Fax number +503 2221<br>3851<br>prestegard@navegante.com.sv                                                                                                                                                                                                                                                                                                           |
| <b>LT</b> <b>Lithuania</b><br>Please contact<br>our Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Latvia<br><br>or<br>ELEKTROS IRANGA<br>Tinklų g. 29 a<br>LT-5319 Panevezys<br>Telephone number +370 (45)<br>582 828<br>Fax number<br>info@eliranga.lt                                                                                                                                   | <b>MX</b> <b>Mexico</b><br>W Interconnections S. A.<br>DE C. V.<br>Blvd. Hermanos Serdán 698,<br>Col. San Rafael Oriente<br>72029 Puebla<br>Telephone number +52 (222)<br>268 6227<br>Fax number +52 (222) 286<br>6242<br>clientes@weidmuller.com.mx                                                 | <b>PK</b> <b>Pakistan</b><br>Automation Controls (Pak)<br>Apartment No. 33 C III,<br>Chenab Block, Allama Iqbal<br>Town<br>Lahore<br>Telephone number +92 42<br>37809948<br>Fax number +92 42<br>37809950<br>nadeem@acpak.com.pk<br>www.acpak.com.pk                                                                                                                                                                                                                                           | <b>RU</b> <b>Russia</b><br>OOO Weidmüller<br>Warslavskoye highway, 25<br>A, bld. 6<br>Moskau<br>117105<br>Telephone number +7 (495)<br>771-69-40<br>Fax number +7 (495) 771-<br>69-41<br>Info@weidmueller.ru<br>www.weidmueller.ru                                                                                                                                                                                                           | <b>SY</b> <b>Syria</b><br>Please contact<br>Weidmüller Middle East FZE<br>United Arab Emirates                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>LU</b> <b>Luxembourg</b><br>Please contact<br>Weidmüller Benelux B. V.<br>Netherlands                                                                                                                                                                                                                                                                                                                      | <b>MY</b> <b>Malaysia</b><br>Connect Plus Technology<br>Sdn Bhd<br>No. 43, Jalan PJS 11/22,<br>Bandar Sunway<br>46150 Petaling Jaya<br>Selangor Darul Ehsan<br>Telephone number +60 3<br>5633 7363<br>Fax number +60 3 5633<br>6562<br>paul@cptech.com.my<br>www.cptech.com.my                       | <b>PL</b> <b>Poland</b><br>Weidmüller Sp. z o. o.<br>ul. Ogrodowa 58<br>00-876 Warszawa<br>Telephone number +48 22<br>510 09 40<br>Fax number +48 22 510<br>09 41<br>biuro@weidmuller.com.pl<br>www.weidmuller.pl                                                                                                                                                                                                                                                                              | <b>SA</b> <b>Saudi Arabia</b><br>Al Abdulkarim Holding Co.<br>P.O. Box 4<br>Dammam 31411<br>Telephone number +966 3<br>8337110<br>Fax number +966 3<br>8829547<br>E-mail salehsk@akh.com.sa<br>www.weidmueller.ae<br><br>Saudi Electric Supply<br>Company (SESCO)<br>P.O. Box 32 98<br>Al Khobar 31952<br>Telephone number +966 3<br>8829546 Ext. 3030<br>Fax number<br>E-mail Safdar.Malik@sescogex.com<br>www.sesco-gex.com                | <b>SZ</b> <b>Swaziland</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>LV</b> <b>Latvia</b><br>SIA Abi4<br>Daugavgrivas 31b<br>Riga, LV-1007<br>Telephone number +371 674<br>70999<br>Fax number +371 676<br>24562<br>abi_4@tvnet.lv<br><br>Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Udens str. 12-118<br>Riga, LV-1007<br>Telephone number +371<br>29254766<br>Fax number +371 674<br>65637<br>lgonis.rudaks@weidmueller.<br>com<br>www.weidmueller.com | <b>MZ</b> <b>Mozambique</b><br>Please contact<br>Phambili Interface<br>South Africa                                                                                                                                                                                                                  | <b>PR</b> <b>Puerto Rico</b><br>Please contact<br>W Interconnections Inc.<br>United States                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>TH</b> <b>Thailand</b><br>Pisanu Engineering Co. Ltd.<br>Kwang Dingaeng, Khet<br>Dingaeng<br>800/2 Soi Trakulsuk, Asoke-<br>dindaeng Road<br>Dindaeng, Bangkok<br>10400<br>Telephone number +66 2<br>248 2896<br>Fax number +662 105 6301<br>ecsales@pisanu.co.th<br>www.pisanu.co.th<br><br>Representative Office<br>Weidmüller Pte. Ltd.<br>37/F, Sathorn Square Building<br>98 North Sathorn Road<br>Bangkok, Silom Bangrak<br>10500<br>Telephone number +66 2<br>105 6300<br>Fax number +66 2 642 9220<br>info@weidmuller.com.sg |
| <b>MD</b> <b>Moldova</b><br>BERHORD A & D srl<br>79/1, str. Milescu Spartaru<br>MD-2075 Chisinau<br>Moldova<br>Telephone number +373 (22)<br>815002<br>Fax number +373 (22)<br>815007<br>atiuleanu@berhord.com<br>www.ad.berhord.com                                                                                                                                                                          | <b>NG</b> <b>Nigeria</b><br>Please contact                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>TN</b> <b>Tunisia</b><br>Please contact<br>Weidmüller E. U. R. L.<br>France                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>ME</b> <b>Montenegro</b><br>Please contact<br>our Representative Office<br>Weidmüller Interface GmbH<br>& Co. KG<br>Serbia.                                                                                                                                                                                                                                                                                | <b>NL</b> <b>Netherlands</b><br>Weidmüller Benelux B. V.<br>Franciscusweg 221<br>1216 SE Hilversum<br>P.O. Box 1505<br>1200 BM Hilversum<br>Telephone number +31 35<br>626 12 61<br>Fax number +31 35 623<br>20 44<br>info@weidmuller.nl<br>www.weidmuller.nl                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>TR</b> <b>Turkey</b><br>Weidmüller Elektronik Ticaret<br>Ltd. Sirketi<br>Kavacık Mah. Orhan Veli Kanik<br>Caddesi 9/1<br>34810 Beykoz / Istanbul<br>Telephone number +90 (216)<br>537 10 70<br>Fax number +90 (216) 537<br>10 77<br>info@weidmuller.com.tr<br>www.weidmuller.com.tr                                                                                                                                                                                                                                                  |

# Addresses worldwide

Let's connect.

**TW**

## **Taiwan**

Weidmuller (Hong Kong)  
Limited  
No. 3, Lane 89, ChaungYang  
N. Rd  
24148 SanChuang City,  
Taipei  
Telephone number +886 921  
949 751  
roy.lin@weidmueller.com.hk

**TZ**

## **Tanzania**

Please contact  
Phambili Interface  
South Africa

**UA**

## **Ukraine**

LLC WM UKRAINE  
Levanevskogo str. 6  
Kiev  
3058  
Telephone number +38 044  
490 32 48  
Fax number  
info@wm-ua.com.ua  
wm-ua.com.ua/

Representative Office  
Weidmueller Interface GmbH  
& Co. KG  
Z, office 303  
7-D, Zdolbunivska str.  
Kiev, 2081  
Telephone number  
(mobile) +38 050 440 25 24  
info.ua@weidmueller.com

**US**

## **United States**

W Interconnections Inc.  
821 Southlake Boulevard  
Richmond Virginia 23236  
Telephone number +1 (804)  
794-2877  
Fax number +1 (804) 379-  
2593  
info@weidmuller.com  
www.weidmuller.com

**UY**

## **Uruguay**

REWO Uruguay S. A.  
AV. Bolivia 2001Esq  
Rocafuerte  
11300 Carrasco Montevideo  
Telephone number +598  
2604 8439  
Fax number +598 2604  
8439  
rewo@rewouruguay.com.uy

**UZ**

## **Republic of Uzbekistan**

Please contact  
OOO Weidmüller  
Russia

**VE**

## **Venezuela**

Somerinca C. A.  
Corazon de Jesus - 3ra  
Transversal con calle el  
Carmen- Los Dos Caminos  
Caracas 1070-A  
Telephone number +58  
2122352748  
Fax number +58  
2122399341  
klocmoeller@cantv.net  
www.somerinca.com

**VN**

## **Vietnam**

AUMI Industrial Equipment &  
Automation Company Limited  
E1, La Thanh Hotel  
218 Doi Can Street  
Lieu Giai Ward, Ba Dinh  
District  
Hanoi City  
Telephone number +84 4  
37628601  
Fax number +84 4  
62661391  
aumi@aumi.com.vn  
www.aumi.com.vn

Representative Office  
Weidmüller Pte. Ltd.  
Level 16 Saigon Tower  
Building  
29 Le Duan Street  
District 1  
Ho Chi Minh  
Telephone number +848  
3520 7717  
Fax number +848 3520  
7604  
info@weidmuller.com.sg

**ZA**

## **South Africa**

Phambili Interface  
PO Box 193  
1609 Johannesburg, Edenvale  
5 Bundo Road, Sebenza  
1610 Johannesburg  
Telephone number +27 (11)  
4521930  
Fax number  
info@weidmuller.co.za  
www.weidmuller.co.za

**ZM**

## **Zambia**

Please contact  
Phambili Interface  
South Africa

**ZW**

## **Zimbabwe**

Please contact  
Phambili Interface  
South Africa