

**OMNIMATE Housing - TERMINALBOX
AP MCZ1.5 1674**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Product image

The MCZ R relay couplers, with a width of only 6 mm, are the thinnest in their class.

They are distinguished by the following features:

- Tension clamp connection
- Integrated cross-connection in input/output.
Clampable conductor cross-section is 0.5 to 1.5 mm²

General ordering data

Type	AP MCZ1.5 1674
Order No.	8389030000
Version	End plate, OMNIMATE Housing - TERMINALBOX grey-beige, End plate, Width: 1.5 mm
GTIN (EAN)	4008 190386849
Qty.	50 pc(s).

**OMNIMATE Housing - TERMINALBOX
AP MCZ1.5 1674**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data**Dimensions and weights**

Length	91 mm	Length (inches)	3.583 inch
Width	1.5 mm	Width (inches)	0.059 inch
Height	55.85 mm	Height (inches)	2.199 inch
Net weight	5.961 g		

Temperatures

Operating temperature, max.	120 °C	Operating temperature, min.	-50 °C
Storage temperature, max.	55 °C	Storage temperature, min.	-25 °C
Temperature range, installation, min.	-25 °C	Temperature range, installation, max.	120 °C

General data

Version	End plate	Colour	grey-beige
UL 94 flammability rating	V-0		

Insulation coordination

Insulating material group	IIIa	Protection degree	IP20
---------------------------	------	-------------------	------

Classifications

ETIM 6.0	EC000886	ETIM 7.0	EC000886
eClass 9.1	27-14-11-33	eClass 10.0	27-14-11-33
UNSPSC	30-21-18-27		

Approvals

Approvals



ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	FL ANALO.SIGN.CONV. EN MB DEVICE MANUF. EN CAT 4.1 ELECTR 16/17 EN CAT 4.2 ELECTR 18/19 EN CAT 2 PORTFOLIOGUIDE EN FL MACHINE SAFETY EN FL 72H SAMPLE SER EN PO OMNIMATE EN
Engineering Data	WSCAD, Zuken E3.S
Engineering Data	STEP

OMNIMATE Housing - TERMINALBOX AP MCZ1.5 1674

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Drawings

