

**Pressing tool
HTF RSV 12****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Inseparable: a unique connection.**

Weidmüller crimping tools combine decades of experience in contact technology with expertise in the professional tool sector.

Standard features of HTF crimping tools for the RSV system offer maximum contact stability and are easy to use:

- Integrated automatic stop
- Safety lock
- Precision positioning stop

The integrated positioning and pressing functions guarantee a standard crimping geometry

The result: quality crimping = 100% failsafe.

General ordering data

Type	HTF RSV 12
Order No.	9013550000
Version	Pressing tool, Crimping tool for contacts, FoderBcrimp
GTIN (EAN)	4008 190002046
Qty.	1 pc(s).

Pressing tool HTF RSV 12

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Width	205 mm	Width (inches)	8.071 inch
Weight	445 g	Net weight	449.98 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Packing

VPE length	56 mm	VPE width	97 mm
VPE height	283 mm		

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
eClass 9.0	21-04-38-11	eClass 9.1	21-04-38-11
eClass 10.0	21-04-38-11	UNSPSC	27-11-27-20

Approvals

Approvals



Downloads

Approval/Certificate/Document of Conformity	Declaration of the Manufacturer
Brochure/Catalogue	CAT 6 TOOLS 15/16 EN CAT 2 PORTFOLIOGUIDE EN
Engineering Data	WSCAD

Pressing tool HTF RSV 12

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Drawings

