

Pressing tool CTX CM 1.6/2.5

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



Crimping tools for turned contacts

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With stop for exact positioning of the contacts.

General ordering data

Type	CTX CM 1.6/2.5
Order No.	9018490000
Version	Pressing tool, Crimping tool for contacts, 0.14mm², 4mm², W crimp
GTIN (EAN)	4008190884598
Qty.	1 pc(s).

Pressing tool
CTX CM 1.6/2.5

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data**Dimensions and weights**

Width	250 mm	Width (inches)	9.842 inch
Weight	730 g	Net weight	679.78 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Technical data

Version	Mechanical, without interchangeable inserts
---------	---

Description of contact

Type of contact	Turned contacts	Crimping range, min.	0.14 mm ²
Crimping range, max.	4 mm ²	Conductor cross-section, max. AWG	AWG 12
Conductor cross-section, min. AWG	AWG 26		

tool data crimping

Crimping profile 1, min.	0.14 mm ²	Crimping type/profile	W crimp
Crimping profile 1, max.	0.5 mm ²	Crimping profile 2, min.	0.75 mm ²
Crimping profile 2, max.	1 mm ²	Crimping profile 3, min.	1.5 mm ²
Crimping profile 4, min.	2.5 mm ²	Crimping profile 5	4 mm ²

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
eClass 9.0	21-04-38-11	eClass 9.1	21-04-38-11
eClass 10.0	21-04-38-11	UNSPSC	23-17-16-04

Approvals

Approvals

**Downloads**

Brochure/Catalogue	CAT 3 HDC 17/18 EN CAT 6 TOOLS 15/16 EN
Engineering Data	STEP
User Documentation	Manual

Pressing tool CTX CM 1.6/2.5

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

