



PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022
MODIFICATION / REVISION DATE: 25/4/2022

AMJE0808-0050-GYB-24 MODULAR CABLE

CHANGE NOTIFICATION:

PCN 20220425_AMJE0808-0050-GYB-24

DESCRIPTION OF CHANGES:

CHANGE OF DATA SHEET
CHANGE OF DATA SHEET
New Draw.-No. ASS_7948_CArev04

REASON FOR CHANGE:

CHANGE OF PRODUCT LOCATION
CHANGE OF PRODUCT LOCATION

KEY CHARACTERISTICS OF CHANGE:

Details see page 3

PRODUCTS AFFECTED:

AMJE0808-0050-GYB-24

DATE OF CHANGE AND IMPLEMENTATION:

CHANGE: WEEK 18 / YEAR 2022
IMPLEMENTATION: 25/4/2022

RESPONSE:

NO RESPONSE TO THIS NOTIFICATION IS REQUIRED

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022
MODIFICATION / REVISION DATE: 25/4/2022

AMJE0808-0050-GYB-24

NEW VERSION

Apprearence

Technical drawing of the old connector (AMJE0808-0050-GYB-24). The top view shows a side profile of the connector with callouts 1, 3, and 8. Callout 1 points to the RJ45 port, callout 3 points to the strain relief, and callout 8 points to the cable jacket. The bottom view shows a top-down perspective of the connector with callout 2 pointing to the RJ45 port.

BOM

③	Molding	PVC 45P Color: see order code	NA	KG
②	CONNECTOR	RJ45 8P8C two fork 3u" gold plated	2	PCS
①	CABLE	CAT5e UTP (24AWG*1PR)*4+PVC OD=5,2±0.3MM Color: see order code	NA	MM
NO:	NAME	DESCRIPTION	Q'TY	UNIT

Apprearence

Technical drawing of the new connector (NEW VERSION). The top view shows a side profile of the connector with callouts 1, 4, and 8. Callout 1 points to the RJ45 port, callout 4 points to the strain relief, and callout 8 points to the cable jacket. The bottom view shows a top-down perspective of the connector with callout 4 pointing to the RJ45 port.

BOM

⚠③	Molding	PVC 65P Color: see order code ④	NA	KG
⚠②	CONNECTOR	RJ45 8P8C two fork 3u" gold plated	2	PCS
⚠①	CABLE	CAT5e U/UTP (24AWG*1PR)*4+PVC OD=5.2±0.3MM Color: see order code ④	NA	MM
NO:	NAME	DESCRIPTION	Q'TY	UNIT

FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: FOR REFERENCE

PCN REVISION HISTORY:

DATE OF REVISION: 25/4/2022

REVISION NUMBER: 00

page 3/

