

Announcement

August 2023

Specification change: RH series power relays

IDEC would like to inform you of a specification change regarding some of our RH series power relays. Details are as follows:

1. Subject models

RH series power relays;

- Part number starting with RH1 (Except for AC type of top bracket mounting of cadmium free type): All products
- Part number starting with RH2 (Except for cadmium free type): All products





Note: Special products are also included.

Cadmium free type is part number with W. (Example: RH1B-UW*)

2. Modification details

The marking of relay case will be changed as below.

RH1 series silver cadmium oxide type

Style	Current	New
Top bracket mounting		 <p style="text-align: center;">Change of terminal number Change of connection view</p>
Basic, With indicator, With diode, With indicator and diode, With check button		 <p style="text-align: center;">Addition of "Bottom View" Change of terminal number Change of connection view</p>

Announcement

RH1 series cadmium free type

Style	Current	New
Top bracket mounting	<p>RH1B-UTW DC24V</p> <p>(1)12 (5)14 (9)11 (13)A1(-) (14)A2(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p>	<p>RH1B-UTW DC24V</p> <p>(1)12 (5)14 (9)11 (13)A1(-) (14)A2(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p> <p>Change of connection view Note: AC type remain same</p>
Basic, With indicator, With diode, With indicator and diode, With check button	<p>RH1B-UW DC24V</p> <p>(1)12 (5)14 (9)11 (13)A1(-) (14)A2(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p>	<p>RH1B-UW DC24V</p> <p>(1)12 (5)14 (9)11 (13)A1(-) (14)A2(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p> <p>Addition of "Bottom View" Change of connection view</p>

RH2 series silver cadmium oxide type

Style	Current	New
Top bracket mounting	<p>RH2B-UT DC24V</p> <p>1 4 5 8 9 12 13(-) 14(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p>	<p>RH2B-UT DC24V</p> <p>(1)12 (4)42 (5)14 (8)44 (9)11 (12)41 (13)A1(-) (14)A2(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p> <p>Change of terminal number</p>
Basic, With indicator, With diode, With indicator and diode, With check button	<p>RH2B-U DC24V</p> <p>1 4 5 8 9 12 13(-) 14(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p>	<p>RH2B-U DC24V</p> <p>(1)12 (4)42 (5)14 (8)44 (9)11 (12)41 (13)A1(-) (14)A2(+)</p> <p>Bottom View</p> <p>Lot No. IDEC</p> <p>Change of terminal number</p>

Note: There is no other specification change.



Announcement

3. Schedule

Starting January 2024 (or sooner depending on our stock situation)

Note: Current and new products may be mixed in the same shipment.

4. Part number and prices

No change

5. Identification

Modified products will have an identification mark "*" on their product case.



This identification letter will be used with modified products made until June 2024.