



PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 9/5/2022
MODIFICATION / REVISION DATE: 9/5/2022

A-MCU60010/Y MODULAR CABLE

CHANGE NOTIFICATION:

PCN 20220509_A-MCU60010/Y

DESCRIPTION OF CHANGES:

CHANGE OF DATA SHEET
CHANGE OF DATA SHEET
New Draw.-No. ASS_8285_CArev01

REASON FOR CHANGE:

CHANGE OF PRODUCT LOCATION
CHANGE OF PRODUCT LOCATION

KEY CHARACTERISTICS OF CHANGE:

Details see page 3

PRODUCTS AFFECTED:

A-MCU60010/Y

DATE OF CHANGE AND IMPLEMENTATION:



CHANGE: WEEK 20 / YEAR 2022
IMPLEMENTATION: 09/05/22

RESPONSE:

NO RESPONSE TO THIS NOTIFICATION IS REQUIRED

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 9/5/2022
MODIFICATION / REVISION DATE: 9/5/2022

A-MCU60010/Y	OLD VERSION	A-MCU60xxx/x	NEW VERSION																				
Appearance		Appearance																					
BOM	Material: - Conductor: 26AWG 7*0.16±0.015mm - Conductor Insulation color coding: (1)White/Orange, (1)Orange, (1)White/Green, (1)Green, (1)Blue, (1)White/Blue, (1)White/Brown, (1)Brown - Included printing on cable jacket: CM (UL) C(UL) 4P 26AWG UTP CAT.6 PATCH CABLE ISO/IEC & EN & ANSI/TIA-568-C.2 - Cable Assembly: White cable tie, Wiring T568B color, Plug RJ45 8P8C 3μ pc UL 94V-2 - Cable Jacket color: Grey	BOM	<table><tr><td>①</td><td></td><td>Molding PVC</td><td>2</td><td>Molding PVC 65P</td></tr><tr><td>①</td><td></td><td>RJ45 CONN</td><td>2</td><td>RJ45 8P8C, contacts 3u" gold-plated Un-shielded PC UL94V-2</td></tr><tr><td>①</td><td></td><td>CABLE</td><td>1</td><td>CAT6 U/UTP(26AWGx1PR)*4+Cross+PVC Jacket OD:5.0±0.3mm</td></tr><tr><td>NO.</td><td>NAME.</td><td>Q'TY</td><td colspan="2">SPECIFICATION</td></tr></table>	①		Molding PVC	2	Molding PVC 65P	①		RJ45 CONN	2	RJ45 8P8C, contacts 3u" gold-plated Un-shielded PC UL94V-2	①		CABLE	1	CAT6 U/UTP(26AWGx1PR)*4+Cross+PVC Jacket OD:5.0±0.3mm	NO.	NAME.	Q'TY	SPECIFICATION	
①		Molding PVC	2	Molding PVC 65P																			
①		RJ45 CONN	2	RJ45 8P8C, contacts 3u" gold-plated Un-shielded PC UL94V-2																			
①		CABLE	1	CAT6 U/UTP(26AWGx1PR)*4+Cross+PVC Jacket OD:5.0±0.3mm																			
NO.	NAME.	Q'TY	SPECIFICATION																				
FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: FOR REFERENCE																							

