

Corner inlay - UCS CCD 7035 - 2203479

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Corner inlay for UCS housings with integrated screw boss; material: polyamide; color: light gray, similar to RAL 7035





Key Commercial Data

Packing unit	1 pc
GTIN	4 055626 403465
GTIN	4055626403465
Weight per Piece (excluding packing)	20.000 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

Item properties

Туре	UCS CCD 7035
Order No.	2203479
Housing type	Universal housings

Measurements

Width [w]	16.2 mm
Height [h]	16.2 mm
Depth [d]	27.05 mm

Material specifications

Color (RAL)	light gray (7035)
Insulating material	PA



Corner inlay - UCS CCD 7035 - 2203479

Technical data

Material specifications

CTI according to IEC 60112	0
Flammability rating according to UL 94	V0
Housing material	PA

Ambient conditions

Ambient temperature (storage/transport)	-40 °C 55 °C
Ambient temperature (assembly)	-5 °C 100 °C
Ambient temperature (operation)	-40 °C 100 °C (depending on power dissipation)

PCB data

Number of PCB holders	1
Note on PCB holders	This product is prepared for a printed-circuit board. Additional printed-circuit boards can be mounted using adhesive pads (accessories).
PCB thickness	0.8 mm 3 mm
Type of PCB mount	Bolt mounting

Note on mounting

I Lightening forgue / rotational speed	Screw connection between housing halves: 1.2 Nm-1.4 Nm / 500 rpm-1000 rpm
	Mounting of PCB on corner feeder: 0.4 Nm-0.5 Nm / 500 rpm-1000 rpm
Drive form screw head	Mounting the PCB: Slotted Torx®(T7)

Packaging information

Pieces per package	1
Denomination packing units	Pcs.

Standards and regulations

Flammability rating according to UL 94	VO

Classifications

eCl@ss

eCl@ss 5.1	27180506
eCl@ss 6.0	27180800
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

ETIM

ETIM 5.0	EC001031
ETIM 6.0	EC001031



Corner inlay - UCS CCD 7035 - 2203479

Classifications

ETIM

ETIM 7.0	EC001031
----------	----------

Phoenix Contact 2019 © - all rights reserved http://www.phoenixcontact.com